

References

1. Tuan RS, Chen AF, Klatt BA. 2013. Cartilage regeneration. *J Am Acad Orthop Surg* 21:303-311.
2. Benito MJ, Veale DJ, FitzGerald O, et al. 2005. Synovial tissue inflammation in early and late osteoarthritis. *Ann Rheum Dis* 64:1263-1267.
3. de Lange-Brokaar BJ, Ioan-Facsinay A, van Osch GJ, et al. 2012. Synovial inflammation, immune cells and their cytokines in osteoarthritis: a review. *Osteoarthritis Cartilage* 20:1484-1499.
4. Scanzello CR, Goldring SR. 2012. The role of synovitis in osteoarthritis pathogenesis. *Bone* 51:249-257.
5. Fahy N, de Vries-van Melle ML, Lehmann J, et al. 2014. Human osteoarthritic synovium impacts chondrogenic differentiation of mesenchymal stem cells via macrophage polarisation state. *Osteoarthritis Cartilage* 22:1167-1175.
6. Bondeson J, Wainwright S, Hughes C, et al. 2012. The Role of Synovial Macrophages and Macrophage-Produced Mediators in Driving Inflammatory and Destructive Responses in Osteoarthritis Recognition. In: Rothchild BM editor. *Principles of Osteoarthritis- Its Definition, Character, Derivation and Modality-Related*: InTech.
7. Englund M, Guermazi A, Roemer FW, et al. 2009. Meniscal tear in knees without surgery and the development of radiographic osteoarthritis among middle-aged and elderly persons: The Multicenter Osteoarthritis Study. *Arthritis Rheum* 60:831-839.
8. Cinque ME, Dornan GJ, Chahla J, et al. 2017. High Rates of Osteoarthritis Develop After Anterior Cruciate Ligament Surgery: An Analysis of 4108 Patients. *Am J Sports Med*:363546517730072.
9. Cross M, Smith E, Hoy D, et al. 2014. The global burden of hip and knee osteoarthritis: estimates from the global burden of disease 2010 study. *Ann Rheum Dis* 73:1323-1330.
10. Bijlsma JW, Knahr K. 2007. Strategies for the prevention and management of osteoarthritis of the hip and knee. *Best practice & research Clinical rheumatology* 21:59-76.
11. Nelissen RG. 2008. Artrose. In: Verhaar JA, Mourik JB editors. *Orthopedie*. Houten: Bohn Stafleu van Loghum.
12. Chen A, Gupte C, Akhtar K, et al. 2012. The Global Economic Cost of Osteoarthritis: How the UK Compares. *Arthritis* 2012:698709.
13. Houard X, Goldring MB, Berenbaum F. 2013. Homeostatic mechanisms in articular cartilage and role of inflammation in osteoarthritis. *Curr Rheumatol Rep* 15:375.
14. Bijlsma JW, Berenbaum F, Lafeber FP. 2011. Osteoarthritis: an update with relevance for clinical practice. *Lancet* 377:2115-2126.
15. Fauci A, Langford C. 2006. *Harrison's Rheumatology*: McGraw-Hill;
16. Poos MJJC, Gommer AM. 2009. Hoe vaak komt artrose voor en hoeveel mensen sterven eraan? *Volksgezondheid Toekomst Verkenning, Nationaal Kompas Volksgezondheid (RIVM)*.
17. Dragoo JL, Danial CM, Braun HJ, et al. 2012. The chondrotoxicity of single-dose corticosteroids. *Knee Surg Sports Traumatol Arthrosc* 20:1809-1814.
18. Karsdal MA, Michaelis M, Ladel C, et al. 2016. Disease-modifying treatments for osteoarthritis (DMOADs) of the knee and hip: lessons learned from failures and opportunities for the future. *Osteoarthritis Cartilage* 24:2013-2021.
19. Qvist P, Bay-Jensen AC, Christiansen C, et al. 2008. The disease modifying osteoarthritis drug (DMOAD): Is it in the horizon? *Pharmacol Res* 58:1-7.
20. Yazici Y, McAlindon TE, Fleischmann R, et al. 2017. A novel Wnt pathway inhibitor, SM04690, for the treatment of moderate to severe osteoarthritis of the knee: results of a 24-week, randomized, controlled, phase 1 study. *Osteoarthritis Cartilage* 25:1598-1606.

21. Kraus VB, Birmingham J, Stabler TV, et al. 2012. Effects of intraarticular IL-1Ra for acute anterior cruciate ligament knee injury: a randomized controlled pilot trial (NCT00332254). *Osteoarthritis Cartilage* 20:271-278.
22. Furman BD, Mangiapani DS, Zeidler E, et al. 2014. Targeting pro-inflammatory cytokines following joint injury: acute intra-articular inhibition of interleukin-1 following knee injury prevents post-traumatic arthritis. *Arthritis Res Ther* 16:R134.
23. Luz-Crawford P, Djouad F, Toupet K, et al. 2016. Mesenchymal Stem Cell-Derived Interleukin 1 Receptor Antagonist Promotes Macrophage Polarization and Inhibits B Cell Differentiation. *Stem Cells* 34:483-492.
24. Murphy KP. 2012. *Janeway's immunobiology*. New York: Garland Science;
25. Wynn TA, Chawla A, Pollard JW. 2013. Macrophage biology in development, homeostasis and disease. *Nature* 496:445-455.
26. Weisberg SP, McCann D, Desai M, et al. 2003. Obesity is associated with macrophage accumulation in adipose tissue. *J Clin Invest* 112:1796-1808.
27. Li H, You H, Fan X, et al. 2016. Hepatic macrophages in liver fibrosis: pathogenesis and potential therapeutic targets. *BMJ Open Gastroenterol* 3:e000079.
28. Krenkel O, Tacke F. 2017. Liver macrophages in tissue homeostasis and disease. *Nat Rev Immunol* 17:306-321.
29. Misharin AV, Morales-Nebreda L, Reyfman PA, et al. 2017. Monocyte-derived alveolar macrophages drive lung fibrosis and persist in the lung over the life span. *J Exp Med* 214:2387-2404.
30. Byrne AJ, Maher TM, Lloyd CM. 2016. Pulmonary Macrophages: A New Therapeutic Pathway in Fibrosing Lung Disease? *Trends in molecular medicine* 22:303-316.
31. Bobryshev YV, Ivanova EA, Chistiakov DA, et al. 2016. Macrophages and Their Role in Atherosclerosis: Pathophysiology and Transcriptome Analysis. *Biomed Res Int* 2016:9582430.
32. Moore KJ, Sheedy FJ, Fisher EA. 2013. Macrophages in atherosclerosis: a dynamic balance. *Nat Rev Immunol* 13:709-721.
33. Mahida YR. 2000. The key role of macrophages in the immunopathogenesis of inflammatory bowel disease. *Inflamm Bowel Dis* 6:21-33.
34. Murray PJ. 2017. Macrophage Polarization. *Annu Rev Physiol* 79:541-566.
35. Mills CD, Kincaid K, Alt JM, et al. 2000. M-1/M-2 macrophages and the Th1/Th2 paradigm. *J Immunol* 164:6166-6173.
36. Mosmann TR, Cherwinski H, Bond MW, et al. 1986. Two types of murine helper T cell clone. I. Definition according to profiles of lymphokine activities and secreted proteins. *J Immunol* 136:2348-2357.
37. Mantovani A, Sica A, Sozzani S, et al. 2004. The chemokine system in diverse forms of macrophage activation and polarization. *Trends Immunol* 25:677-686.
38. Gordon S, Martinez FO. 2010. Alternative activation of macrophages: mechanism and functions. *Immunity* 32:593-604.
39. Martinez FO, Sica A, Mantovani A, et al. 2008. Macrophage activation and polarization. *Front Biosci* 13:453-461.
40. Mosser DM, Edwards JP. 2008. Exploring the full spectrum of macrophage activation. *Nat Rev Immunol* 8:958-969.
41. Mantovani A, Sozzani S, Locati M, et al. 2002. Macrophage polarization: tumor-associated macrophages as a paradigm for polarized M2 mononuclear phagocytes. *Trends Immunol* 23:549-555.

42. Spiller KL, Wrona EA, Romero-Torres S, et al. 2016. Differential gene expression in human, murine, and cell line-derived macrophages upon polarization. *Exp Cell Res* 347:1-13.
43. Grotenhuis N, Bayon Y, Lange JF, et al. 2013. A culture model to analyze the acute biomaterial-dependent reaction of human primary macrophages. *Biochem Biophys Res Commun* 433:115-120.
44. Hamidzadeh K, Christensen SM, Dalby E, et al. 2017. Macrophages and the Recovery from Acute and Chronic Inflammation. *Annu Rev Physiol* 79:567-592.
45. Spiller KL, Anfang RR, Spiller KJ, et al. 2014. The role of macrophage phenotype in vascularization of tissue engineering scaffolds. *Biomaterials* 35:4477-4488.
46. Ehrchen J, Steinmuller L, Barczyk K, et al. 2007. Glucocorticoids induce differentiation of a specifically activated, anti-inflammatory subtype of human monocytes. *Blood* 109:1265-1274.
47. Murray PJ, Allen JE, Biswas SK, et al. 2014. Macrophage activation and polarization: nomenclature and experimental guidelines. *Immunity* 41:14-20.
48. Hauser P, Vaes G. 1978. Degradation of cartilage proteoglycans by a neutral proteinase secreted by rabbit bone-marrow macrophages in culture. *Biochem J* 172:275-284.
49. Roberts CR, Dean RT. 1986. Degradation of cartilage by macrophages in culture: evidence for the involvement of an enzyme which is associated with the cell surface. *Connect Tissue Res* 14:199-212.
50. Bondeson J, Blom AB, Wainwright S, et al. 2010. The role of synovial macrophages and macrophage-produced mediators in driving inflammatory and destructive responses in osteoarthritis. *Arthritis Rheum* 62:647-657.
51. Blom AB, van Lent PL, Holthuysen AE, et al. 2004. Synovial lining macrophages mediate osteophyte formation during experimental osteoarthritis. *Osteoarthritis Cartilage* 12:627-635.
52. Blom AB, van Lent PL, Libregts S, et al. 2007. Crucial role of macrophages in matrix metalloproteinase-mediated cartilage destruction during experimental osteoarthritis: involvement of matrix metalloproteinase 3. *Arthritis Rheum* 56:147-157.
53. Sun AR, Panchal SK, Friis T, et al. 2017. Obesity-associated metabolic syndrome spontaneously induces infiltration of pro-inflammatory macrophage in synovium and promotes osteoarthritis. *Plos One* 12:e0183693.
54. Wu CL, McNeill J, Goon K, et al. 2017. Conditional Macrophage Depletion Increases Inflammation and Does Not Inhibit the Development of Osteoarthritis in Obese Macrophage Fas-Induced Apoptosis-Transgenic Mice. *Arthritis Rheumatol* 69:1772-1783.
55. Wei W, Rudjito E, Fahy N, et al. 2015. The infrapatellar fat pad from diseased joints inhibits chondrogenesis of mesenchymal stem cells. *European cells & materials* 30:303-314.
56. Stedman TL. 2004. *The American Heritage Stedman's medical dictionary*, 2nd ed. Boston: Houghton Mifflin Co.; xxxii, 909 p. p.
57. Anderson JM, Rodriguez A, Chang DT. 2008. Foreign body reaction to biomaterials. *Semin Immunol* 20:86-100.
58. Tang L, Eaton JW. 1995. Inflammatory responses to biomaterials. *Am J Clin Pathol* 103:466-471.
59. Mantovani A, Sica A, Sozzani S, et al. 2004. The chemokine system in diverse forms of macrophage activation and polarization. *Trends Immunol* 25:677-686.
60. Utomo L, Bastiaansen-Jenniskens YM, Verhaar JA, et al. 2016. Cartilage inflammation and degeneration is enhanced by pro-inflammatory (M1) macrophages in vitro, but not inhibited directly by anti-inflammatory (M2) macrophages. *Osteoarthritis Cartilage* 24:2162-2170.

61. Utomo L, Van Osch G, Kops N, et al. 2017. Macrophage phenotype profiles during the course of osteoarthritis and their association with osteoarthritic features in two mouse models. Manuscript in preparation.
62. van Spil WE, Agricola R, Drossaers-Bakker KW, et al. 2015. Associations of markers of matrix metabolism, inflammation markers, and adipokines with superior cam deformity of the hip and their relation with future hip osteoarthritis. *Osteoarthritis Cartilage* 23:1897-1905.
63. Abe H, Sakai T, Ando W, et al. 2014. Synovial joint fluid cytokine levels in hip disease. *Rheumatology (Oxford)* 53:165-172.
64. Chinzei N, Hashimoto S, Fujishiro T, et al. 2016. Inflammation and Degeneration in Cartilage Samples from Patients with Femoroacetabular Impingement. *J Bone Joint Surg Am* 98:135-141.
65. Ene R, Sinescu RD, Ene P, et al. 2015. Synovial inflammation in patients with different stages of knee osteoarthritis. *Rom J Morphol Embryol* 56:169-173.
66. Firestein GS, Zvaifler NJ. 1990. How important are T cells in chronic rheumatoid synovitis? *Arthritis Rheum* 33:768-773.
67. Kennedy A, Fearon U, Veale DJ, et al. 2011. Macrophages in synovial inflammation. *Front Immunol* 2:52.
68. Utomo L, van Osch GJ, Bayon Y, et al. 2016. Guiding synovial inflammation by macrophage phenotype modulation: an in vitro study towards a therapy for osteoarthritis. *Osteoarthritis Cartilage* 24:1629-1638.
69. Lopa S, Leijts MJ, Moretti M, et al. 2015. Arthritic and non-arthritic synovial fluids modulate IL10 and IL1RA gene expression in differentially activated primary human monocytes. *Osteoarthritis Cartilage* 23:1853-1857.
70. Mankin HJ, Dorfman H, Lippiello L, et al. 1971. Biochemical and metabolic abnormalities in articular cartilage from osteo-arthritic human hips. II. Correlation of morphology with biochemical and metabolic data. *J Bone Joint Surg Am* 53:523-537.
71. van der Sluijs JA, Geesink RG, van der Linden AJ, et al. 1992. The reliability of the Mankin score for osteoarthritis. *J Orthop Res* 10:58-61.
72. Uchida K, Satoh M, Inoue G, et al. 2015. CD11c(+) macrophages and levels of TNF-alpha and MMP-3 are increased in synovial and adipose tissues of osteoarthritic mice with hyperlipidaemia. *Clin Exp Immunol* 180:551-559.
73. Ambarus CA, Krausz S, van Eijk M, et al. 2012. Systematic validation of specific phenotypic markers for in vitro polarized human macrophages. *J Immunol Methods* 375:196-206.
74. Domzalski ME, Synder M, Karauda A, et al. 2017. Histological changes of the acetabular labrum in coxarthrosis: labral degeneration and repair. *Hip Int* 27:66-73.
75. Raghu H, Lepus CM, Wang Q, et al. 2017. CCL2/CCR2, but not CCL5/CCR5, mediates monocyte recruitment, inflammation and cartilage destruction in osteoarthritis. *Ann Rheum Dis* 76:914-922.
76. Li L, Jiang BE. 2015. Serum and synovial fluid chemokine ligand 2/monocyte chemoattractant protein 1 concentrations correlates with symptomatic severity in patients with knee osteoarthritis. *Ann Clin Biochem* 52:276-282.
77. Miotla Zarebska J, Chanalaris A, Driscoll C, et al. 2017. CCL2 and CCR2 regulate pain-related behaviour and early gene expression in post-traumatic murine osteoarthritis but contribute little to chondropathy. *Osteoarthritis Cartilage* 25:406-412.
78. Wong KL, Tai JJ, Wong WC, et al. 2011. Gene expression profiling reveals the defining features of the classical, intermediate, and nonclassical human monocyte subsets. *Blood* 118:e16-31.

79. Boyette LB, Macedo C, Hadi K, et al. 2017. Phenotype, function, and differentiation potential of human monocyte subsets. *Plos One* 12:e0176460.
80. Utomo L, Pleumeekers MM, Nimeskern L, et al. 2015. Preparation and characterization of a decellularized cartilage scaffold for ear cartilage reconstruction. *Biomed Mater* 10:015010.
81. Buechler C, Ritter M, Orso E, et al. 2000. Regulation of scavenger receptor CD163 expression in human monocytes and macrophages by pro- and antiinflammatory stimuli. *J Leukoc Biol* 67:97-103.
82. Bau B, Gebhard PM, Haag J, et al. 2002. Relative messenger RNA expression profiling of collagenases and aggrecanases in human articular chondrocytes in vivo and in vitro. *Arthritis Rheum* 46:2648-2657.
83. Farndale RW, Buttle DJ, Barrett AJ. 1986. Improved quantitation and discrimination of sulphated glycosaminoglycans by use of dimethylmethylene blue. *Biochim Biophys Acta* 883:173-177.
84. Sun L, Wang X, Kaplan DL. 2011. A 3D cartilage - inflammatory cell culture system for the modeling of human osteoarthritis. *Biomaterials* 32:5581-5589.
85. Beekhuizen M, Gierman LM, van Spil WE, et al. 2013. An explorative study comparing levels of soluble mediators in control and osteoarthritic synovial fluid. *Osteoarthritis Cartilage* 21:918-922.
86. Daghestani HN, Pieper CF, Kraus VB. 2015. Soluble macrophage biomarkers indicate inflammatory phenotypes in patients with knee osteoarthritis. *Arthritis Rheumatol* 67:956-965.
87. Zhou Y, Chen J, Yang G. 2015. Serum and synovial fluid levels of CCL18 are correlated with radiographic grading of knee osteoarthritis. *Med Sci Monit* 21:840-844.
88. Sward P, Frobell R, Englund M, et al. 2012. Cartilage and bone markers and inflammatory cytokines are increased in synovial fluid in the acute phase of knee injury (hemarthrosis)--a cross-sectional analysis. *Osteoarthritis Cartilage* 20:1302-1308.
89. Teunis T, Beekhuizen M, Van Osch GV, et al. 2014. Soluble mediators in posttraumatic wrist and primary knee osteoarthritis. *Arch Bone Jt Surg* 2:146-150.
90. Sesia SB, Duhr R, Medeiros da Cunha C, et al. 2015. Anti-inflammatory/tissue repair macrophages enhance the cartilage-forming capacity of human bone marrow-derived mesenchymal stromal cells. *J Cell Physiol* 230:1258-1269.
91. Godwin JW, Pinto AR, Rosenthal NA. 2013. Macrophages are required for adult salamander limb regeneration. *Proc Natl Acad Sci U S A* 110:9415-9420.
92. Mirza R, DiPietro LA, Koh TJ. 2009. Selective and specific macrophage ablation is detrimental to wound healing in mice. *Am J Pathol* 175:2454-2462.
93. Bigoni M, Sacerdote P, Turati M, et al. 2013. Acute and late changes in intraarticular cytokine levels following anterior cruciate ligament injury. *J Orthop Res* 31:315-321.
94. Catterall JB, Stabler TV, Flannery CR, et al. 2010. Changes in serum and synovial fluid biomarkers after acute injury (NCT00332254). *Arthritis Res Ther* 12:R229.
95. Furman BD, Kimmerling KA, Zura RD, et al. 2015. Articular ankle fracture results in increased synovitis, synovial macrophage infiltration, and synovial fluid concentrations of inflammatory cytokines and chemokines. *Arthritis Rheumatol* 67:1234-1239.
96. Kahle P, Saal JG, Schaudt K, et al. 1992. Determination of cytokines in synovial fluids: correlation with diagnosis and histomorphological characteristics of synovial tissue. *Ann Rheum Dis* 51:731-734.
97. Stannus O, Jones G, Cicuttini F, et al. 2010. Circulating levels of IL-6 and TNF-alpha are associated with knee radiographic osteoarthritis and knee cartilage loss in older adults. *Osteoarthritis Cartilage* 18:1441-1447.

98. Blaker CL, Clarke EC, Little CB. 2017. Using mouse models to investigate the pathophysiology, treatment, and prevention of post-traumatic osteoarthritis. *J Orthop Res* 35:424-439.
99. Little CB, Hunter DJ. 2013. Post-traumatic osteoarthritis: from mouse models to clinical trials. *Nat Rev Rheumatol* 9:485-497.
100. van der Kraan PM, Vitters EL, van Beuningen HM, et al. 1990. Degenerative knee joint lesions in mice after a single intra-articular collagenase injection. A new model of osteoarthritis. *J Exp Pathol (Oxford)* 71:19-31.
101. van Osch GJ, van der Kraan PM, Blankevoort L, et al. 1996. Relation of ligament damage with site specific cartilage loss and osteophyte formation in collagenase induced osteoarthritis in mice. *J Rheumatol* 23:1227-1232.
102. Glasson SS, Blanchet TJ, Morris EA. 2007. The surgical destabilization of the medial meniscus (DMM) model of osteoarthritis in the 129/SvEv mouse. *Osteoarthritis Cartilage* 15:1061-1069.
103. van Osch GJ, van der Kraan PM, Vitters EL, et al. 1993. Induction of osteoarthritis by intra-articular injection of collagenase in mice. Strain and sex related differences. *Osteoarthritis Cartilage* 1:171-177.
104. Kilkeny C, Browne WJ, Cuthill IC, et al. 2010. Improving bioscience research reporting: the ARRIVE guidelines for reporting animal research. *PLoS Biol* 8:e1000412.
105. Eltawil NM, De Bari C, Achan P, et al. 2009. A novel in vivo murine model of cartilage regeneration. Age and strain-dependent outcome after joint surface injury. *Osteoarthritis Cartilage* 17:695-704.
106. Little CB, Barai A, Burkhardt D, et al. 2009. Matrix metalloproteinase 13-deficient mice are resistant to osteoarthritic cartilage erosion but not chondrocyte hypertrophy or osteophyte development. *Arthritis Rheum* 60:3723-3733.
107. Schelbergen RF, van Dalen S, ter Huurne M, et al. 2014. Treatment efficacy of adipose-derived stem cells in experimental osteoarthritis is driven by high synovial activation and reflected by S100A8/A9 serum levels. *Osteoarthritis Cartilage* 22:1158-1166.
108. Burleigh A, Chanalaris A, Gardiner MD, et al. 2012. Joint immobilization prevents murine osteoarthritis and reveals the highly mechanosensitive nature of protease expression in vivo. *Arthritis Rheum* 64:2278-2288.
109. Pritzker KP, Gay S, Jimenez SA, et al. 2006. Osteoarthritis cartilage histopathology: grading and staging. *Osteoarthritis Cartilage* 14:13-29.
110. Scharstuhl A, Vitters EL, van der Kraan PM, et al. 2003. Reduction of osteophyte formation and synovial thickening by adenoviral overexpression of transforming growth factor beta/bone morphogenetic protein inhibitors during experimental osteoarthritis. *Arthritis Rheum* 48:3442-3451.
111. Kollert F, Binder M, Probst C, et al. 2012. CCL18 -- potential biomarker of fibroinflammatory activity in chronic periaortitis. *J Rheumatol* 39:1407-1412.
112. Schupp JC, Binder H, Jager B, et al. 2015. Macrophage activation in acute exacerbation of idiopathic pulmonary fibrosis. *Plos One* 10:e0116775.
113. Morris SM, Jr., Kepka-Lenhart D, Chen LC. 1998. Differential regulation of arginases and inducible nitric oxide synthase in murine macrophage cells. *Am J Physiol* 275:E740-747.
114. van Putten SM, Ploeger DT, Popa ER, et al. 2013. Macrophage phenotypes in the collagen-induced foreign body reaction in rats. *Acta Biomater* 9:6502-6510.
115. Munder M, Eichmann K, Modolell M. 1998. Alternative metabolic states in murine macrophages reflected by the nitric oxide synthase/arginase balance: competitive regulation by CD4+ T cells correlates with Th1/Th2 phenotype. *J Immunol* 160:5347-5354.

116. Grotenhuis N, Vd Toom HF, Kops N, et al. 2014. In vitro model to study the biomaterial-dependent reaction of macrophages in an inflammatory environment. *Br J Surg* 101:983-992.
117. Schutyser E, Richmond A, Van Damme J. 2005. Involvement of CC chemokine ligand 18 (CCL18) in normal and pathological processes. *J Leukoc Biol* 78:14-26.
118. Novak ML, Koh TJ. 2013. Macrophage phenotypes during tissue repair. *J Leukoc Biol* 93:875-881.
119. Sun AR, Friis T, Sekar S, et al. 2016. Is Synovial Macrophage Activation the Inflammatory Link Between Obesity and Osteoarthritis? *Curr Rheumatol Rep* 18:57.
120. Orlowsky EW, Kraus VB. 2015. The role of innate immunity in osteoarthritis: when our first line of defense goes on the offensive. *J Rheumatol* 42:363-371.
121. Poulet B, de Souza R, Kent AV, et al. 2015. Intermittent applied mechanical loading induces subchondral bone thickening that may be intensified locally by contiguous articular cartilage lesions. *Osteoarthritis Cartilage* 23:940-948.
122. Cremers NAJ, van den Bosch MHJ, van Dalen S, et al. 2017. S100A8/A9 increases the mobilization of pro-inflammatory Ly6C(high) monocytes to the synovium during experimental osteoarthritis. *Arthritis Res Ther* 19:217.
123. Yamamoto K, Shishido T, Masaoka T, et al. 2005. Morphological studies on the ageing and osteoarthritis of the articular cartilage in C57 black mice. *J Orthop Surg (Hong Kong)* 13:8-18.
124. Stanescu R, Knyszynski A, Muriel MP, et al. 1993. Early lesions of the articular surface in a strain of mice with very high incidence of spontaneous osteoarthritic-like lesions. *J Rheumatol* 20:102-110.
125. Cassol E, Cassetta L, Rizzi C, et al. 2009. M1 and M2a polarization of human monocyte-derived macrophages inhibits HIV-1 replication by distinct mechanisms. *J Immunol* 182:6237-6246.
126. Dey A, Allen J, Hankey-Giblin PA. 2014. Ontogeny and polarization of macrophages in inflammation: blood monocytes versus tissue macrophages. *Front Immunol* 5:683.
127. Van Lent PL, Holthuysen AE, Van Rooijen N, et al. 1998. Local removal of phagocytic synovial lining cells by clodronate-liposomes decreases cartilage destruction during collagen type II arthritis. *Ann Rheum Dis* 57:408-413.
128. Van Lent PL, Blom A, Holthuysen AE, et al. 1997. Monocytes/macrophages rather than PMN are involved in early cartilage degradation in cationic immune complex arthritis in mice. *J Leukoc Biol* 61:267-278.
129. Barnes PJ. 2006. How corticosteroids control inflammation: Quintiles Prize Lecture 2005. *Br J Pharmacol* 148:245-254.
130. Halloran PF. 2004. Immunosuppressive drugs for kidney transplantation. *N Engl J Med* 351:2715-2729.
131. Ballou LM, Lin RZ. 2008. Rapamycin and mTOR kinase inhibitors. *J Chem Biol* 1:27-36.
132. Pecina M, Giltaij LR, Vukicevic S. 2001. Orthopaedic applications of osteogenic protein-1 (BMP-7). *Int Orthop* 25:203-208.
133. Bishop GB, Einhorn TA. 2007. Current and future clinical applications of bone morphogenetic proteins in orthopaedic trauma surgery. *Int Orthop* 31:721-727.
134. Rocher C, Singla DK. 2013. SMAD-PI3K-Akt-mTOR pathway mediates BMP-7 polarization of monocytes into M2 macrophages. *Plos One* 8:e84009.
135. Mihos CG, Pineda AM, Santana O. 2014. Cardiovascular effects of statins, beyond lipid-lowering properties. *Pharmacol Res* 88:12-19.
136. Byles V, Covarrubias AJ, Ben-Sahra I, et al. 2013. The TSC-mTOR pathway regulates macrophage polarization. *Nat Commun* 4:2834.

137. Hayashi M, Muneta T, Ju YJ, et al. 2008. Weekly intra-articular injections of bone morphogenetic protein-7 inhibits osteoarthritis progression. *Arthritis Res Ther* 10:R118.
138. Lee DK, Park EJ, Kim EK, et al. 2012. Atorvastatin and simvastatin, but not pravastatin, up-regulate LPS-induced MMP-9 expression in macrophages by regulating phosphorylation of ERK and CREB. *Cell Physiol Biochem* 30:499-511.
139. Mlambo G, Sigola LB. 2003. Rifampicin and dexamethasone have similar effects on macrophage phagocytosis of zymosan, but differ in their effects on nitrite and TNF-alpha production. *Int Immunopharmacol* 3:513-522.
140. Shappley RK, Spentzas T. 2014. Differential Role of Rapamycin and Torin/KU63794 in Inflammatory Response of 264.7 RAW Macrophages Stimulated by CA-MRSA. *Int J Inflamm* 2014:560790.
141. Takahashi T, Muneta T, Tsuji K, et al. 2011. BMP-7 inhibits cartilage degeneration through suppression of inflammation in rat zymosan-induced arthritis. *Cell Tissue Res* 344:321-332.
142. Koh TJ, DiPietro LA. 2011. Inflammation and wound healing: the role of the macrophage. *Expert Rev Mol Med* 13:e23.
143. Nakamura Y, Murai T, Ogawa Y. 1996. Effect of in vitro and in vivo administration of dexamethasone on rat macrophage functions: comparison between alveolar and peritoneal macrophages. *Eur Respir J* 9:301-306.
144. Huebner KD, Shrive NG, Frank CB. 2014. Dexamethasone inhibits inflammation and cartilage damage in a new model of post-traumatic osteoarthritis. *J Orthop Res* 32:566-572.
145. Fonseca JE, Edwards JC, Blades S, et al. 2002. Macrophage subpopulations in rheumatoid synovium: reduced CD163 expression in CD4+ T lymphocyte-rich microenvironments. *Arthritis Rheum* 46:1210-1216.
146. Stilund M, Reuschlein AK, Christensen T, et al. 2014. Soluble CD163 as a marker of macrophage activity in newly diagnosed patients with multiple sclerosis. *Plos One* 9:e98588.
147. Siebelt M, Korthagen N, Wei W, et al. 2015. Triamcinolone acetonide activates an anti-inflammatory and folate receptor-positive macrophage that prevents osteophytosis in vivo. *Arthritis Res Ther* 17:352.
148. Mercalli A, Calavita I, Dugnani E, et al. 2013. Rapamycin unbalances the polarization of human macrophages to M1. *Immunology* 140:179-190.
149. Badlani N, Oshima Y, Healey R, et al. 2009. Use of bone morphogenic protein-7 as a treatment for osteoarthritis. *Clin Orthop Relat Res* 467:3221-3229.
150. Sekiya I, Tang T, Hayashi M, et al. 2009. Periodic knee injections of BMP-7 delay cartilage degeneration induced by excessive running in rats. *J Orthop Res* 27:1088-1092.
151. Hurtig M, Chubinskaya S, Dickey J, et al. 2009. BMP-7 protects against progression of cartilage degeneration after impact injury. *J Orthop Res* 27:602-611.
152. Carames B, Hasegawa A, Taniguchi N, et al. 2012. Autophagy activation by rapamycin reduces severity of experimental osteoarthritis. *Ann Rheum Dis* 71:575-581.
153. Takayama K, Kawakami Y, Kobayashi M, et al. 2014. Local intra-articular injection of rapamycin delays articular cartilage degeneration in a murine model of osteoarthritis. *Arthritis Res Ther* 16:482.
154. Matsuzaki T, Matsushita T, Tabata Y, et al. 2014. Intra-articular administration of gelatin hydrogels incorporating rapamycin-micelles reduces the development of experimental osteoarthritis in a murine model. *Biomaterials* 35:9904-9911.

155. Zhang O, Zhang J. 2015. Atorvastatin promotes human monocyte differentiation toward alternative M2 macrophages through p38 mitogen-activated protein kinase-dependent peroxisome proliferator-activated receptor gamma activation. *Int Immunopharmacol* 26:58-64.
156. Ma W, Liu Y, Wang C, et al. 2014. Atorvastatin inhibits CXCR7 induction to reduce macrophage migration. *Biochem Pharmacol* 89:99-108.
157. Dombrecht EJ, Van Offel JF, Bridts CH, et al. 2007. Influence of simvastatin on the production of pro-inflammatory cytokines and nitric oxide by activated human chondrocytes. *Clin Exp Rheumatol* 25:534-539.
158. Chang CH, Hsu YM, Chen YC, et al. 2014. Anti-inflammatory effects of hydrophilic and lipophilic statins with hyaluronic acid against LPS-induced inflammation in porcine articular chondrocytes. *J Orthop Res* 32:557-565.
159. Aktas E, Sener E, Gocun PU. 2011. Mechanically induced experimental knee osteoarthritis benefits from anti-inflammatory and immunomodulatory properties of simvastatin via inhibition of matrix metalloproteinase-3. *Journal of orthopaedics and traumatology : official journal of the Italian Society of Orthopaedics and Traumatology* 12:145-151.
160. Barbosa CP, Ritter AM, da Silva LG, et al. 2014. Effects of simvastatin, ezetimibe, and their combination on histopathologic alterations caused by adjuvant-induced arthritis. *Inflammation* 37:1035-1043.
161. Clockaerts S, Van Osch GJ, Bastiaansen-Jenniskens YM, et al. 2012. Statin use is associated with reduced incidence and progression of knee osteoarthritis in the Rotterdam study. *Ann Rheum Dis* 71:642-647.
162. Lv S, Liu Y, Zou Z, et al. 2015. The impact of statins therapy on disease activity and inflammatory factor in patients with rheumatoid arthritis: a meta-analysis. *Clin Exp Rheumatol* 33:69-76.
163. Dong W, Vuletic S, Albers JJ. 2009. Differential effects of simvastatin and pravastatin on expression of Alzheimer's disease-related genes in human astrocytes and neuronal cells. *J Lipid Res* 50:2095-2102.
164. Tsuneyoshi Y, Tanaka M, Nagai T, et al. 2012. Functional folate receptor beta-expressing macrophages in osteoarthritis synovium and their M1/M2 expression profiles. *Scand J Rheumatol* 41:132-140.
165. Binyamin G, Shafi BM, Mery CM. 2006. Biomaterials: a primer for surgeons. *Semin Pediatr Surg* 15:276-283.
166. Sridharan R, Cameron AR, Kelly DJ, et al. 2015. Biomaterial based modulation of macrophage polarization: a review and suggested design principles. *Mater Today* 18:313-325.
167. Pierpont YN, Dinh TP, Salas RE, et al. 2014. Obesity and surgical wound healing: a current review. *ISRN Obes* 2014:638936.
168. Rosemar A, Angeras U, Rosengren A, et al. 2010. Effect of body mass index on groin hernia surgery. *Ann Surg* 252:397-401.
169. Komen N, Dijk JW, Lalmahomed Z, et al. 2009. After-hours colorectal surgery: a risk factor for anastomotic leakage. *Int J Colorectal Dis* 24:789-795.
170. Sauerland S, Korenkov M, Kleinen T, et al. 2004. Obesity is a risk factor for recurrence after incisional hernia repair. *Hernia* 8:42-46.
171. Langer S, Christiansen J. 1985. Long-term results after incisional hernia repair. *Acta Chir Scand* 151:217-219.
172. Lumeng CN, Bodzin JL, Saltiel AR. 2007. Obesity induces a phenotypic switch in adipose tissue macrophage polarization. *J Clin Invest* 117:175-184.

173. Lumeng CN, DelProposto JB, Westcott DJ, et al. 2008. Phenotypic switching of adipose tissue macrophages with obesity is generated by spatiotemporal differences in macrophage subtypes. *Diabetes* 57:3239-3246.
174. Considine RV. 2014. Activated monocytes: yet another link between systemic inflammation and obesity. *J Clin Endocrinol Metab* 99:2347-2349.
175. Xu H, Barnes GT, Yang Q, et al. 2003. Chronic inflammation in fat plays a crucial role in the development of obesity-related insulin resistance. *J Clin Invest* 112:1821-1830.
176. Kammoun HL, Kraakman MJ, Febrario MA. 2014. Adipose tissue inflammation in glucose metabolism. *Rev Endocr Metab Disord* 15:31-44.
177. Ziegler-Heitbrock L. 2014. Monocyte subsets in man and other species. *Cell Immunol* 289:135-139.
178. Martinez FO. 2009. The transcriptome of human monocyte subsets begins to emerge. *J Biol* 8:99.
179. Rogacev KS, Ulrich C, Blomer L, et al. 2010. Monocyte heterogeneity in obesity and subclinical atherosclerosis. *Eur Heart J* 31:369-376.
180. Poitou C, Dalmas E, Renovato M, et al. 2011. CD14^{dim}CD16⁺ and CD14⁺CD16⁺ monocytes in obesity and during weight loss: relationships with fat mass and subclinical atherosclerosis. *Arterioscler Thromb Vasc Biol* 31:2322-2330.
181. Utomo L, van Osch GJ, Bayon Y, et al. 2016. Guiding synovial inflammation by macrophage phenotype modulation: an in vitro study towards a therapy for osteoarthritis. *Osteoarthritis Cartilage*.
182. Utomo L, Bastiaansen-Jenniskens YM, Verhaar JA, et al. 2016. Cartilage inflammation and degeneration is enhanced by pro-inflammatory (M1) macrophages in vitro, but not inhibited directly by anti-inflammatory (M2) macrophages. *Osteoarthritis Cartilage*.
183. Grundy SM, Brewer HB, Jr., Cleeman JI, et al. 2004. Definition of metabolic syndrome: Report of the National Heart, Lung, and Blood Institute/American Heart Association conference on scientific issues related to definition. *Circulation* 109:433-438.
184. Devaraj S, Jialal I. 2011. C-reactive protein polarizes human macrophages to an M1 phenotype and inhibits transformation to the M2 phenotype. *Arterioscler Thromb Vasc Biol* 31:1397-1402.
185. Kringinger P, Ensenauer R, Ehlers K, et al. 2014. Peripheral monocytes of obese women display increased chemokine receptor expression and migration capacity. *J Clin Endocrinol Metab* 99:2500-2509.
186. Cottam DR, Schaefer PA, Shaftan GW, et al. 2002. Effect of surgically-induced weight loss on leukocyte indicators of chronic inflammation in morbid obesity. *Obes Surg* 12:335-342.
187. Gratchev A, Kzhyshkowska J, Kothe K, et al. 2006. Mphi1 and Mphi2 can be re-polarized by Th2 or Th1 cytokines, respectively, and respond to exogenous danger signals. *Immunobiology* 211:473-486.
188. Ching SS, Sarella AI, Dexter SP, et al. 2008. Comparison of early outcomes for laparoscopic ventral hernia repair between nonobese and morbidly obese patient populations. *Surg Endosc* 22:2244-2250.
189. Briennon X, Lermite E, Meunier K, et al. 2011. Surgical treatment of large incisional hernias by intraperitoneal insertion of Parietex(R) composite mesh with an associated aponeurotic graft (280 cases). *Journal of visceral surgery* 148:54-58.
190. Harvey AG, Hill EW, Bayat A. 2013. Designing implant surface topography for improved biocompatibility. *Expert Rev Med Devices* 10:257-267.

191. Roach P, Eglin D, Rohde K, et al. 2007. Modern biomaterials: a review - bulk properties and implications of surface modifications. *J Mater Sci Mater Med* 18:1263-1277.
192. Rosengren A, Bjursten LM. 2003. Pore size in implanted polypropylene filters is critical for tissue organization. *J Biomed Mater Res A* 67:918-926.
193. Boersema GS, Grotenhuis N, Bayon Y, et al. 2016. The Effect of Biomaterials Used for Tissue Regeneration Purposes on Polarization of Macrophages. *Biores Open Access* 5:6-14.
194. Bartneck M, Schulte VA, Paul NE, et al. 2010. Induction of specific macrophage subtypes by defined micro-patterned structures. *Acta Biomater* 6:3864-3872.
195. Bota PC, Collie AM, Puolakkainen P, et al. 2010. Biomaterial topography alters healing in vivo and monocyte/macrophage activation in vitro. *J Biomed Mater Res A* 95:649-657.
196. Chamberlain LM, Holt-Casper D, Gonzalez-Juarrero M, et al. 2015. Extended culture of macrophages from different sources and maturation results in a common M2 phenotype. *J Biomed Mater Res A* 103:2864-2874.
197. Holt DJ, Chamberlain LM, Grainger DW. 2010. Cell-cell signaling in co-cultures of macrophages and fibroblasts. *Biomaterials* 31:9382-9394.
198. van Furth R, Cohn ZA, Hirsch JG, et al. 1972. The mononuclear phagocyte system: a new classification of macrophages, monocytes, and their precursor cells. *Bull World Health Organ* 46:845-852.
199. Bozic KJ, Kurtz S, Lau E, et al. 2009. The epidemiology of bearing surface usage in total hip arthroplasty in the United States. *J Bone Joint Surg Am* 91:1614-1620.
200. Nich C, Takakubo Y, Pajarinen J, et al. 2013. Macrophages-Key cells in the response to wear debris from joint replacements. *J Biomed Mater Res A* 101:3033-3045.
201. Xing S, Waddell JE, Boynton EL. 2002. Changes in macrophage morphology and prolonged cell viability following exposure to polyethylene particulate in vitro. *Microsc Res Tech* 57:523-529.
202. Jiang J, Jia T, Gong W, et al. 2016. Macrophage Polarization in IL-10 Treatment of Particle-Induced Inflammation and Osteolysis. *Am J Pathol* 186:57-66.
203. Ren PG, Irani A, Huang Z, et al. 2011. Continuous infusion of UHMWPE particles induces increased bone macrophages and osteolysis. *Clin Orthop Relat Res* 469:113-122.
204. Hukkanen M, Corbett SA, Batten J, et al. 1997. Aseptic loosening of total hip replacement. Macrophage expression of inducible nitric oxide synthase and cyclo-oxygenase-2, together with peroxynitrite formation, as a possible mechanism for early prosthesis failure. *J Bone Joint Surg Br* 79:467-474.
205. Jansen E, Kouri VP, Olkkonen J, et al. 2014. Characterization of macrophage polarizing cytokines in the aseptic loosening of total hip replacements. *J Orthop Res* 32:1241-1246.
206. Malchau H, Herberts P, Eisler T, et al. 2002. The Swedish Total Hip Replacement Register. *J Bone Joint Surg Am* 84-A Suppl 2:2-20.
207. Moojen DJ, van Hellemond G, Vogely HC, et al. 2010. Incidence of low-grade infection in aseptic loosening of total hip arthroplasty. *Acta Orthop* 81:667-673.
208. Haynes JA, Stambough JB, Sassoon AA, et al. 2016. Contemporary Surgical Indications and Referral Trends in Revision Total Hip Arthroplasty: A 10-Year Review. *J Arthroplasty* 31:622-625.
209. Centre N. 2015. The National Joint Registry for England, Wales, Northern Ireland and the Isle of Man. 12th Annual Report.
210. Bain CC, Mowat AM. 2014. Macrophages in intestinal homeostasis and inflammation. *Immunological reviews* 260:102-117.
211. Haseeb A, Haqqi TM. 2013. Immunopathogenesis of osteoarthritis. *Clin Immunol* 146:185-196.

212. Zanette DL, van Eggermond MC, Haasnoot G, et al. 2014. Simvastatin reduces CCL2 expression in monocyte-derived cells by induction of a repressive CCL2 chromatin state. *Hum Immunol* 75:10-14.
213. Dave M, Amin AR. 2013. Yin-Yang regulation of prostaglandins and nitric oxide by PGD2 in human arthritis: reversal by celecoxib. *Immunol Lett* 152:47-54.
214. Vandesompele J, De Preter K, Pattyn F, et al. 2002. Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes. *Genome Biol* 3:RESEARCH0034.
215. Boersema GSA, Utomo L, Bayon Y, et al. 2016. Monocyte subsets in blood correlate with obesity related response of macrophages to biomaterials in vitro. *Biomaterials* 109:32-39.
216. Wang AS, Armstrong EJ, Armstrong AW. 2013. Corticosteroids and wound healing: clinical considerations in the perioperative period. *Am J Surg* 206:410-417.
217. Chedid M, Hoyle JR, Csaky KG, et al. 1996. Glucocorticoids inhibit keratinocyte growth factor production in primary dermal fibroblasts. *Endocrinology* 137:2232-2237.
218. Zhang J, Osawa S, Takayanagi Y, et al. 2013. Statins directly suppress cytokine production in murine intraepithelial lymphocytes. *Cytokine* 61:540-545.
219. Shebl FM, Pinto LA, Garcia-Pineros A, et al. 2010. Comparison of mRNA and protein measures of cytokines following vaccination with human papillomavirus-16 L1 virus-like particles. *Cancer Epidemiol Biomarkers Prev* 19:978-981.
220. Wilhelm M, Schlegl J, Hahne H, et al. 2014. Mass-spectrometry-based draft of the human proteome. *Nature* 509:582-587.
221. Bygd HC, Forsmark KD, Bratlie KM. 2015. Altering in vivo macrophage responses with modified polymer properties. *Biomaterials* 56:187-197.
222. Minardi S, Corradetti B, Taraballi F, et al. 2016. IL-4 Release from a Biomimetic Scaffold for the Temporally Controlled Modulation of Macrophage Response. *Annals of biomedical engineering* 44:2008-2019.
223. Reeves AR, Spiller KL, Freytes DO, et al. 2015. Controlled release of cytokines using silk-biomaterials for macrophage polarization. *Biomaterials* 73:272-283.
224. Zhang Y, Jordan JM. 2010. Epidemiology of osteoarthritis. *Clin Geriatr Med* 26:355-369.
225. Van Lent PL, Van den Hoek AE, Van den Berselaar LA, et al. 1993. In vivo role of phagocytic synovial lining cells in onset of experimental arthritis. *Am J Pathol* 143:1226-1237.
226. Kyostio-Moore S, Nambiar B, Hutto E, et al. 2011. STR/ort mice, a model for spontaneous osteoarthritis, exhibit elevated levels of both local and systemic inflammatory markers. *Comp Med* 61:346-355.
227. Mason RM, Chambers MG, Flannelly J, et al. 2001. The STR/ort mouse and its use as a model of osteoarthritis. *Osteoarthritis Cartilage* 9:85-91.
228. Benito MJ, Veale DJ, Fitzgerald O, et al. 2005. Synovial tissue inflammation in early and late osteoarthritis. *Ann Rheum Dis* 64:1263-1267.
229. Moradi B, Rosshirt N, Tripel E, et al. 2015. Unicompartamental and bicompartmental knee osteoarthritis show different patterns of mononuclear cell infiltration and cytokine release in the affected joints. *Clin Exp Immunol* 180:143-154.
230. Ploeger DT, Hosper NA, Schipper M, et al. 2013. Cell plasticity in wound healing: paracrine factors of M1/ M2 polarized macrophages influence the phenotypical state of dermal fibroblasts. *Cell Commun Signal* 11:29.
231. Cuellar VG, Cuellar JM, Kirsch T, et al. 2016. Correlation of Synovial Fluid Biomarkers With Cartilage Pathology and Associated Outcomes in Knee Arthroscopy. *Arthroscopy* 32:475-485.

232. Passlick B, Flieger D, Ziegler-Heitbrock HW. 1989. Identification and characterization of a novel monocyte subpopulation in human peripheral blood. *Blood* 74:2527-2534.
233. Kawanaka N, Yamamura M, Aita T, et al. 2002. CD14+,CD16+ blood monocytes and joint inflammation in rheumatoid arthritis. *Arthritis Rheum* 46:2578-2586.
234. Sulahian TH, Hogger P, Wahner AE, et al. 2000. Human monocytes express CD163, which is upregulated by IL-10 and identical to p155. *Cytokine* 12:1312-1321.
235. Bersini S, Gilardi M, Arrigoni C, et al. 2016. Human in vitro 3D co-culture model to engineer vascularized bone-mimicking tissues combining computational tools and statistical experimental approach. *Biomaterials* 76:157-172.
236. Bersini S, Jeon JS, Dubini G, et al. 2014. A microfluidic 3D in vitro model for specificity of breast cancer metastasis to bone. *Biomaterials* 35:2454-2461.
237. Sieker JT, Ayturk UM, Proffen BL, et al. 2016. Immediate Administration of Intraarticular Triamcinolone Acetonide After Joint Injury Modulates Molecular Outcomes Associated With Early Synovitis. *Arthritis Rheumatol* 68:1637-1647.
238. McAlindon TE, LaValley MP, Harvey WF, et al. 2017. Effect of Intra-articular Triamcinolone vs Saline on Knee Cartilage Volume and Pain in Patients With Knee Osteoarthritis: A Randomized Clinical Trial. *JAMA* 317:1967-1975.
239. Suntiparpluacha M, Tammachote N, Tammachote R. 2016. Triamcinolone acetonide reduces viability, induces oxidative stress, and alters gene expressions of human chondrocytes. *Eur Rev Med Pharmacol Sci* 20:4985-4992.
240. Conaghan PG, Cohen SB, Berenbaum F, et al. 2017. A Phase IIb Trial of a Novel Extended-Release Microsphere Formulation of Triamcinolone Acetonide for Intraarticular Injection in Knee Osteoarthritis. *Arthritis Rheumatol*.
241. Spitzer AI, Lieberman J, Jones D, et al. 2016. Intra-articular injection of an extended-release formulation of triamcinolone acetonide provide significant improvement in pain, stiffness and function in patients with knee osteoarthritis. American Association of Hip and Knee Surgeons. Dallas, TX, USA.
242. Bodick N, Lufkin J, Willwerth C, et al. 2015. An intra-articular, extended-release formulation of triamcinolone acetonide prolongs and amplifies analgesic effect in patients with osteoarthritis of the knee: a randomized clinical trial. *J Bone Joint Surg Am* 97:877-888.
243. Kraus VB, Conaghan PG, Aazami HA, et al. 2017. Synovial and systemic pharmacokinetics (PK) of triamcinolone acetonide (TA) following intra-articular (IA) injection of an extended-release microsphere-based formulation (FX006) or standard crystalline suspension in patients with knee osteoarthritis (OA). *Osteoarthritis Cartilage*.
244. Bias P, Labrenz R, Rose P. 2001. Sustained-Release Dexamethasone Palmitate Pharmacokinetics and Efficacy in Patients with Activated Inflammatory Osteoarthritis of the Knee. *Clin Drug Invest* 21:429-436.
245. Hendrikson WJ, Zeng X, Rouwkema J, et al. 2016. Biological and Tribological Assessment of Poly(Ethylene Oxide Terephthalate)/Poly(Butylene Terephthalate), Polycaprolactone, and Poly(L/DL) Lactic Acid Plotted Scaffolds for Skeletal Tissue Regeneration. *Adv Healthc Mater* 5:232-243.
246. Hsu SH, Yen HJ, Tseng CS, et al. 2007. Evaluation of the growth of chondrocytes and osteoblasts seeded into precision scaffolds fabricated by fused deposition manufacturing. *J Biomed Mater Res B Appl Biomater* 80:519-527.
247. Woodfield TB, Malda J, de Wijn J, et al. 2004. Design of porous scaffolds for cartilage tissue engineering using a three-dimensional fiber-deposition technique. *Biomaterials* 25:4149-4161.

248. Woodfield TB, Van Blitterswijk CA, De Wijn J, et al. 2005. Polymer scaffolds fabricated with pore-size gradients as a model for studying the zonal organization within tissue-engineered cartilage constructs. *Tissue Eng* 11:1297-1311.
249. Beaufils P, Pujol N. 2017. Meniscal Repair: Technique. *Orthopaedics & traumatology, surgery & research : OTSR*.
250. Runhaar J, de Vos BC, van Middelkoop M, et al. 2016. Prevention of Incident Knee Osteoarthritis by Moderate Weight Loss in Overweight and Obese Females. *Arthritis care & research* 68:1428-1433.
251. Wills AK, Black S, Cooper R, et al. 2012. Life course body mass index and risk of knee osteoarthritis at the age of 53 years: evidence from the 1946 British birth cohort study. *Ann Rheum Dis* 71:655-660.
252. Kasuya A, Tokura Y. 2014. Attempts to accelerate wound healing. *J Dermatol Sci* 76:169-172.
253. Ding J, Chen B, Lv T, et al. 2016. Bone Marrow Mesenchymal Stem Cell-Based Engineered Cartilage Ameliorates Polyglycolic Acid/Polylactic Acid Scaffold-Induced Inflammation Through M2 Polarization of Macrophages in a Pig Model. *Stem Cells Transl Med* 5:1079-1089.
254. Spiller KL, Nassiri S, Witherell CE, et al. 2015. Sequential delivery of immunomodulatory cytokines to facilitate the M1-to-M2 transition of macrophages and enhance vascularization of bone scaffolds. *Biomaterials* 37:194-207.
255. Goldring SR, Goldring MB. 2016. Changes in the osteochondral unit during osteoarthritis: structure, function and cartilage-bone crosstalk. *Nat Rev Rheumatol* 12:632-644.
256. Mapp PI, Avery PS, McWilliams DF, et al. 2008. Angiogenesis in two animal models of osteoarthritis. *Osteoarthritis Cartilage* 16:61-69.
257. Tattersall IW, Du J, Cong Z, et al. 2016. In vitro modeling of endothelial interaction with macrophages and pericytes demonstrates Notch signaling function in the vascular microenvironment. *Angiogenesis* 19:201-215.
258. Jetten N, Verbruggen S, Gijbels MJ, et al. 2013. Anti-inflammatory M2, but not pro-inflammatory M1 macrophages promote angiogenesis in vivo. *Angiogenesis* 17:109-118.
259. Weisser SB, van Rooijen N, Sly LM. 2012. Depletion and reconstitution of macrophages in mice. *J Vis Exp*:4105.
260. Mancarella L, Addimanda O, Pelotti P, et al. 2015. Ultrasound detected inflammation is associated with the development of new bone erosions in hand osteoarthritis: a longitudinal study over 3.9 years. *Osteoarthritis Cartilage* 23:1925-1932.
261. Piscaer TM, Muller C, Mindt TL, et al. 2011. Imaging of activated macrophages in experimental osteoarthritis using folate-targeted animal single-photon-emission computed tomography/computed tomography. *Arthritis Rheum* 63:1898-1907.
262. Kraus VB, McDaniel G, Huebner JL, et al. 2016. Direct in vivo evidence of activated macrophages in human osteoarthritis. *Osteoarthritis Cartilage* 24:1613-1621.
263. Baker DW, Zhou J, Tsai YT, et al. 2014. Development of optical probes for in vivo imaging of polarized macrophages during foreign body reactions. *Acta Biomater* 10:2945-2955.
264. Shen J, Hilgenbrink AR, Xia W, et al. 2014. Folate receptor-beta constitutes a marker for human proinflammatory monocytes. *J Leukoc Biol* 96:563-570.
265. Yang X, Chordia MD, Du X, et al. 2016. Targeting formyl peptide receptor 1 of activated macrophages to monitor inflammation of experimental osteoarthritis in rat. *J Orthop Res* 34:1529-1538.