

References

References

- Anastasi, J., Le-Beau, M.M., Vardiman, J.W. and Westbrook, C.A. (1990). Detection of numerical chromosomal abnormalities in neoplastic hematopoietic cells by in situ hybridization with a chromosome-specific probe. *Am J Pathol* 136(1): 131-139.
- ar-Rushdi, A., Nishikura, K., Erikson, J., Watt, R., Rovera, G. and Croce, C.M. (1983). Differential expression of the translocated and the untranslocated c-myc oncogene in Burkitt lymphoma. *Science* 222(4622): 390-393.
- Arkesteijn, G., Martens, A., Jonker, R., Hagemeyer, A. and Hagenbeek, A. (1987). Bivariate flow karyotyping of acute myelocytic leukemia in the BNML rat model. *Cytometry* 8: 618-624.
- Arkesteijn, G.J., Van Dierendonck, J.H., Vossepoel, A. and Cornelisse, C.J. (1986). Flow karyotyping of human melanoma cell lines. *Cytometry* (7): 425-430.
- Arkesteijn, G.J.A., Martens, A.C.M. and Hagenbeek, A. (1988). Bivariate flow karyotyping in human Philadelphia positive chronic myelocytic leukemia. *Blood* 72: 282-286.
- Arkesteijn, G.J.A., Van Dekken, H., Martens, A.C.M. and Hagenbeek, A. (1990). Clinical applications of flow karyotyping in myelocytic leukemia by stimulation of different subpopulations of cells in blood or bone marrow samples. *Cytometry* 11(1): 196-201.
- Arnold, J. (1879). Ueber feinere Structur der Zellen unter normalen und pathologischen Bedingungen. *Virchows Arch. Pathol. Anat. Physiol. Klin. Med* 77: 181-206.
- Arnoldus, E.P., Wiegant, J., Noordermeer, I.A., Wessels, J.W., Beverstock, G.C., Grosveld, G.C., van der Ploeg, M. and Raap, A.K. (1990). Detection of the Philadelphia chromosome in interphase nuclei. *Cytogenet Cell Genet* 54(3-4): 108-11.
- Arthur, D.C., Berger, R., Golomb, H.M., Swansbury, G.J., Reeves, B.R., Alimena, G., Van Den Berghe, H., Bloomfield, C.D., de-la-Chapelle, A., Dewald, G.W., et al. (1989). Sixth international workshop on chromosomes in leukemia: The clinical significance of karyotype in acute myelogenous leukemia. *Cancer Genet Cytogenet* 40(2): 203-216.
- Athanasou, N.A., Quinn, J., Brenner, M.K., Prentice, H.G., Graham, A., Taylor, S., Flannery, D. and McGee, J.O. (1990). Origin of marrow stromal cells and haemopoietic chimaerism following bone marrow transplantation determined by in situ hybridisation. *Br J Cancer* 61(3): 385-389.
- Bagnara, G.P., Biagini, G., Marani, M., Bonsi, L., Severi, B., Valvassori, L., Comis, M., Nobile, F., Iacopino, P., Ronco, F., et al. (1981). Ph1-negative T lymphocytic colonies in agar cultures of peripheral blood in chronic myeloid leukemia. *Acta Haematol* 66(3): 174-180.
- Bakhshi, A., Jensen, J.P., Goldman, P., Wright, J.J., McBride, O.W., Epstein, A.L. and Korsmeyer, S.J. (1985). Cloning the chromosomal breakpoint of t(14;18) human lymphomas: clustering around JH on chromosome 14 and near a transcriptional unit on 18. *Cell* 41(3): 899-906.
- Barlogie, B., Johnston, D.A., Smallwood, L., Raber, M.N., Maddox, A.M., Latreille, J., Swartzendruber, D.E. and Drewinko, B. (1982). Prognostic implications of ploidy and proliferative activity in human solid tumors. *Cancer Genet Cytogenet* 6(1): 17-28.
- Bartholdi, M., Ray, F., Cram, L. and Kraemer, P. (1984). Flow karyology of serially cultured Chinese hamster cell lineages. *Cytometry* 5(5): 534-538.
- Bartram, C.R., de Klein, A., Hagemeyer, A., van Agthoven, T., Geurts van Kessel, A., Bootsma, D., Grosveld, G., Ferguson-Smith, M.A., Davies, T., Stone, M., et al. (1983). Translocation of c-abl oncogene correlates with the presence of a Philadelphia chromosome in chronic myelocytic leukaemia. *Nature* 306(5940): 277-280.
- Bartram, C.R., Raghavachar, A., Anger, B., Stain, C. and Bettelheim, P. (1987). T lymphocytes lack rearrangement of the bcr gene in Philadelphia chromosome-positive chronic myelocytic leukemia. *Blood* 69(6): 1682-1685.
- Bauman, J.G., Wiegant, J., Borst, P. and Van Duijn, P. (1980). A new method for fluorescence microscopical localization of specific DNA sequences by in situ hybridization of fluorochromelabelled RNA. *Exp Cell Res* 128(2): 485-490.
- Bauman, J.G., Wiegant, J., Van Duijn, P., Lubsen, N.H., Sondermeijer, P.J., Hennig, W. and Kubli, E. (1981). Rapid and high resolution detection of in situ hybridisation to polytene chromosomes using fluorochrome-labeled RNA. *Chromosoma* 84(1): 1-18.

- Ben-Neriah, Y., Daley, G.Q., Mes-Masson, A.M., Witte, O.N. and Baltimore, D. (1986). The chronic myelogenous leukemia-specific P210 protein is the product of the bcr/abl hybrid gene. *Science* 233(4760): 212-214.
- Bernasconi, P., Boni, M., Campagnoli, C., Astori, C., Alessandrino, E.P., Bonfichi, M., Caldera, D., Brera, C., Troletti, D., Biaggi, G., et al. (1993). In situ hybridization to detect chimerism and the origin of relapse in sex-mismatched allogeneic bone marrow transplantation. *Bone Marrow Transplant* 1: 84-87.
- Bernheim, A., Berger, R. and Lenoir, G. (1981). Cytogenetic studies on African Burkitt's lymphoma cell lines: t(8;14), t(2;8) and t(8;22) translocations. *Cancer Genet Cytogenet* 3: 307-315.
- Bijman, J.T. (1983). Optimization of mammalian chromosome suspension preparations employed in a flow cytometric analysis. *Cytometry* 3: 354-358.
- Bloomfield, C.D., Secker-Walker, L.M., Goldman, A.I., Van Den Berghe, H., De la Chapelle, A., Ruutu, T., Alimena, G., Garson, O.M., Golomb, H.M., Rowley, J.D., et al. (1989). Sixth international workshop on chromosomes in leukemia: Six-year follow-up of the clinical significance of karyotype in acute lymphoblastic leukemia. *Cancer Genet Cytogenet* 40(2): 171-185.
- Boveri, T. (1914). Zur frage der entstehung maligner tumoren. Jena, Verlag von Gustav Fischer.
- Brothman, A.R. and Patel, A.M. (1992). Characterization of 10 marker chromosomes in a prostatic cancer cell line by in situ hybridization. *Cytogenet Cell Genet* 60(1): 8-11.
- Brown, J.M., Evans, J. and Kovacs, M.S. (1992). The prediction of human tumor radiosensitivity in situ: an approach using chromosome aberrations detected by fluorescence in situ hybridization. *Int J Radiat Oncol Biol Phys* 24(2): 279-286.
- Brown, J.M., Evans, J.W. and Kovacs, M.S. (1993). Mechanism of chromosome exchange formation in human fibroblasts: insights from "chromosome painting". *Environ Mol Mutagen* 22(4): 218-224.
- Carrano, A.V., Gray, J.W. and Van Dilla, M.A. (1978). Flow cytogenetics. Progress towards chromosomal aberration detection. in: Mutagen induced chromosome damage in man. Edinburgh, Edinburgh University Press. 326.
- Caspersson, T., Zech, L. and Johansson, C. (1970). Differential binding of alkylating fluorochromes in human chromosomes. *Exp. Cell Res.* 60: 315-319.
- Chamla, Y. (1988). C anaphases in lymphocyte cultures versus premature centromere division syndromes. *Hum-Genet.* 78(2): 111-114.
- Chamla, Y., Roumy, M., Lassägues, M. and Battin, J. (1980). Altered sensitivity to colchicine and PHA in human cultured cells. *Hum Genet* 53: 249-253.
- Chen, Z., Morgan, R., Berger, C.S. and Sandberg, A.A. (1992). Application of fluorescence in situ hybridization in hematological disorders. *Cancer Genet Cytogenet* 63(1): 62-69.
- Collard, J., de Boer, P., Janssen, J., Schijven, J. and de Jong, B. (1985). Gene mapping by chromosome spot hybridization. *Cytometry.* 6(3): 179-185.
- Committee for a standardized karyotype of rattus norvegicus (1973). Standard karyotype of the Norway rat, Rattus norvegicus. *Cytogenet Cell Genet* 12(3): 199-205.
- Cooke, H. (1979). Cloning of the human satellite III DNA: different components are on different chromosomes. *Nucleic Acids Res* 6(10): 3177-3197.
- Cooke, H.J., Schmidtke, J. and Gosden, J.R. (1982). Characterisation of a human Y chromosome repeated sequence and related sequences in higher primates. *Chromosoma* 87(5): 491-502.
- Cornelisse, C.J., de Koning, H.R., Moolenaar, A.J., van de Velde, C.J. and Ploem, J.S. (1984). Image and flow cytometric analysis of DNA content in breast cancer. Relation to estrogen receptor content and lymph node involvement. *Anal Quant Cytol* 6(1): 9-18.
- Cremer, T., Landegent, J., Bruckner, A., Scholl, H., Schardin, M., Hager, H., Devilee, P., Pearson, P. and Van der Ploeg, M. (1986). Detection of chromosome aberrations in the human interphase nucleus by visualization of specific target DNAs with radioactive and non-radioactive in situ hybridization techniques: diagnosis of trisomy 18 with probe L1.84. *Hum Genet* 74(4): 346-352.
- Cremer, T., Lichter, P., Borden, J., DC, W. and Manuelidis, L. (1988a). Detection of chromosome aberrations in metaphase and interphase tumor cells by in situ hybridization using chromosome specific library probes. *Hum Genet.* 80(3): 235-246.
- Cremer, T., Tesin, D., Hopman, A.H. and Manuelidis, L. (1988b). Rapid interphase and metaphase assessment of specific chromosomal changes in neuroectodermal tumor cells by in situ hybridization with chemically modified DNA probes. *Exp Cell Res* 176(2): 199-220.
- Croce, C.M. (1993). Molecular biology of lymphomas. *Semin Oncol* 20(5 Suppl 5): 31-46.

References

- Davies, K., Young, B., Elles, R., Hill, M. and Williamson, R. (1981). Cloning of a representative genomic library of the human chromosome X after sorting by flow cytometry. *Nature* 293: 374-376.
- Davis, R.L., Konopka, J.B. and Witte, O.N. (1985). Activation of the c-abl oncogene by viral transduction or chromosomal translocation generates altered c-abl proteins with similar in vitro kinase properties. *Mol Cell Biol* 5(1): 204-213.
- De Klein, A. (1986). Chromosome aberrations and oncogenes in human cancer. Erasmus University Rotterdam. Dissertation.
- De Klein, A., Van Kessel, A.G., Grosveld, G., Bartram, C.R., Hagemeijer, A., Bootsma, D., Spurr, N.K., Heisterkamp, N., Groffen, J. and Stephenson, J.R. (1982). A cellular oncogene is translocated to the Philadelphia chromosome in chronic myelocytic leukaemia. *Nature* 300(5894): 765-767.
- Delwel, R., Dorssers, L., Touw, I., Wagemaker, G. and Löwenberg, B. (1987). Human recombinant multilineage colony stimulating factor (Interleukin-3): Stimulator of acute myelocytic leukemia progenitor cells in vitro. *Blood* 70: 333-336.
- Den Tonkelaar, E.M. and Van Duijn, P. (1964). Photographic colorimetry as a quantitative cytochemical method. II Determination of relative amounts of DNA in cell nuclei. *Histochemie* 4: 10.
- Devilee, P., Cremer, T., Slagboom, E., Bakker, E., Scholl, H.P., Hager, H.D., Stevenson, A.F.G., Cornelisse, C.J. and Pearson, P.L. (1986). Two subsets of human alpid repetitive DNA show distinct preferential localization in the pericentric regions of chromosomes 13, 18, and 21. *Cytogenet Cell Genet* 41: 193-201.
- Devilee, P., Kievits, T., Waye, J.S., Pearson, P.L. and Willard, H.F. (1988a). Chromosome-specific alpha satellite DNA: Isolation and mapping of a polymorphic alpid repeat from human chromosome 10. *Genomics* 3(1): 1-7.
- Devilee, P., Thierry, R.F., Kievits, T., Kolluri, R., Hopman, A.H., Willard, H.F., Pearson, P.L. and Cornelisse, C.J. (1988b). Detection of chromosome aneuploidy in interphase nuclei from human primary breast tumors using chromosome-specific repetitive DNA probes. *Cancer Res* 48(20): 5825-5830.
- Dewald, G.W., Schad, C.R., Christensen, E.R., Law, M.E., Zinsmeister, A.R., Stalboerger, P.G., Jalal, S.M., Ash, R.C. and Jenkins, R.B. (1993a). Fluorescence in situ hybridization with X and Y chromosome probes for cytogenetic studies on bone marrow cells after opposite sex transplantation. *Bone Marrow Transplant* 12: 149-154.
- Dewald, G.W., Schad, C.R., Lilla, V.C. and Jalal, S.M. (1993b). Frequency and photographs of HGM11 chromosome anomalies in bone marrow samples from 3,996 patients with malignant hematologic neoplasms. *Cancer Genet Cytogenet* 68(1): 60-69.
- DiPersio, J.F., Brennan, J.K., Lichtman, M.A., Abboud, C.N. and Kirkpatrick, F.H. (1980). The fractionation, characterization, and subcellular localization of colony-stimulating activities released by the human monocyte-like cell line, GCT. *Blood* 56(4): 717-727.
- DiPersio, J.F., Brennan, J.K., Lichtman, M.A. and Speiser, B.L. (1978). Human cell lines that elaborate colon-stimulating activity for the marrow cells of man and other species. *Blood* 51(3): 507-519.
- Donlon, T.A., Bruns, G.A., Latt, S.A., Mulholland, J. and Wyman, A.R. (1986). A chromosome 8-enriched alpid repeat. *Cytogen Cell Gen* 46: 607.
- Dreskin, S.C. and Mayall, B.H. (1974). Deoxyribonucleic acid cytophotometry of stained human leukocytes. 3. Thermal denaturation of chromatin. *J Histochem Cytochem* 22(2): 120-6.
- Dudin, G., Cremer, T., Schardin, M., Hausmann, M., Bier, F. and Cremer, C. (1987). A method for nucleic acid hybridization to isolated chromosomes in suspension. *Hum Genet* 76(3): 290-292.
- Dudin, G., Stegmayer, E.W., Vogt, P., Schnitzer, H., Diaz, E., Howell, K.E., Cremer, T. and Cremer, C. (1988). Sorting of chromosomes by magnetic separation. *Hum Genet* 80(2): 111-116.
- Durnam, D., Anders, K., Fisher, L., O'Quigley, J., Bryant, E. and Thomas, E. (1989). Analysis of the origin of marrow cells in bone marrow transplant recipients using a Y chromosome specific in situ hybridization assay. *Blood* 74(6): 2220-2226.
- Fairbairn, L.J., Cowling, G.J., Reipert, B.M. and Dexter, T.M. (1993). Suppression of apoptosis allows differentiation and development of a multipotent hemopoietic cell line in the absence of added growth factors. *Cell* 74(5): 823-832.
- Fialkow, P.J., Denman, A.M., Jacobson, R.J. and Lowenthal, M.N. (1978). Chronic myelocytic leukemia. Origin of some lymphocytes from leukemic stem cells. *J Clin Invest* 62(4): 815-823.
- Fialkow, P.J., Jacobson, R.J. and Papayannopoulou, T. (1977). Chronic myelocytic leukemia: clonal origin in a stem cell common to the granulocyte, erythrocyte, platelet and monocyte/macrophage. *Am J Med* 63(1): 125-130.

- Gabarron, J., Jimenez, A. and Glover, G. (1986). Premature centromere division dominantly inherited in a subfertile family. *Cytogenet Cell Genet* 43(1-2): 69-71.
- Gray, J., Dean, P., Fuscoe, J., Peters, D., Trask, B., Van den Engh, G. and Van Dilla, M. (1987). High speed chromosome sorting. *Science* 238: 323-329.
- Gray, J., Lucas, J., Yu, L. and Langlois, R. (1984). Flow cytometric detection of aberrant chromosomes. in: *Biological Dosimetry*. Berlin, Springer-Verlag, 25.
- Gray, J.W., Carrano, A.V., Moore, D.d., Steinmetz, L.L., Minkler, J., Mayall, B.H., Mendelsohn, M.L. and Van Dilla, M.A. (1975a). High-speed quantitative karyotyping by flow microfluorometry. *Clin Chem* 21(9): 1258-1262.
- Gray, J.W., Carrano, A.V., Steinmetz, L.L., Van Dilla, M.A., Moore, D.H.d., Mayall, B.H. and Mendelsohn, M.L. (1975b). Chromosome measurement and sorting by flow systems. *Proc Natl Acad Sci U S A* 72(4): 1231-1234.
- Gray, J.W., Langlois, R., Carrano, A.V., Burkhardt-Schultz, K. and Van Dilla, M.A. (1979). High resolution chromosome analysis in one and two parameter flow cytometry. *Chromosoma* 73: 9.
- Gray, J.W., Trask, B., Van den Engh, G., Silva, A., Lozes, C., Grell, S., Schonberg, S., Yu, L.C. and Golbus, M.S. (1988). Application of flow karyotyping in prenatal detection of chromosome aberrations. *Am J Hum Genet* 42(1): 49-59.
- Greig, G.M., England, S.B., Bedford, H.M. and Willard, H.F. (1989). Chromosome-specific alpha satellite DNA from the centromere of human chromosome 16. *Am J Hum Genet* 45: 862-872.
- Griffin, J., Young, D., Hermann, F., Wiper, D., Wagner, K. and Sabbath, K. (1986). Effects of recombinant human GM-CSF on proliferation of clonogenic cells in acute myeloblastic leukemia. *Blood* 67: 1448-1453.
- Groffen, J., Stephenson, J.R., Heisterkamp, N., de-Klein, A., Bartram, C.R. and Grosveld, G. (1984). Philadelphia chromosomal breakpoints are clustered within a limited region, bcr, on chromosome 22. *Cell* 36(1): 93-99.
- Grosveld, G., Verwoerd, T., Van Achthoven, A., de Klein, A., Ramachandran, K.L., Heisterkamp, N., Stam, K. and Groffen, J. (1986). The chronic myelocytic cell line K562 contains a breakpoint in bcr and produces a chimeric bcr/c-abl transcript. *Mol Cell Biol* 6: 607-616.
- Hagemeyer, A. (1992). Cytogenetics and oncogenes. *Leukemia* 4: 16-18.
- Hagemeyer, A., Smit, E. and Bootsma, D. (1979). Improved identification of chromosomes of leukemic cells in methotrexate-treated cultures. *Cell Genet* 23: 208-212.
- Hagenbeek, A. (1992). Minimal residual disease in leukemia: state of the art 1991. *Leukemia* 2(12): 12-16.
- Hagenbeek, A., Martens, A.C. and Van Bekkum, D.W. (1981). Separation of normal hemopoietic stem cells from clonogenic leukemic cells in a rat model for human acute myelocytic leukemia-I. Velocity sedimentation. *Leuk Res* 5(4-5): 421-428.
- Hagenbeek, A. and Van Bekkum, D.W. (1977). Comparative evaluation of the L5222 and the BNML rat leukemia models and their relevance for human acute leukemia. in: *Leuk Res*. 75-256.
- Harris, P., Boyd, E., Young, B.D. and Ferguson-Smith, M.A. (1986). Determination of the DNA content of human chromosomes by flow cytometry. *Cytogenet Cell Genet* 41(1): 14-21.
- Harris, P., Cooke, A., Boyd, E., Young, B.D. and Ferguson-Smith, M.A. (1987). The potential of family flow karyotyping for the detection of chromosome abnormalities. *Hum Genet* 76(2): 129-133.
- Heim, S. and Mitelman, F. (1987). *Cancer Cytogenetics*. New York, Alan R. Liss, Inc.
- Heisterkamp, N., Jenster, G., ten-Hoeve, J., Zovich, D., Pattengale, P.K. and Groffen, J. (1990). Acute leukaemia in bcr/abl transgenic mice. *Nature* 344(6263): 251-253.
- Heisterkamp, N., Stephenson, J.R., Groffen, J., Hansen, P.F., de-Klein, A., Bartram, C.R. and Grosveld, G. (1983). Localization of the c-abl oncogene adjacent to a translocation break point in chronic myelocytic leukaemia. *Nature* 306(5940): 239-242.
- Herrington, C.S., Burns, J., Graham, A.K., Bhatt, B. and McGee, J.O. (1989a). Interphase cytogenetics using biotin and digoxigenin labelled probes II: Simultaneous differential detection of human and papilloma virus nucleic acids in individual nuclei. *J Clin Pathol* 42(6): 601-606.
- Herrington, C.S., Burns, J., Graham, A.K., Evans, M. and McGee, J.O. (1989b). Interphase cytogenetics using biotin and digoxigenin labelled probes I: relative sensitivity of both reporter molecules for detection of HPV16 in CaSki cells. *J Clin Pathol* 42(6): 592-600.
- Hopman, A.H., Ramaekers, F.C., Raap, A.K., Beck, J.L., Devilee, P., Van der Ploeg, M. and Vooijs, G.P. (1988). In situ hybridization as a tool to study numerical chromosome aberrations in solid bladder tumors. *Histochemistry* 89(4): 307-316.

References

- Hopman, A.H.N., Wiegant, J. and Van Duijn, P. (1986a). A new hybridocytochemical method based on mercurated nucleic acid probes and sulphhydryl-hapten ligand. II. Effects of variations in ligand structure on the in situ detection of mercurated probes. *Histochemistry* 84(2): 179-185.
- Hopman, A.H.N., Wiegant, J. and Van Duijn, P. (1986b). A new hybridocytochemical method based on mercurated nucleic acid probes and sulphhydryl-hapten ligand. I. Stability of the mercury-sulphhydryl bond and influence of the ligand structure on immunochemical detection of the hapten. *Histochemistry* 84(2): 169-178.
- Hulspas, R. and Bauman, J.G. (1992). The use of fluorescent in situ hybridization for the analysis of nuclear architecture by confocal microscopy. *Cell Biol Int Rep* 16(8): 739-747.
- Itani, S. and Hoshino, T. (1982). Mitogen responsive Philadelphia chromosome positive T and B cells in the chronic phase of chronic myelocytic leukemia. *Proceedings of the the 13th International Cancer Congress, Seattle* : 399.
- Jenkins, R.B., Le Beau, M.M., Kraker, W.J., Borell, T.J., Stalboerger, P.G., Davis, E.M., Penland, L., Fernald, A., Espinosa, R., III, Schaid, D.J., et al. (1992). Fluorescence in situ hybridization: a sensitive method for trisomy 8 detection in bone marrow specimens. *Blood* 79(12): 3307-3315.
- Johnson, G.D. and Nogueira Araujo, G.M. (1981). A simple method of reducing the fading of immunofluorescence during microscopy. *J Immunol Methods* 43(3): 349-350.
- Jonas, D., Lubbert, M., Kawasaki, E.S., Henke, M., Bross, K.J., Mertelsmann, R. and Herrmann, F. (1992). Clonal analysis of bcr abl rearrangement in T lymphocytes from patients with chronic myelogenous leukemia. *Blood*. 79(4): 1017-1023.
- Jonker, R., Van Rotterdam, A., Bauman, J. and Visser, J. (1987). Analysis of eight parameter list mode data and parameter estimation of uni- and bivariate distributions using a Kalman fitting procedure. *Cytometry Suppl. (supl.)* 1: 98.
- Kearney, L., Orchard, K.H., Hibbin, J. and Goldman, J.M. (1982). T-cell cytogenetics in chronic granulocytic leukaemia [letter]. *Lancet* 1(8276): 858.
- Kibbelaar, R.E., Kok, F., Dreef, E.J., Kleiverda, J.K., Cornelisse, C.J., Raap, A.K. and Kluin, P.M. (1993). Statistical methods in interphase cytogenetics: An experimental approach. *Cytometry* 14: 716-724.
- Kloetzer, W., Kurzrock, R., Smith, L., Talpaz, M., Spiller, M., Gutterman, J. and Arlinghaus, R. (1985). The human cellular abl gene product in the chronic myelogenous leukemia cell line K562 has an associated tyrosine protein kinase activity. *Virology* 140(2): 230-238.
- Kögler, G., Wolf, H., Heyll, A., Arkesteijn, G. and Wernet, P. (1995). Detection of mixed chimerism and leukemic relapse after allogeneic bone marrow transplantation in subpopulations of leucocytes by fluorescent in situ hybridization in combination with the simultaneous immunophenotypic analysis of interphase cells. *Bone Marrow Transplant* 15: 41-48.
- Konopka, J.B., Watanabe, S.M., Singer, J.W., Collins, S.J. and Witte, O.N. (1985). Cell lines and clinical isolates derived from Ph1-positive chronic myelogenous leukemia patients express c-abl proteins with a common structural alteration. *Proc Natl Acad Sci U S A* 82(6): 1810-1814.
- Konopka, J.B., Watanabe, S.M. and Witte, O.N. (1984). An alteration of the human c-abl protein in K562 leukemia cells unmasks associated tyrosine kinase activity. *Cell* 37(3): 1035-1042.
- Kooi, M.W., Aten, J.A., Stap, J., Kipp, J.B. and Barendsen, G.W. (1984). Preparation of chromosome suspensions from cells of a solid experimental tumour for measurement by flow cytometry. *Cytometry* 5(5): 547-549.
- Kuffel, D.G., Schultz, C.G., Ash, R.C. and Dewald, G.W. (1991). Normal cytogenetic values for bone marrow based on studies of bone marrow transplant donors. *Cancer Genet Cytogenet* 55: 39-48.
- Lacaze, N., Gombaud-Saintonge, G. and Lanotte, M. (1983). Conditions controlling long-term proliferation of Brown Norway rat promyelocytic leukemia in vitro: primary growth stimulation by microenvironment and establishment of an autonomous Brown Norway 'leukemic stem cell line'. *Leuk Res* 7(2): 145-154.
- Lalande, M., Kunkel, L., Flint, A. and Latt, S. (1984). Development and use of metaphase chromosome flow sorting methodology to obtain recombinant phage libraries enriched for parts of the human X chromosome. *Cytometry* 5: 101-107.
- Landegent, J.E., Jansen-in-de-Wal, N., Dirks, R.W., Baao, F. and Van-der-Ploeg, M. (1987). Use of whole cosmid cloned genomic sequences for chromosomal localization by non-radioactive in situ hybridization. *Hum Genet* 77(4): 366-370.
- Landegent, J.E., Jansen-in-de-Wal, N., Baan, R.A., Hoeijmakers, J.H. and Van-der-Ploeg, M. (1984). 2-Acetylaminofluorene-modified probes for the indirect hybridocytochemical detection of specific nucleic acid sequences. *Exp Cell Res* 153(1): 61-72.

- Langer, P.R., Waldrop, A.A. and Ward, D.C. (1981). Enzymatic synthesis of biotin-labeled polynucleotides: novel nucleic acid affinity probes. *Proc Natl Acad Sci USA* 78(11): 6633-6637.
- Langlois, R.G., Yu, L.C., Gray, J.W. and Carrano, A.V. (1982). Quantitative karyotyping of human chromosomes by dual beam flow cytometry. *Proc Natl Acad Sci U S A* 79(24): 7876-7880.
- Lanotte, M., Lacaze, N. and Gombaud-Saintonge, G. (1984). Evaluation of the clonogenic cell population (Leuk-CFU) in the marrow of BN rats during development of a promyelocytic leukemia (BNML): an in vitro assay. *Leuk Res* 8(1): 71-80.
- Latt, S.A. and Wohlleb, J.C. (1975). Optical studies of the interaction of 33258 Hoechst with DNA, chromatin, and metaphase chromosomes. *Chromosoma* 52(4): 297-316.
- Lebo, R., Gorin, F., Fletterick, R., Kao, F., Cheung, M., Bruce, B. and Kan, Y. (1984). High resolution chromosome sorting and DNA spot blot analysis assign McArdle's syndrome to chromosome 11. *Science* 225: 57-59.
- Levan, G. (1974). Nomenclature for G-bands in rat chromosomes. *Hereditas* 77(1): 37-52.
- Lichter, P., Cremer, T., Borden, J., Manuelidis, L. and Ward, D.C. (1988). Delineation of individual human chromosomes in metaphase and interphase cells by in situ suppression hybridization using recombinant DNA libraries. *Hum Genet* 80(3): 224-234.
- Liesveld, J.L., Rush, S., Kempinski, M.C., Turner, A.R., Brennan, J.K., Gasson, J.C. and Abboud, C.N. (1993). Phenotypic characterization of the human fibrous histiocytoma giant cell tumor (GCT) cell line and its cytokine repertoire. *Exp Hematol* 21(10): 1342-1352.
- Lin, M.S., Comings, D.E. and Alfi, O.S. (1977). Optical Studies of the interaction of 4'-6'-diamidino-2-phenylindole with DNA and metaphase chromosomes. *Chromosoma* 60(1): 15-25.
- Looijenga, L.H., Smit, V.T., Wessels, J.W., Mollevanger, P., Oosterhuis, J.W., Cornelisse, C.J. and Devilee, P. (1990). Localization and polymorphism of a chromosome 12-specific alpha satellite DNA sequence. *Cytogenet Cell Genet* 53(4): 216-218.
- Löwenberg, B., Swart, K. and Hagemeyer, A. (1980). PHA-induced colony formation in acute non-lymphocytic and chronic myeloid leukemia. *Leuk Res* 4(1): 143-149.
- Madan, K., Lindhout, D. and Palan, B. (1987). Premature centromere division (PCD): a dominantly inherited cytogenetic anomaly. *Human Genet* 77: 193-196.
- Martens, A.C. and Hagenbeek, A. (1985). Detection of minimal disease in acute leukemia using flow cytometry: studies in a rat model for human acute leukemia. *Cytometry* 6(4): 342-347.
- Martens, A.C., Van Bekkum, D.W. and Hagenbeek, A. (1990). The BN acute myelocytic leukemia (BNML) (a rat model for studying human acute myelocytic leukemia (AML)). *Leukemia* 4(4): 241-257.
- Martens, A.C.M., Schultz, F.W. and Hagenbeek, A. (1987). Nonhomogeneous distribution of leukemia in the bone marrow during minimal residual disease. *Blood* 70(4): 1073-1078.
- Martin, R., Hoover, C., Grimme, S., Grogan, C., Holtke, J. and Kessler, C. (1990). A highly sensitive, nonradioactive DNA labeling and detection system. *Biotechniques* 9(6): 762-768.
- Mayall, B.H. (1969). Deoxyribonucleic acid cytophotometry of stained human leukocytes. I. Differences among cell types. *J Histochem Cytochem* 17(4): 249-57.
- Mayall, B.H. and Mendelsohn, M.L. (1970). Deoxyribonucleic acid cytophotometry of stained human leukocytes. II. The mechanical scanner od CYDAC, the theory of scanning photometry and the magnitude of residual errors. *J Histochem Cytochem* 18(6): 383-407.
- McDermid, H.E., Duncan, A.M.V., Higgins, M.J., Hamerton, J.L., Rector, E., Brasch, K.R. and White, B.N. (1986). Isolation and characterization of an α -satellite repeated sequence from human chromosome 22. *Chromosoma* 94: 228-234.
- McWhirter, J.R. and Wang, J.Y. (1991). Activation of tyrosinase kinase and microfilament-binding functions of c-abl by bcr sequences in bcr/abl fusion proteins. *Mol Cell Biol* 11(3): 1553-1565.
- Mehes, K. (1978). Non-random centromere division: a mechanism of non-disjunction causing aneuploidy? *Hum Hered* 28(4): 255-260.
- Mehes, K. and Bajnoczky, K. (1981). Early centromere division: analysis of G-banded human chromosomes and family investigations. *Clin Genet* 19: 515.
- Mitelman, F., Kaneko, Y. and Trent, J. (1991). Report on the committee on chromosome changes in neoplasia. *Cytogenet Cell Genet* 58: 1053-1079.
- Moyzis, R.K., Albricht, K.L., Bartholdi, M.F., Cram, L.S., Deaven, L.L., Hildebrand, C.E., Joste, N.E., Longmire, J.L., Meyne, J. and Schwarzer-Robinson, T. (1987). Human chromosome-specific repetitive DNA sequences: Novel markers for genetic analysis. *Chromosoma* 95: 375-386.

References

- Nederlof, P.M., Robinson, D., Abuknesha, R., Wiegant, J., Hopman, A.H.N., Tanke, H.J. and Raap, A.K. (1989). Three-color fluorescence in situ hybridization for the simultaneous detection of multiple nucleic acid sequences. *Cytometry* 10: 20-27.
- Nederlof, P.M., Van der Flier, S., Wiegant, J., Raap, A.K., Tanke, H.J., Ploem, J.S. and Van der Ploeg, M. (1990). Multiple fluorescence in situ hybridization. *Cytometry* 11: 126-131.
- Nishikura, K., ar-Rushdi, A., Erikson, J., Watt, R., Rovera, G. and Croce, C.M. (1983). Differential expression of the normal and of the translocated human c-myc oncogenes in B cells. *Proc Natl Acad Sci U S A* 80(15): 4822-4826.
- Nitta, M., Kato, Y., Strife, A., Wachter, M., Fried, J., Perez, A., Jhanwar, S., Duigou-Osterndorf, R., Chaganti, R.S. and Clarkson, B. (1985). Incidence of involvement of the B and T lymphocyte lineages in chronic myelogenous leukemia. *Blood* 66(5): 1053-1061.
- Nowell, P.C. (1960). Phytohaemagglutinin: An initiator of mitosis in cultures of normal human leucocytes. *Cancer Res.* 20: 462-466.
- Nowell, P.C. and Hungerford, D.A. (1960). A minute chromosome in human chronic granulocytic leukemia. *Science* 132: 1497.
- Nunez, G., London, L., Hockenbery, D., Alexander, M., McKeam, J.P. and Korsmeyer, S.J. (1990). Deregulated Bcl-2 gene expression selectively prolongs survival of growth factor-deprived hemopoietic cell lines. *J Immunol* 144(9): 3602-3610.
- Pagliari, L.C. and Stanley, W.S. (1993). Interphase FISH and morphologic analysis of AML. *Cancer Genet Cytogenet* 67: 95-100.
- Pandita, T.K., Gregoire, V., Dhingra, K. and Hittelman, W.N. (1994). Effect of chromosome size on aberration levels caused by gamma radiation as detected by fluorescence in situ hybridization. *Cytogenet Cell Genet* 67(2): 94-101.
- Peters, D., Branscomb, P., Dean, P., Merrill, T., Pinkel, M., Van Dilla, M. and Gray, J. (1985). The LLNL high-speed sorter: Design features, operational characteristics, and biological utility. *Cytometry* 6: 290-301.
- Pierre, R.V., Catovsky, D., Mufti, G.J., Swansbury, G.J., Mecucci, C., Dewald, G.W., Ruutu, T., Van Den Berghe, H., Rowley, J.D., Mitelman, F., et al. (1989). Sixth international workshop on chromosomes in leukemia: Clinical-cytogenetic correlations in myelodysplasia (preleukemia). *Cancer Genet Cytogenet* 40(2): 149-161.
- Pinkel, D., Landegent, J., Collins, C., Fuscoe, J., Segraves, R., Lucas, J. and Gray, J. (1988). Fluorescence in situ hybridization with human chromosome-specific libraries: detection of trisomy 21 and translocations of chromosome 4. *Proc Natl Acad Sci U S A* 85(23): 9138-9142.
- Pinkel, D., Straume, T. and Gray, J.W. (1986). Cytogenetic analysis using quantitative, high sensitivity, fluorescence hybridization. *Proc Natl Acad Sci USA* 83(9): 2934-2938.
- Poddighe, P.J., Moesker, O., Smeets, D., Awwad, B.H., Ramaekers, F.C. and Hopman, A.H. (1991). Interphase cytogenetics of hematological cancer: comparison of classical karyotyping and in situ hybridization using a panel of eleven chromosome specific DNA probes. *Cancer Res* 51(7): 1959-1967.
- Price, C.M., Kanfer, E.J., Colman, S.M., Westwood, N., Barrett, A.J. and Greaves, M.F. (1992). Simultaneous genotypic and immunophenotypic analysis of interphase cells using dual color fluorescence: A demonstration of lineage involvement in polycythemia vera. *Blood* 80: 1-5.
- Prieur, M., Al Achkar, W., Aurias, A., Couturier, J., Dutrillaux, A., Dutrillaux, B., Flury Herard, A., Gerbault Seureau, M., Hoffschir, F., Lamoliatte, E., et al. (1988). Acquired chromosome rearrangements in human lymphocytes: Effect of aging. *Hum Genet* 79(2): 147-150.
- Przeziorka, D., Gonzales-Chambers, R., Winkelstein, A., Rosenfeld, C. and Shadduck, R.K. (1990). Chimerism studies using in situ hybridization for the Y chromosome after T cell-depleted bone marrow transplantation. *Bone Marrow Transplant* 5: 253-257.
- Przeziorka, D., Thomas, E.D., Durnham, D.M. and Fisher, L. (1991). Use of a probe to repeat sequence of the Y chromosome for detection of host cells in peripheral blood of bone marrow transplant recipients. *Am J Clin Pathol* 95(2): 201-206.
- Raber, M.N., Barlogie, B., Latreille, J., Bedrossian, C., Fritsche, H. and Blumenschein, G. (1982). Ploidy, proliferative activity and estrogen receptor content in human breast cancer. *Cytometry* 3(1): 36-41.
- Rabin, H., Hopkins III, R.F., Ruscetti, F.W., Neubauer, R.H., Brown, R.L. and Kawakami, T.G. (1981). Spontaneous release of a factor with properties of T cell growth factors from a continuous line of primate tumor T cells. *J Immunol* 127(5): 1852-1856.

- Rieder, C.L. and Salmon, E.D. (1994). Motile kinetochores and polar ejection forces dictate chromosome position on the vertebrate mitotic spindle. *J Cell Biol* 124(3): 223-233.
- Roux, E., Abdi, K., Speiser, D., Helg, C., Chapuis, B., Jeannet, M. and Roosnek, E. (1993). Characterization of mixed chimerism in patients with chronic myeloid leukemia transplanted with T-cell-depleted bone marrow: involvement of different hematologic lineages before and after relapse. *Blood* 81(1): 243-248.
- Rowley, J. (1973). A new consistent chromosomal abnormality in chronic myelogenous leukemia identified by quinacrine fluorescence and Giemsa staining. *Nature* 243: 290-293.
- Rowley, J. (1985). Significance of chromosome rearrangements in leukemia and lymphoma. in: *Leukemia. Dahlem Konferenzen*. Berlin, Heidelberg, New York, Tokyo, Springer-Verlag. 179-202.
- Rowley, J.D. (1994). 1993 American Society of Human Genetics presidential address: can we meet the challenge? *Am J Hum Genet* 54(3): 403-413.
- Rudd, N., Teshima, I., Martin, R., Siskin, J. and Weksberg, R. (1983). A dominantly inherited cytogenetic anomaly: a possible cell division mutant. *Hum Genet* 65: 117-121.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989). *Molecular cloning. A laboratory manual*. New York, Cold Spring Harbor Laboratory Press.
- Sandberg, A.A. (1980). Chromosomes and causation of human cancer and leukemia: XL. The Ph1 and other translocations in CML. *Cancer* 46(10): 2221-2226.
- Sandberg, A.A. (1990). *The chromosomes in human cancer and leukemia*. New York, Elsevier Science Publishing Co.
- Schattenberg, A., Bar, B., Smeets, D., Geurts, v.K.A. and De Witte, T. (1993). Comparison of chromosome studies on PHA-stimulated blood and unstimulated bone marrow cells in recipients of lymphocyte depleted grafts using counterflow centrifugation. *Bone Marrow Transplant* 11(2): 95-101.
- Schattenberg, A., De Witte, T., Salden, M., Vet, J., Van Dijk, B., Smeets, D., Hoogenhout, J. and Haanen, C. (1989). Mixed hematopoietic chimerism after allogeneic transplantation with lymphocyte-depleted bone marrow is not associated with a higher incidence of relapse. *Blood* 73: 1367.
- Shabtai, F., Gafter, U., Weiss, S., Djaldetti, M. and Halbrecht, I. (1980). New complex Ph¹ translocation t(10; 14; 22) in bone marrow cells and in PHA-stimulated peripheral blood cultures in chronic myelocytic leukaemia. *J Cancer Res Clin Oncol* 96(3): 287-294.
- Shapiro, H.M., Schildkraut, E.R., Curbelo, R., Turner, R.B., Webb, R.H., Brown, D.C. and Block, M.J. (1977). Cytomat-R: a computer-controlled multiple laser source multiparameter flow cytophotometer system. *J Histochem Cytochem* 25(7): 836-844.
- Shtivelman, E., Lifshitz, B., Gale, R.P. and Canaani, E. (1985). Fused transcript of abl and bcr genes in chronic myelogenous leukaemia. *Nature* 315(6020): 550-554.
- Singer, J., Keating, A., Ramberg, R., McGuffin, R., Sanders, J., Sale, G., Fialkow, P. and Thomas, E. (1983). Long-term stable hematopoietic chimerism following marrow transplantation for acute lymphoblastic leukemia: A case report with in vitro marrow culture studies. *Blood* 62: 869.
- Sonta, S. and Sandberg, A.A. (1978). Chromosomes and causation of human cancer and leukemia. XXIX. Further studies on karyotypic progression in CML. *Cancer* 41(1): 153-163.
- Stokdijk, W., Van den Engh, G. and Van Dekken, H. (1985). The Rijswijk Experimental Light-Activated Cell Sorter. *International Conference of Analytical Cytology XI, Hilton Head (SC.), November 17-22 abstract 318*.
- Stubblefield, E., Cram, S. and Deaven, L. (1975). Flow microfluorimetric analysis of isolated chinese hamster chromosomes. *Exp Cell Res* 94: 464-468.
- Swart, K., Hagemeijer, A. and Lowenberg, B. (1981). Density profiles and purification of chronic myeloid leukemia cells forming colonies in the PHA-leukocyte feeder assay. *Exp Hematol* 9(6): 588-594.
- Tanke, H.J., van Driel-Kulker, A.M., Cornelisse, C.J. and Ploem, J.S. (1983). Combined flow cytometry and image cytometry of the same cytological sample. *J Microsc* 1: 11-22.
- Tchen, P., Fuchs, R.P., Sage, E. and Leng, M. (1984). Chemically modified nucleic acids as immunodetectable probes in hybridization experiments. *Proc Natl Acad Sci U S A* 81(11): 3466-3470.
- Telenius, H., de-Vos, D., Blennow, E., Willat, L.R., Ponder, B.A. and Carter, N.P. (1993). Chromatid contamination can impair the purity of flow-sorted metaphase chromosomes. *Cytometry* 14(1): 97-101.
- Testa, J. (1984). High resolution chromosomal analysis of acute leukemia: current assessment. *Cancer Surveys* 3: 359-370.

References

- Tjio, J.H. and Levan, A. (1956). The chromosome number of man. *Hereditas* 42: 1-6.
- Tkachuk, D.C., Westbrook, C.A., Andreeff, M., Donlon, T.A., Cleary, M.L., Suryanarayan, K., Homge, M., Redner, A., Gray, J. and Pinkel, D. (1990). Detection of bcr-abl fusion in chronic myelogenous leukemia by in situ hybridization. *Science* 250(4980): 559-562.
- Trask, B. (1985). Studies of chromosomes and nuclei using flow cytometry. Radiobiological Institute TNO, Rijswijk, The Netherlands.
- Trask, B., Van den Engh, G., Landegent, J., Jansen in de Wal, N. and Van der Ploeg, M. (1985). Detection of DNA sequences in nuclei in suspension by in situ hybridization and dual beam flow cytometry. *Science* 230: 1401-1403.
- Trask, B., van den Engh, G., Pinkel, D., Mullikin, J., Waldman, F., van-Dekken, H. and Gray, J. (1988). Fluorescence in situ hybridization to interphase cell nuclei in suspension allows flow cytometric analysis of chromosome content and microscopic analysis of nuclear organization. *Hum Genet* 78(3): 251-259.
- Trask, B.J. (1991). Fluorescence in situ hybridization: Applications in cytogenetics and gene mapping. *Trends Genet* 7(5): 149-154.
- Tsujimoto, Y., Finger, L.R., Yunis, J., Nowell, P.C. and Croce, C.M. (1984). Cloning of the chromosome breakpoint of neoplastic B cells with the t(14;18) chromosome translocation. *Science* 226(4678): 1097-1099.
- Van Bekkum, D.W. and Hagenbeek, A. (1977). Relevance of the BN leukemia model as a model for human acute myeloid leukemia. *Blood Cells* 3: 565-579.
- Van Dekken, H., Arkesteijn, G.J., Visser, J.W. and Bauman, J.G. (1990a). Flow cytometric quantification of human chromosome specific repetitive DNA sequences by single and bicolor fluorescent in situ hybridization to lymphocyte interphase nuclei. *Cytometry* 11(1): 153-164.
- Van Dekken, H., Hagenbeek, A. and Bauman, J.G. (1989). Detection of host cells following sex mismatched bone marrow transplantation by fluorescent in situ hybridization with a Y chromosome specific probe. *Leukemia* 3(10): 724-728.
- Van Dekken, H. and Hulpas, R. (1993). Spatial analysis of intranuclear human repetitive DNA regions by in situ hybridization and digital fluorescence microscopy. *Histochem J* 25(3): 173-182.
- Van Dekken, H., Pinkel, D., Mullikin, J. and Gray, J.W. (1988). Enzymatic production of single-stranded DNA as a target for fluorescence in situ hybridization. *Chromosoma* 97(1): 1-5.
- Van Dekken, H., Pizzolo, J.G., Kelsen, D.P. and Melamed, M.R. (1990b). Targeted cytogenetic analysis of gastric tumors by in situ hybridization with a set of chromosome-specific DNA probes. *Cancer* 66(3): 491-497.
- Van Dekken, H., Pizzolo, J.G., Reuter, V.E. and Melamed, M.R. (1990c). Cytogenetic analysis of human solid tumors by in situ hybridization with a set of 12 chromosome-specific DNA probes. *Cytogenet Cell Genet* 54(3-4): 103-107.
- Van Dekken, H., van der Voort, H.T., Brakenhoff, G.J. and Bauman, J.G. (1990d). Three-dimensional reconstruction of pericentromeric (1q12) DNA and ribosomal RNA sequences in HL60 cells after double-target in situ hybridization and confocal microscopy. *Cytometry* 11(5): 579-585.
- van Dekken, H., van Rotterdam, A., Jonker, R.R., van der Voort, H.T., Brakenhoff, G.J. and Bauman, J.G. (1990). Spatial topography of a pericentromeric region (1q12) in hemopoietic cells studied by in situ hybridization and confocal microscopy. *Cytometry* 11(5): 570-578.
- Van den Berghe, H., Borgström, G., Brandt, L., Catowsky, D., De La Chapelle, A., Golomb, H., Hossfeld, D., Lawler, S., Lindsten, J., Louwagie, A., et al. (1978). Chromosomes in Ph1-positive chronic granulocytic leukemia. First International Workshop on Chromosomes in Leukaemia. *Br J Haematol* 39(3): 305-309.
- Van den Berghe, H., Parloir, C., Gosseye, S., Englebienne, V., Cornu, G. and Sokal, G. (1979). Variant translocation in Burkitt lymphoma. *Cancer Genet Cytogenet* 1: 9-14.
- Van den Engh, G. and Stokdijk, W. (1989). Parallel processing data acquisition system for multilaser flow cytometry and cell sorting. *Cytometry*. 10(3): 282-293.
- Van den Engh, G., Trask, B., Lansdorp, P. and Gray, J. (1988). Improved resolution of flow cytometric measurements of Hoechst- and chromomycin-A3-stained human chromosomes after addition of citrate and sulfite. *Cytometry* 9(3): 266-270.
- Van den Engh, G.J., Trask, B.J., Gray, J.W., Langlois, R.G. and Yu, L.C. (1985). Preparation and bivariate analysis of suspensions of human chromosomes. *Cytometry* 6(2): 92-100.

- van der Ploeg, M., van Duijn, P. and Ploem, J.S. (1974a). High-resolution scanning-densitometry of photographic negatives of human metaphase chromosomes. I. Instrumentation. *Histochemistry* 42(1): 9-29.
- van der Ploeg, M., van Duijn, P. and Ploem, J.S. (1974b). High-resolution scanning-densitometry of photographic negatives of human metaphase chromosomes. II. Feulgen-DNA measurements. *Histochemistry* 42(1): 31-46.
- Van Dilla, M.A., Trujillo, T.T., Mullaney, P.F. and Coulter, J.R. (1969). Cell microfluorimetry. A method for rapid fluorescence measurement. *Science* 163: 1213-1214.
- Vaux, D.L., Cory, S. and Adams, J.M. (1988). Bcl-2 gene promotes haemopoietic cell survival and cooperates with c-myc to immortalize pre-B cells. *Nature* 335(6189): 440-442.
- Vellenga, E., Delwel, R., Touw, I. and Löwenberg, B. (1987). Patterns of acute myelocytic leukemia colony growth in response to recombinant granulocyte-macrophage colony-stimulating factor (rGM-CSF). *Exp Hematol* 15: 652-656.
- Ward, D.C., Reich, E. and Goldberg, I.H. (1965). Base specificity in the interaction of polynucleotides with antibiotic drugs. *Science* 149(689): 1259-1263.
- Watt, J.L. and Page, B.M. (1978). Reciprocal translocation and the Philadelphia chromosome. *Hum Genet* 42(2): 163-170.
- Waye, J.S., Creeper, L.A. and Willard, H.F. (1987a). Organization and evolution of alpha satellite DNA from human chromosome 11. *Chromosoma* 95(3): 182-188.
- Waye, J.S., England, S.B. and Willard, H.F. (1987b). Genomic organization of alpha satellite DNA on human chromosome 7: Evidence for two distinct alphoid domains on a single chromosome. *Mol Cell Biol* 7(1): 349-356.
- Waye, J.S. and Willard, H.F. (1986). Molecular analysis of a deletion polymorphism in alpha satellite of human chromosome 17: Evidence for homologous unequal crossing-over and subsequent fixation. *Nucleic Acids Res* 14(17): 6915-6927.
- Waye, J.S. and Willard, H.F. (1989). Chromosome specificity of satellite DNAs: Short- and long-range organization of a diverged dimeric subset of human alpha satellite from chromosome 3. *Chromosoma* 97(6): 475-480.
- Wessmann, M., Popp, S., Ruutu, T., Volin, L., Cremer, T. and Knuutila, S. (1993). Detection of residual host cells after bone marrow transplantation using non-isotopic in situ hybridization and karyotype analysis. *Bone Marrow Transplant* 11: 279-284.
- Willard, H.F., Smith, K.D. and Sutherland, J. (1983). Isolation and characterization of a major tandem repeat family from the human X chromosome. *Nucleic Acids Res* 11(7): 2017-2032.
- Wirshubsky, Z., Perlmann, C., Lindsten, J. and Klein, G. (1983). Flow karyotype analysis and fluorescence-activated sorting of Burkitt-lymphoma-associated translocation chromosomes. *Int J Cancer* 32(2): 147-153.
- Yu, L., Aten, J., Gray, J. and Carrano, A. (1981). Human chromosome isolation from short-term lymphocyte cultures for flow cytometry. *Nature* 293: 154-155.
- Yunis, J. (1981). New chromosome techniques in the study of human neoplasia. *Hum Path* 12: 540-549.
- Yunis, J.J. (1983). The chromosomal basis of human neoplasia. *Science* 221: 227-236.
- Zech, L., Haglund, U., Nilsson, K. and Klein, G. (1976). Characteristic chromosomal abnormalities in biopsies and lymphoid-cell lines from patients with Burkitt and non-Burkitt lymphomas. *Int. J. Cancer* 17: 47-56.

