

CONTENTS

Introduction to the thesis

- 1. Introduction 11
- 2. Methods 29

Psychological well-being and quality of life in the early phase

- 3. Patients with multiple sclerosis prefer early diagnosis 43
- 4. Impact of recently diagnosed multiple sclerosis on quality of life, anxiety, depression and distress of patients and partners 49
- 5. Anxiety and depression influence the relationship between disability status and quality of life in multiple sclerosis 61

Perception of prognostic risk

- 6. Expectations of wheelchair dependence in recently diagnosed patients with multiple sclerosis and their partners 75
- 7. Perception of prognostic risk in patients with multiple sclerosis: the relationship with anxiety, depression and disease-related distress 87

Determinants of perceived prognostic risk

- 8. Illness beliefs and perception of prognostic risk in patients recently diagnosed with multiple sclerosis 99
- 9. Individual differences in perception of prognostic risk: the role of neuroticism and pessimism 111
- 10. 'It might happen or it might not': how patients with multiple sclerosis explain their perception of prognostic risk 125

Longitudinal studies on perception of risk and psychological well-being

- 11. Longitudinal study of perception of prognostic risk in recently diagnosed patients with multiple sclerosis and their partners 143
- 12. The association between perception of prognostic risk and anxiety, depression and distress in recently diagnosed multiple sclerosis: a 2-year follow-up study 157

General discussion

- 13. General discussion 171

Summary – Samenvatting – Appendix – Dankwoord – Curriculum vitae 195