

References

- [Abdul Fattah 1997] A.S. Abdul Fattah, H. Nakama, B. Zhang, Y. Uehara, N. Kamijo and K. Fujimori (1997). Diagnostic value of immunochemical fecal occult blood test for small colorectal neoplasms. *Eur J Med Res* **2**(5): 227-30.
- [Ahlquist 1993] D.A. Ahlquist, H.S. Wieand, C.G. Moertel, D.B. McGill, C.L. Loprinzi, M.J. O'Connell, J.A. Mailliard, J.B. Gerstner, K. Pandya and R.D. Ellefson (1993). Accuracy of fecal occult blood screening for colorectal neoplasia. A prospective study using Hemocult and HemoQuant tests. *JAMA* **269**(10): 1262-7.
- [Ahlquist 2000a] D.A. Ahlquist (2000a). Molecular stool screening for colorectal cancer. Using DNA markers may be beneficial, but large scale evaluation is needed. *BMJ* **321**(7256): 254-5.
- [Ahlquist 2000b] D.A. Ahlquist, J.E. Skoletsky, K.A. Boynton, J.J. Harrington, D.W. Mahoney, W.E. Pierceall, S.N. Thibodeau and A.P. Shuber (2000b). Colorectal cancer screening by detection of altered human DNA in stool: feasibility of a multitarget assay panel. *Gastroenterology* **119**(5): 1219-27.
- [Alberts 2000] D.S. Alberts, M.E. Martinez, D.J. Roe, J.M. Guillen-Rodriguez, J.R. Marshall, J.B. van Leeuwen, M.E. Reid, C. Ritenbaugh, P.A. Vargas, A.B. Bhattacharyya, D.L. Earnest and R.E. Sampliner (2000). Lack of effect of a high-fiber cereal supplement on the recurrence of colorectal adenomas. Phoenix Colon Cancer Prevention Physicians' Network. *N Engl J Med* **342**(16): 1156-62.
- [Allison 1996] J.E. Allison, I.S. Tekawa, L.J. Ransom and A.L. Adrain (1996). A comparison of fecal occult-blood tests for colorectal-cancer screening. *N Engl J Med* **334**(3): 155-9.
- [American Cancer Society 2002] American Cancer Society (2002). *Cancer Facts and Figures-2002*.
- [American Society for Gastrointestinal Endoscopy 1998] American Society for Gastrointestinal Endoscopy (1998). Technology status evaluation: virtual colonoscopy: November 1997. *Gastrointest Endosc* **48**(6): 708-10.
- [American Society for Gastrointestinal Endoscopy 2000] American Society for Gastrointestinal Endoscopy (2000). Guidelines for colorectal cancer screening and surveillance. *Gastrointest Endosc* **51**(6): 777-82.
- [Atkin 1992] W.S. Atkin, B.C. Morson and J. Cuzick (1992). Long-term risk of colorectal cancer after excision of rectosigmoid adenomas. *N Engl J Med* **326**(10): 658-62.
- [Atkin 1998] W.S. Atkin, A. Hart, R. Edwards, P. McIntyre, R. Aubrey, J. Wardle, S. Sutton, J. Cuzick and J.M. Northover (1998). Uptake, yield of neoplasia, and adverse effects of flexible sigmoidoscopy screening. *Gut* **42**(4): 560-5.
- [Atkin 2000] W.S. Atkin and D.K. Whynes (2000). Improving the cost-effectiveness of colorectal cancer screening. *J Natl Cancer Inst* **92**(7): 513-4.
- [Baron 1999] J.A. Baron, M. Beach, J.S. Mandel, R.U. van Stolk, R.W. Haile, R.S. Sandler, R. Rothstein, R.W. Summers, D.C. Snover, G.J. Beck, J.H. Bond and E.R. Greenberg (1999).

- Calcium supplements for the prevention of colorectal adenomas. Calcium Polyp Prevention Study Group. *N Engl J Med* **340**(2): 101-7.
- [Baron 2003] J.A. Baron, B.F. Cole, R.S. Sandler, R.W. Haile, D. Ahnen, R. Bresalier, G. McKeown-Eyssen, R.W. Summers, R. Rothstein, C.A. Burke, D.C. Snover, T.R. Church, J.I. Allen, M. Beach, G.J. Beck, J.H. Bond, T. Byers, E.R. Greenberg, J.S. Mandel, N. Marcon, L.A. Mott, L. Pearson, F. Saibil and R.U. van Stolk (2003). A randomized trial of aspirin to prevent colorectal adenomas. *N Engl J Med* **348**(10): 891-9.
- [Beahrs 1988] A.H. Beahrs, D.E. Henson, R.V.P. Hutter and M.H. Myers (1988). *Manual for Staging of Cancer*. Philadelphia, J.B. Lippincott Co.
- [Behavioral Risk Factor Surveillance System 1999] Behavioral Risk Factor Surveillance System (1999). Survey data, National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention, U.S. Department of Health and Human Services.
- [Bennett 1995] D.H. Bennett, M.R. Robinson, P. Preece, V. Moshakis, K.D. Vellacott, S. Besbeas, J. Kewenter, O. Kronborg, S. Moss, J. Chamberlain and J.D. Hardcastle (1995). Colorectal cancer screening: the effect of combining flexible sigmoidoscopy with a faecal occult blood test. *Gut* **36**(suppl 1): A23.
- [Bensen 1999] S. Bensen, L.A. Mott, B. Dain, R. Rothstein and J. Baron (1999). The colonoscopic miss rate and true one-year recurrence of colorectal neoplastic polyps. Polyp Prevention Study Group. *Am J Gastroenterol* **94**(1): 194-9.
- [Berrino 1995] F. Berrino, M. Sant, A. Verdecchia, R. Capocaccia, T. Hakulinen and J. Estève, Eds. (1995). *Survival of cancer patients in Europe: the EURO CARE study. (IARC Scientific Publications; 132)*. Lyon, IARC.
- [Berry 1997] D.P. Berry, P. Clarke, J.D. Hardcastle and K.D. Vellacott (1997). Randomized trial of the addition of flexible sigmoidoscopy to faecal occult blood testing for colorectal neoplasia population screening. *Br J Surg* **84**(9): 1274-6.
- [Bertario 1999] L. Bertario, A. Russo, P. Sala, P. Pizzetti, G. Ballardini, S. Andreola and P. Spinelli (1999). Risk of colorectal cancer following colonoscopic polypectomy. *Tumori* **85**(3): 157-62.
- [Bjorge 1993] T. Bjorge, S.O. Thorensen and G.B. Skare (1993). Incidence, survival and mortality in cervical cancer in Norway, 1956-1990. *Eur J Cancer* **1993**(29A): 2291-7.
- [Black 2002] W.C. Black, D.A. Haggstrom and H. Gilbert Welch (2002). All-cause mortality in randomized trials of cancer screening. *J Natl Cancer Inst* **94**(3): 167-73.
- [Bombi 1988] J.A. Bombi (1988). Polyps of the colon in Barcelona, Spain. An autopsy study. *Cancer* **61**(7): 1472-6.
- [Bond 1999] J.H. Bond (1999). Virtual colonoscopy--promising, but not ready for widespread use. *N Engl J Med* **341**(20): 1540-2.
- [Bos 2002] A.B. Bos, M. van Ballegooijen, G.J. van Oortmarssen and J.D.F. Habbema (2002). Women who participate in spontaneous screening are not at higher risk for cervical cancer than women who attend programme screening. *Eur J Cancer* **38**(6): 827-31.

- [Bretthauer 2002] M. Bretthauer, E. Thiis-Evensen, G. Huppertz-Hauss, L. Gisselson, T. Grotmol, E. Skovlund and G. Hoff (2002). NORCCAP (Norwegian colorectal cancer prevention): a randomised trial to assess the safety and efficacy of carbon dioxide versus air insufflation in colonoscopy. *Gut* **50**(5): 604-7.
- [Brevinge 1997] H. Brevinge, E. Lindholm, S. Buntzen and J. Kewenter (1997). Screening for colorectal neoplasia with faecal occult blood testing compared with flexible sigmoidoscopy directly in a 55-56 years' old population. *Int J Colorectal Dis* **12**(5): 291-5.
- [Brewster 1984] N.T. Brewster, D.C. Grieve and J.H. Saunders (1984). Double-contrast barium enema and flexible sigmoidoscopy for routine colonic investigation. *Br J Surg* **81**(3): 445-7.
- [Brown 1993] M.L. Brown and L. Fintor (1993). Cost-effectiveness of breast cancer screening: preliminary results of a systematic review of the literature. *Breast Cancer Res Treat* **25**(2): 113-8.
- [Burt 1996a] R.W. Burt (1996a). Familial risk and colorectal cancer. *Gastroenterol Clin North Am* **25**(4): 793-803.
- [Burt 1996b] R.W. Burt and G.M. Petersen (1996b). Familial Colorectal Cancer: Diagnosis and Management. *Prevention and Early Detection of Colorectal Cancer*. G. P. Young, P. Rozen and B. Levin. London, W.B. Saunders Ltd: 171-94.
- [Byers 2000] T. Byers (2000). Diet, colorectal adenomas, and colorectal cancer. *N Engl J Med* **342**(16): 1206-7.
- [Canadian Task Force on Preventive Health Care 2001] Canadian Task Force on Preventive Health Care (2001). Colorectal cancer screening. Recommendation statement from the Canadian Task Force on Preventive Health Care. *CMAJ* **165**(2): 206-8.
- [Castiglione 1996] G. Castiglione, M. Zappa, G. Grazzini, A. Mazzotta, M. Biagini, P. Salvadori and S. Ciatto (1996). Immunochemical vs guaiac faecal occult blood tests in a population-based screening programme for colorectal cancer. *Br J Cancer* **74**(1): 141-4.
- [Castiglione 1997] G. Castiglione, M. Zappa, G. Grazzini, C. Sani, A. Mazzotta, P. Mantellini and S. Ciatto (1997). Cost analysis in a population based screening programme for colorectal cancer: comparison of immunochemical and guaiac faecal occult blood testing. *J Med Screen* **4**(3): 142-6.
- [Castiglione 2000] G. Castiglione, M. Zappa, G. Grazzini, T. Rubeca, P. Turco, C. Sani and S. Ciatto (2000). Screening for colorectal cancer by faecal occult blood test: comparison of immunochemical tests. *J Med Screen* **7**(1): 35-7.
- [Centers for Disease Control and Prevention 2001] Centers for Disease Control and Prevention (2001). Trends in screening for colorectal cancer - United States, 1997 and 1999. *MMWR Morb Mortal Wkly Rep* **50**(9): 162-6.
- [Church 1990] T.R. Church, J.S. Mandel, J.H. Bond, F. Ederer, D.C. Snover, G.M. Bradley, S.E. Williams and L.M. Schuman (1990). Colon Cancer Control Study: Status and Current Issues. *Cancer Screening*. A. B. Miller, J. Chamberlain, N. E. Day, M. Hakama and P. C. Prorok. Cambridge, England, Cambridge University Press: 83-105.

- [Citarda 2001] F. Citarda, G. Tomaselli, R. Capocaccia, S. Barcherini and M. Crespi (2001). Efficacy in standard clinical practice of colonoscopic polypectomy in reducing colorectal cancer incidence. *Gut* **48**(6): 812-5.
- [Coebergh 1995] J.W.W. Coebergh, L.H. van der Heijden and M.L.G. Janssen-Heijnen, Eds. (1995). *Cancer incidence and survival in the Southeast of the Netherlands 1955-1994: a report from the Eindhoven Cancer Registry*. Eindhoven, IKZ.
- [Cole 1961] J.W. Cole, A. McKalen and J. Powell (1961). The role of ileal contents in the spontaneous regression of rectal adenomas. *Dis Colon Rectum* **4**: 413-8.
- [Connor 2000] R.J. Connor, R. Boer, P.C. Prorok and D.L. Weed (2000). Investigation of design and bias issues in case-control studies of cancer screening using microsimulation. *Am J Epidemiol* **151**(10): 991-8.
- [Cuzick 1999] J. Cuzick, P. Sasieni, P. Davies, J. Adams, C. Normand, A. Frater, M. van Ballegooijen and E. van den Akker (1999). A systematic review of the role of human papillomavirus testing within a cervical screening programme. *Health Technol Assess* **3**(14): 1-196.
- [Damhuis 1996] R.A.M. Damhuis, L.J. Schouten and O. Visser (1996). *Gastrointestinal cancer in the Netherlands 1989-1992*. Utrecht, Association of Comprehensive Cancer Centres.
- [de Haes 1991] J.C. de Haes, H.J. de Koning, G.J. van Oortmarssen, H.M. van Agt, A.E. de Bruyn and P.J. van Der Maas (1991). The impact of a breast cancer screening programme on quality-adjusted life-years. *Int J Cancer* **49**(4): 538-44.
- [de Koning 1990] H.J. de Koning, G.J. van Oortmarssen, B.M. van Ineveld and P.J. van der Maas (1990). Breast cancer screening: its impact on clinical medicine. *Br J Cancer* **61**(2): 292-7.
- [de Koning 1991] H.J. de Koning, B.M. van Ineveld, G.J. van Oortmarssen, J.C. de Haes, H.J. Collette, J.H. Hendriks and P.J. van der Maas (1991). Breast cancer screening and cost-effectiveness; policy alternatives, quality of life considerations and the possible impact of uncertain factors. *Int J Cancer* **49**(4): 531-7.
- [de Koning 1995] H.J. de Koning, R. Boer, P.G. Warmerdam, P.M. Beemsterboer and P.J. van der Maas (1995). Quantitative interpretation of age-specific mortality reductions from the Swedish breast cancer-screening trials. *J Natl Cancer Inst* **87**(16): 1217-23.
- [de Vlas 1993] S.J. de Vlas, N.J. Nagelkerke, J.D.F. Habbema and G.J. van Oortmarssen (1993). Statistical models for estimating prevalence and incidence of parasitic diseases. *Stat Methods Med Res* **2**(1): 3-21.
- [de Zwart 2001] I.M. de Zwart, G. Griffioen, M.P. Shaw, C.B. Lamers and A. de Roos (2001). Barium enema and endoscopy for the detection of colorectal neoplasia: sensitivity, specificity, complications and its determinants. *Clin Radiol* **56**(5): 401-9.
- [Diggle 1994] P.J. Diggle, K. Liang and S.L. Zeger (1994). *Analysis of Longitudinal Data*. Oxford, Oxford Science Publications, Clarendon Press.
- [DiSario 1991] J.A. DiSario, P.G. Foutch, H.D. Mai, K. Pardy and R.K. Manne (1991). Prevalence and malignant potential of colorectal polyps in asymptomatic, average-risk men. *Am J Gastroenterol* **86**(8): 941-5.

- [DiSario 1993] J.A. DiSario and R.A. Sanowski (1993). Sigmoidoscopy training for nurses and resident physicians. *Gastrointest Endosc* **39**(1): 29-32.
- [Eddy 1990] D.M. Eddy (1990). Screening for colorectal cancer. *Ann Intern Med* **113**(5): 373-84.
- [Ederer 1997] F. Ederer, T.R. Church and J.S. Mandel (1997). Fecal occult blood screening in the Minnesota study: role of chance detection of lesions. *J Natl Cancer Inst* **89**(19): 1423-8.
- [Eide 1978] T.J. Eide and H. Stalsberg (1978). Polyps of the large intestine in Northern Norway. *Cancer* **42**(6): 2839-48.
- [Ekobom 1990] A. Ekobom, C. Helmick, M. Zack and H.O. Adami (1990). Ulcerative colitis and colorectal cancer. A population-based study. *N Engl J Med* **323**(18): 1228-33.
- [Farrell 1999] R.J. Farrell, M.M. Morrin and J.B. McGee (1999). Virtual colonoscopy: a gastroenterologist's perspective. *Dig Dis* **17**(4): 185-93.
- [Fenlon 1999] H.M. Fenlon, D.P. Nunes, P.C. Schroy, 3rd, M.A. Barish, P.D. Clarke and J.T. Ferrucci (1999). A comparison of virtual and conventional colonoscopy for the detection of colorectal polyps. *N Engl J Med* **341**(20): 1496-503.
- [Feuer 1999] E.J. Feuer and L.M. Wun (1999). DEVCAN: Probability of Developing or Dying of Cancer Software, Version 4.1, National Cancer Institute.
- [Fireman 1997] B.H. Fireman, C.P. Quesenberry, C.P. Somkin, A.S. Jacobson, D. Baer, D. West, A.L. Potosky and M.L. Brown (1997). Cost of care for cancer in a health maintenance organization. *Health Care Financ Rev* **18**(4): 51-76.
- [Fork 1981] F.T. Fork (1981). Double contrast enema and colonoscopy in polyp detection. *Gut* **22**(11): 971-7.
- [Fracheboud 1998] J. Fracheboud, H.J. de Koning, P.M.M. Beemsterboer, R. Boer, J. Hendriks et al. (1998). Nation-wide breast cancer screening in the Netherlands: results of initial and subsequent screening 1990-1995. *Int J Cancer* **75**(5): 694-8.
- [Frazier 2000] A.L. Frazier, G.A. Colditz, C.S. Fuchs and K.M. Kuntz (2000). Cost-effectiveness of screening for colorectal cancer in the general population. *JAMA* **284**(15): 1954-61.
- [Garcia Rodriguez 2000] L.A. Garcia Rodriguez and C. Huerta-Alvarez (2000). Reduced incidence of colorectal adenoma among long-term users of nonsteroidal antiinflammatory drugs: a pooled analysis of published studies and a new population-based study. *Epidemiology* **11**(4): 376-81.
- [Geul 1997] K.W. Geul, F.T. Bosman, M. van Blankenstein, D.E. Grobbee and J.H. Wilson (1997). Prevention of colorectal cancer. Costs and effectiveness of sigmoidoscopy. *Scand J Gastroenterol Suppl* **223**: 79-87.
- [Gezondheidsraad 2001] Gezondheidsraad (2001). *Bevolkingsonderzoek naar dikkedarmkanker; publicatienr 2001/01*. Den Haag, Gezondheidsraad.
- [Gezondheidsraad: Commissie WBO 2000] Gezondheidsraad: Commissie WBO (2000). *Wet bevolkingsonderzoek: familiale dikkedarmkanker; publication no. 2000/02WBO*. The Hague, Health Council of the Netherlands.

- [Giardiello 1993] F.M. Giardiello, S.R. Hamilton, A.J. Krush, S. Piantadosi, L.M. Hyland, P. Celano, S.V. Booker, C.R. Robinson and G.J. Offerhaus (1993). Treatment of colonic and rectal adenomas with sulindac in familial adenomatous polyposis. *N Engl J Med* **328**(18): 1313-6.
- [Glick 1998] S. Glick, J.L. Wagner and C.D. Johnson (1998). Cost-effectiveness of double-contrast barium enema in screening for colorectal cancer. *Am J Roentgenol* **170**(3): 629-36.
- [Gohagan 1994] J.K. Gohagan, P.C. Prorok, B.S. Kramer and J.E. Cornett (1994). Prostate cancer screening in the prostate, lung, colorectal and ovarian cancer screening trial of the National Cancer Institute. *J Urol* **152**(5 Pt 2): 1905-9.
- [Gold 1996] M.R. Gold, J.E. Siegel, L.B. Russell and M.C. Weinstein (1996). *Cost-effectiveness in Health and Medicine*. New York, Oxford University Press.
- [Gøtzsche 2000] P.C. Gøtzsche and O. Olsen (2000). Is screening for breast cancer with mammography justifiable? *Lancet* **355**(9198): 129-34.
- [Greenberg 1994] E.R. Greenberg, J.A. Baron, T.D. Tosteson, D.H. Freeman, Jr., G.J. Beck, J.H. Bond, T.A. Colacchio, J.A. Coller, H.D. Frankl, R.W. Haile et al. (1994). A clinical trial of antioxidant vitamins to prevent colorectal adenoma. Polyp Prevention Study Group. *N Engl J Med* **331**(3): 141-7.
- [Greenberg 2000] P.D. Greenberg, L. Bertario, R. Gnauck, O. Kronborg, J.D. Hardcastle, M.S. Epstein, D. Sadowski, R. Sudduth, G.R. Zuckerman and D.C. Rockey (2000). A prospective multicenter evaluation of new fecal occult blood tests in patients undergoing colonoscopy. *Am J Gastroenterol* **95**(5): 1331-8.
- [Grotmol 2001] T. Grotmol, M. Bretthauer, G. Gondal, B. Hofstad, P. Efskind, G. Huppe, E. Thiis-Evensen and S.T. Holmsen (2001). Flexible Sigmoidoscopy Screening: A Randomized, Controlled Study of the Population in the South of Norway. The Norwegian Colorectal Cancer Prevention Study (NORCCAP). *Gastroenterology* **120**(suppl.): A 228.
- [Gyrd-Hansen 1997] D. Gyrd-Hansen, J. Sogaard and O. Kronborg (1997). Analysis of screening data: colorectal cancer. *Int J Epidemiol* **26**(6): 1172-81.
- [Gyrd-Hansen 1998] D. Gyrd-Hansen, J. Sogaard and O. Kronborg (1998). Colorectal cancer screening: efficiency and effectiveness. *Health Econ* **7**(1): 9-20.
- [Habbema 1984] J.D.F. Habbema, G.J. van Oortmarssen, J.T. Lubbe and P.J. van der Maas (1984). The MISCAN simulation program for the evaluation of screening for disease. *Comput Methods Programs Biomed* **20**(1): 79-93.
- [Habbema 1985] J.D.F. Habbema, G.J. van Oortmarssen, J.T. Lubbe and P.J. van der Maas (1985). Model building on the basis of Dutch cervical cancer screening data. *Maturitas* **7**(1): 11-20.
- [Hamilton 2001] S.R. Hamilton (2001). Origin of colorectal cancers in hyperplastic polyps and serrated adenomas: another truism bites the dust. *J Natl Cancer Inst* **93**(17): 1282-3.
- [Hardcastle 1989] J.D. Hardcastle, W.M. Thomas, J. Chamberlain, G. Pye, J. Sheffield, P.D. James, T.W. Balfour, S.S. Amar, N.C. Armitage and S.M. Moss (1989). Randomised,

- controlled trial of faecal occult blood screening for colorectal cancer. Results for first 107,349 subjects. *Lancet* **1**(8648): 1160-4.
- [Hardcastle 1996] J.D. Hardcastle, J.O. Chamberlain, M.H. Robinson, S.M. Moss, S.S. Amar, T.W. Balfour, P.D. James and C.M. Mangham (1996). Randomised controlled trial of faecal-occult-blood screening for colorectal cancer. *Lancet* **348**(9040): 1472-7.
- [Hart 1998] A.R. Hart, S. Kudo, E.H. Mackay, J.F. Mayberry and W.S. Atkin (1998). Flat adenomas exist in asymptomatic people: important implications for colorectal cancer screening programmes. *Gut* **43**(2): 229-31.
- [Hawkins 2001] N.J. Hawkins and R.L. Ward (2001). Sporadic colorectal cancers with microsatellite instability and their possible origin in hyperplastic polyps and serrated adenomas. *J Natl Cancer Inst* **93**(17): 1307-13.
- [Hixson 1991] L.J. Hixson, M.B. Fennerty, R.E. Sampliner and H.S. Garewal (1991). Prospective blinded trial of the colonoscopic miss-rate of large colorectal polyps. *Gastrointest Endosc* **37**(2): 125-7.
- [Hoff 1986] G. Hoff, A. Foerster, M.H. Vatn, J. Sauar and S. Larsen (1986). Epidemiology of polyps in the rectum and colon. Recovery and evaluation of unresected polyps 2 years after detection. *Scand J Gastroenterol* **21**(7): 853-62.
- [Hoff 1996a] G. Hoff, J. Sauar, B. Hofstad and M.H. Vatn (1996a). The Norwegian guidelines for surveillance after polypectomy: 10-year intervals. *Scand J Gastroenterol* **31**(9): 834-6.
- [Hoff 1996b] G. Hoff, J. Sauar, M.H. Vatn, S. Larsen, F. Langmark, I.E. Moen, A. Foerster and E. Thiis-Evensen (1996b). Polypectomy of adenomas in the prevention of colorectal cancer: 10 years' follow-up of the Telemark Polyp Study I. A prospective, controlled population study. *Scand J Gastroenterol* **31**(10): 1006-10.
- [Hoff 2000] G. Hoff (2000). Colonoscopy without sedation. *Scand J Gastroenterol* **35**(3): 225-6.
- [Hoff 2001] G. Hoff, E. Thiis-Evensen, T. Grotmol, J. Sauar, M.H. Vatn and I.E. Moen (2001). Do undesirable effects of screening affect all-cause mortality in flexible sigmoidoscopy programmes? Experience from the Telemark Polyp Study 1983-1996. *Eur J Cancer Prev* **10**(2): 131-7.
- [Hofstad 1996] B. Hofstad, M.H. Vatn, S.N. Andersen, H.S. Huitfeldt, T. Rognum, S. Larsen and M. Osnes (1996). Growth of colorectal polyps: redetection and evaluation of unresected polyps for a period of three years. *Gut* **39**(3): 449-56.
- [Integraal Kankercentrum Noord-Nederland 2000] Integraal Kankercentrum Noord-Nederland, Ed. (2000). *Richtlijnen voor diagnostiek en behandeling van premaligne en maligne aandoeningen in de IKN-regio*. Groningen, Integraal Kankercentrum Noord-Nederland.
- [Irvine 1988] E.J. Irvine, J. O'Connor, R.A. Frost, P. Shorvon, S. Somers, G.W. Stevenson and R.H. Hunt (1988). Prospective comparison of double contrast barium enema plus flexible sigmoidoscopy v colonoscopy in rectal bleeding: barium enema v colonoscopy in rectal bleeding. *Gut* **29**(9): 1188-1193.
- [Järvinen 1995] H.J. Järvinen, J.P. Mecklin and P. Sistonen (1995). Screening reduces colorectal cancer rate in families with hereditary nonpolyposis colorectal cancer. *Gastroenterology* **108**(5): 1405-11.

- [Järvinen 2000] H.J. Järvinen, M. Aarnio, H. Mustonen, K. Aktan-Collan, L.A. Aaltonen, P. Peltomäki, A. De La Chapelle and J.P. Mecklin (2000). Controlled 15-year trial on screening for colorectal cancer in families with hereditary nonpolyposis colorectal cancer. *Gastroenterology* **118**(5): 829-34.
- [Johnson 1990] D.A. Johnson, M.S. Gurney, R.J. Volpe, D.M. Jones, M.M. VanNess, S.J. Chobanian, J.C. Avalos, J.L. Buck, G. Kooyman and E.L. Cattau, Jr. (1990). A prospective study of the prevalence of colonic neoplasms in asymptomatic patients with an age-related risk. *Am J Gastroenterol* **85**(8): 969-74.
- [Jørgensen 1993] O.D. Jørgensen, O. Kronborg and C. Fenger (1993). The Funen Adenoma Follow-up Study. Incidence and death from colorectal carcinoma in an adenoma surveillance program. *Scand J Gastroenterol* **28**(10): 869-74.
- [Jørgensen 2002] O.D. Jørgensen, O. Kronborg and C. Fenger (2002). A randomised study of screening for colorectal cancer using faecal occult blood testing: results after 13 years and seven biennial screening rounds. *Gut* **50**(1): 29-32.
- [Kavanagh 1998] A.M. Kavanagh, E.L. Giovannucci, C.S. Fuchs and G.A. Colditz (1998). Screening endoscopy and risk of colorectal cancer in United States men. *Cancer Causes Control* **9**(4): 455-62.
- [Kewenter 1994] J. Kewenter, H. Brevinge, B. Engarås, E. Haglind and C. Åhrén (1994). Results of screening, rescreening, and follow-up in a prospective randomized study for detection of colorectal cancer by fecal occult blood testing. Results for 68,308 subjects. *Scand J Gastroenterol* **29**(5): 468-73.
- [Kewenter 1995] J. Kewenter, H. Brevinge, B. Engarås and E. Haglind (1995). The yield of flexible sigmoidoscopy and double-contrast barium enema in the diagnosis of neoplasms in the large bowel in patients with a positive Hemoccult test. *Endoscopy* **27**(2): 159-63.
- [Khandker 2000] R.K. Khandker, J.D. Dulski, J.B. Kilpatrick, R.P. Ellis, J.B. Mitchell and W.B. Baine (2000). A decision model and cost-effectiveness analysis of colorectal cancer screening and surveillance guidelines for average-risk adults. *Int J Technol Assess Health Care* **16**(3): 799-810.
- [Knoernschild 1963] H. Knoernschild (1963). Growth rate and malignant potential of colonic polyps: early results. *Surg Forum* **14**: 137-42.
- [Koopmanschap 1990a] M. Koopmanschap, J.T.N. Lubbe, G.J. van Oortmarssen, H.M.E. van Agt, M. van Ballegooijen and J.D.F. Habbema (1990a). Economic aspects of cervical cancer screening. *Soc Sci Med* **30**(10): 1081-7.
- [Koopmanschap 1990b] M. Koopmanschap, G.J. van Oortmarssen, H.M.A. van Agt, M. van Ballegooijen, J.D.F. Habbema and J.T.N. Lubbe (1990b). Cervical-cancer screening: attendance and cost-effectiveness. *Int J Cancer* **45**(3): 410-5.
- [Koretz 1993] R.L. Koretz (1993). Malignant polyps: are they sheep in wolves' clothing? *Ann Intern Med* **118**(1): 63-8.
- [Kremers 2000] S.P. Kremers, I. Mesters, I.E. Pladdet, B. van den Borne and R.W. Stockbrugger (2000). Participation in a sigmoidoscopic colorectal cancer screening program: a pilot study. *Cancer Epidemiol Biomarkers Prev* **9**(10): 1127-30.

- [Kronborg 1989] O. Kronborg, C. Fenger, J. Olsen, K. Bech and O. Søndergaard (1989). Repeated screening for colorectal cancer with fecal occult blood test. A prospective randomized study at Funen, Denmark. *Scand J Gastroenterol* **24**(5): 599-606.
- [Kronborg 1996] O. Kronborg, C. Fenger, J. Olsen, O.D. Jørgensen and O. Søndergaard (1996). Randomised study of screening for colorectal cancer with faecal-occult- blood test. *Lancet* **348**(9040): 1467-71.
- [Kwaliteitsinstituut voor de gezondheidszorg CBO 2002] Kwaliteitsinstituut voor de gezondheidszorg CBO (2002). *Herziening richtlijn follow-up na poliepectomie*. Utrecht, CBO.
- [Lameris 2000] J.S. Lameris and J. Stoker (2000). [Virtual colonoscopy] Virtuele colonoscopie. *Ned Tijdschr Geneeskd* **144**(2): 60-4.
- [Landelijke tumorwerkgroep gastro-intestinale tumoren 2000] Landelijke tumorwerkgroep gastro-intestinale tumoren (2000). *Richtlijn voor Gastro-enterologie, Colon*.
- [Lang 1997] C.A. Lang and D.F. Ransohoff (1997). On the sensitivity of fecal occult blood test screening for colorectal cancer [editorial; comment]. *J Natl Cancer Inst* **89**(19): 1392-3.
- [Launoy 1997] G. Launoy, T.C. Smith, S.W. Duffy and V. Bouvier (1997). Colorectal cancer mass-screening: estimation of faecal occult blood test sensitivity, taking into account cancer mean sojourn time. *Int J Cancer* **73**(2): 220-4.
- [Law 1982] A.M. Law and W.D. Kelton (1982). *Simulation Modeling and Analysis*. New York, McGraw-Hill.
- [l'Ecuyer 1991] P. l'Ecuyer and S. Côté (1991). Implementing a random number package with splitting facilities. *ACM Transactions on Mathematical Software* **17**: 98-111.
- [Levi 1993] F. Levi, L. Randimbison and C. La Vecchia (1993). Incidence of colorectal cancer following adenomatous polyps of the large intestine. *Int J Cancer* **55**(3): 415-8.
- [Levin 1999] T.R. Levin, A. Palitz, S. Grossman, C. Conell, L. Finkler, L. Ackerson, G. Rumore and J.V. Selby (1999). Predicting advanced proximal colonic neoplasia with screening sigmoidoscopy. *JAMA* **281**(17): 1611-7.
- [Lewis 1999] J.D. Lewis and D.A. Asch (1999). Barriers to office-based screening sigmoidoscopy: does reimbursement cover costs? *Ann Intern Med* **130**(6): 525-30.
- [Lieberman 1991a] D.A. Lieberman (1991a). Cost-effectiveness of colon cancer screening. *Am J Gastroenterol* **86**(12): 1789-94.
- [Lieberman 1991b] D.A. Lieberman and F.W. Smith (1991b). Screening for colon malignancy with colonoscopy. *Am J Gastroenterol* **86**(8): 946-51.
- [Lieberman 1995] D.A. Lieberman (1995). Cost-effectiveness model for colon cancer screening. *Gastroenterology* **109**(6): 1781-90.
- [Lieberman 1996] D.A. Lieberman (1996). Mass Screening: North American Perspective. *Prevention and early detection of colorectal cancer*. G. P. Young, P. Rozen and B. Levin. London, W.B Saunders Ltd: 289-300.

- [Lieberman 2001] D.A. Lieberman and D.G. Weiss (2001). One-time screening for colorectal cancer with combined fecal occult-blood testing and examination of the distal colon. *N Engl J Med* **345**(8): 555-60.
- [Loeve 1998] F. Loeve, R. Boer, M. van Ballegooijen, G.J. van Oortmarssen and J.D.F. Habbema (1998). *Final report MISCAN-COLON Microsimulation Model for Colorectal Cancer. (Report to the National Cancer Institute Project No. NOI-CN55186)*. Rotterdam, Department of Public Health, Erasmus University.
- [Loeve 1999] F. Loeve, R. Boer, G.J. van Oortmarssen, M. van Ballegooijen and J.D.F. Habbema (1999). The MISCAN-COLON simulation model for the evaluation of colorectal cancer screening. *Comput Biomed Res* **32**(1): 13-33.
- [Loeve 2000] F. Loeve, M.L. Brown, R. Boer, M. van Ballegooijen, G.J. van Oortmarssen and J.D.F. Habbema (2000). Endoscopic Colorectal Cancer Screening: a Cost-Saving Analysis. *J Natl Cancer Inst* **92**(7): 557-63.
- [Loktionov 1998] A. Loktionov, I.K. O'Neill, K.R. Silvester, J.H. Cummings, S.J. Middleton and R. Miller (1998). Quantitation of DNA from exfoliated colonocytes isolated from human stool surface as a novel noninvasive screening test for colorectal cancer. *Clin Cancer Res* **4**(2): 337-42.
- [Lotfi 1986] A.M. Lotfi, R.J. Spencer, D.M. Ilstrup and L.J. Melton, 3rd (1986). Colorectal polyps and the risk of subsequent carcinoma. *Mayo Clin Proc* **61**(5): 337-43.
- [Lund 2001] J.N. Lund, J.H. Scholefield, M.J. Grainge, S.J. Smith, C. Mangham, N.C. Armitage, M.H. Robinson and R.F. Logan (2001). Risks, costs, and compliance limit colorectal adenoma surveillance: lessons from a randomised trial. *Gut* **49**(1): 91-6.
- [Lynch 1993] H.T. Lynch, T.C. Smyrk, P. Watson, S.J. Lanspa, J.F. Lynch and P.M. Lynch (1993). Genetics, natural history, tumor spectrum and pathology of hereditary nonpolyposis colorectal cancer: an updated review. *Gastroenterology* **104**(5): 1535-49.
- [Macrae 1982] F.A. Macrae and D.J. St. John (1982). Relationship between patterns of bleeding and Hemoccult sensitivity in patients with colorectal cancers or adenomas. *Gastroenterology* **82**(5 Pt 1): 891-8.
- [Mandel 1993] J.S. Mandel, J.H. Bond, T.R. Church, D.C. Snover, G.M. Bradley, L.M. Schuman and F. Ederer (1993). Reducing mortality from colorectal cancer by screening for fecal occult blood. Minnesota Colon Cancer Control Study. *N Engl J Med* **328**(19): 1365-71.
- [Mandel 1999] J.S. Mandel, T.R. Church, F. Ederer and J.H. Bond (1999). Colorectal cancer mortality: effectiveness of biennial screening for fecal occult blood. *J Natl Cancer Inst* **91**(5): 434-7.
- [Mandel 2000] J.S. Mandel, T.R. Church, J.H. Bond, F. Ederer, M.S. Geisser, S.J. Mongin, D.C. Snover and L.M. Schuman (2000). The Effect of Fecal Occult-Blood Screening on the Incidence of Colorectal Cancer. *N Engl J Med* **343**(22): 1603-7.
- [Markowitz 1997] A.J. Markowitz and S.J. Winawer (1997). Screening and surveillance for colorectal carcinoma. *Hematol Oncol Clin North Am* **11**(4): 579-608.
- [Meagher 1994] A.P. Meagher and M. Stuart (1994). Does colonoscopic polypectomy reduce the incidence of colorectal carcinoma? *Aust N Z J Surg* **64**(6): 400-4.

- [Mood 1974] A.M. Mood, F.A. Graybill and D.C. Boes (1974). *Introduction to the theory of statistics*. Singapore, McGraw-Hill.
- [Morson 1974] B. Morson (1974). President's address. The polyp-cancer sequence in the large bowel. *Proc R Soc Med* **67**(6): 451-7.
- [Morson 1976] B.C. Morson (1976). Genesis of colorectal cancer. *Clin Gastroenterol* **5**(3): 505-25.
- [Morson 1984] B.C. Morson (1984). The evolution of colorectal carcinoma. *Clin Radiol* **35**(6): 425-31.
- [Moss 1999] S.M. Moss, J.D. Hardcastle, D.A. Coleman, M.H. Robinson and V.C. Rodrigues (1999). Interval cancers in a randomized controlled trial of screening for colorectal cancer using a faecal occult blood test. *Int J Epidemiol* **28**(3): 386-90.
- [Muller 1995a] A.D. Muller and A. Sonnenberg (1995a). Protection by endoscopy against death from colorectal cancer. A case-control study among veterans. *Arch Intern Med* **155**(16): 1741-8.
- [Muller 1995b] A.D. Muller and A. Sonnenberg (1995b). Prevention of colorectal cancer by flexible endoscopy and polypectomy. A case-control study of 32,702 veterans. *Ann Intern Med* **123**(12): 904-10.
- [Muto 1975] T. Muto, H.J. Bussey and B.C. Morson (1975). The evolution of cancer of the colon and rectum. *Cancer* **36**(6): 2251-70.
- [Nagengast 2001] F.M. Nagengast and C.J. Kaandorp (2001). [Revised CBO guideline 'Follow-up after polypectomy'] Herziene CBO-richtlijn 'Follow-up na poliepectomie'. *Ned Tijdschr Geneesk* **145**(42): 2022-5.
- [Nakama 1996] H. Nakama, N. Kamijo, A.S. Abdul Fattah and B. Zhang (1996). Validity of immunological faecal occult blood screening for colorectal cancer: a follow up study. *J Med Screen* **3**(2): 63-5.
- [Nakama 1997a] H. Nakama, A.S. Abdul Fattah, B. Zhang, N. Kamijo, K. Fujimori and K. Miyata (1997a). Detection rate of immunochemical fecal occult blood test for colorectal adenomatous polyps with severe dysplasia. *J Gastroenterol* **32**(4): 492-5.
- [Nakama 1997b] H. Nakama, N. Kamijo, K. Fujimori, A.S. Fattah and B. Zhang (1997b). Relationship between fecal sampling times and sensitivity and specificity of immunochemical fecal occult blood tests for colorectal cancer: a comparative study. *Dis Colon Rectum* **40**(7): 781-4.
- [National Cancer Institute 1997] National Cancer Institute and S.P. DCPC, Cancer Statistics Branch, (1997). *Surveillance, Epidemiology, and End Results (SEER) Program public use CD-ROM (1973-1994)*. Released May 1997, based on the August 1996 Submission.
- [National Cancer Institute 2001] National Cancer Institute and S.R.P. DCCPC, Cancer Statistics Branch, (2001). *Surveillance, Epidemiology, and End Results (SEER) Program public use CD-ROM (1973-1998)*. Released April 2001, based on the August 2000 Submission.
- [National Cancer Institute 2002] National Cancer Institute (2002). *What you need to know about cancer of the colon and rectum*, <http://www.cancer.gov>.

- [Neilson 1995] A.R. Neilson and D.K. Whynes (1995). Cost-effectiveness of screening for colorectal cancer: a simulation model. *IMA J Math Appl Med Biol* **12**(3-4): 355-67.
- [Nelson 2002] D.B. Nelson, K.R. McQuaid, J.H. Bond, D.A. Lieberman, D.G. Weiss and T.K. Johnston (2002). Procedural success and complications of large-scale screening colonoscopy. *Gastrointest Endosc* **55**(3): 307-314.
- [Ness 2000] R.M. Ness, A.M. Holmes, R. Klein and R. Dittus (2000). Cost-utility of one-time colonoscopic screening for colorectal cancer at various ages. *Am J Gastroenterol* **95**(7): 1800-11.
- [Neugut 1996] A.I. Neugut and G.P. Young (1996). Screening for colorectal cancer: an overview. *Prevention and Early Detection of Colorectal Cancer*. G. P. Young, P. Rozen and B. Levin. London, W.B. Saunders Ltd: 357-67.
- [Newcomb 1992] P.A. Newcomb, R.G. Norfleet, B.E. Storer, T.S. Surawicz and P.M. Marcus (1992). Screening sigmoidoscopy and colorectal cancer mortality. *J Natl Cancer Inst* **84**(20): 1572-5.
- [Olsen 2001] O. Olsen and P.C. Gøtzsche (2001). Cochrane review on screening for breast cancer with mammography. *Lancet* **358**(9290): 1340-2.
- [Otchy 1996] D.P. Otchy, D.F. Ransohoff, B.G. Wolff, A. Weaver, D. Ilstrup, H. Carlson and D. Rademacher (1996). Metachronous colon cancer in persons who have had a large adenomatous polyp. *Am J Gastroenterol* **91**(3): 448-54.
- [Palitz 1997] A.M. Palitz, J.V. Selby, S. Grossman, L.J. Finkler, M. Bevc, C. Kehr and C.A. Conell (1997). The Colon Cancer Prevention Program (CoCaP): rationale, implementation, and preliminary results. *HMO Pract* **11**(1): 5-12.
- [Pappalardo 2000] G. Pappalardo, E. Poletini, F.M. Frattaroli, E. Casciani, C. D'Orta, M. D'Amato and G.F. Gualdi (2000). Magnetic resonance colonography versus conventional colonoscopy for the detection of colonic endoluminal lesions. *Gastroenterology* **119**(2): 300-4.
- [Pescatore 2000] P. Pescatore, T. Glucker, J. Delarive, R. Meuli, D. Pantoflickova, B. Duvoisin, P. Schnyder, A.L. Blum and G. Dorta (2000). Diagnostic accuracy and interobserver agreement of CT colonography (virtual colonoscopy). *Gut* **47**(1): 126-30.
- [Pignone 2002] M. Pignone, S. S., T. Hoerger and J. Mandelblatt (2002). Cost-effectiveness Analysis of Colorectal Cancer Screening: A Systematic Review for the U.S. Preventive Services Task Force. *Ann Intern Med* **137**(2): 96-104.
- [Pinsky 2000] P.F. Pinsky (2000). A multi-stage model of adenoma development. *J Theor Biol* **207**(2): 129-43.
- [Prager 1974] E.D. Prager, N.W. Swinton, J.L. Young, M.C. Veidenheimer and M.L. Corman (1974). Follow-up study of patients with benign mucosal polyps discovered by proctosigmoidoscopy. *Dis Colon Rectum* **17**: 322-4.
- [Ransohoff 1990] D.F. Ransohoff and C.A. Lang (1990). Small adenomas detected during fecal occult blood test screening for colorectal cancer. The impact of serendipity. *JAMA* **264**(1): 76-8.

- [Ransohoff 1997] D.F. Ransohoff, C.A. Lang and G.P. Young (1997). Colorectal cancer screening: clinical guidelines and rationale [letter; comment]. *Gastroenterology* **113**(4): 1423-4.
- [Rembacken 2000] B.J. Rembacken, T. Fuji, A. Cairns, M.F. Dixon, S. Yoshida, D.M. Chalmers and A.T.R. Axon (2000). Flat and depressed colonic neoplasms: a prospective study of 1000 colonoscopies in the UK. *Lancet* **355**(9211): 1211-14.
- [Rex 1991] D.K. Rex, G.A. Lehman, R.H. Hawes, T.M. Ulbright and J.J. Smith (1991). Screening colonoscopy in asymptomatic average-risk persons with negative fecal occult blood tests. *Gastroenterology* **100**(1): 64-7.
- [Rex 1997a] D.K. Rex (1997a). Barium enema and colon cancer screening: finally a study. *Am J Gastroenterol* **92**(9): 1570-2.
- [Rex 1997b] D.K. Rex, C.S. Cutler, G.T. Lemmel, E.Y. Rahmani, D.W. Clark, D.J. Helper, G.A. Lehman and D.G. Mark (1997b). Colonoscopic miss rates of adenomas determined by back-to-back colonoscopies. *Gastroenterology* **112**(1): 24-8.
- [Rex 1997c] D.K. Rex, E.Y. Rahmani, J.H. Haseman, G.T. Lemmel, S. Kaster and J.S. Buckley (1997c). Relative sensitivity of colonoscopy and barium enema for detection of colorectal cancer in clinical practice. *Gastroenterology* **112**(1): 17-23.
- [Rickert 1979] R.R. Rickert, O. Auerbach, L. Garfinkel, E.C. Hammond and J.M. Frasca (1979). Adenomatous lesions of the large bowel: an autopsy survey. *Cancer* **43**(5): 1847-57.
- [Ries 1997] L.A.G. Ries, C.L. Kosary, B.F. Hankey, B.A. Miller, A. Harras and B.K. Edwards (1997). *SEER Cancer Statistics Review, 1973-1994*, National Cancer Institute. NIH Pub. No. 97-2789. Bethesda, MD.
- [Ries 1998] L.A.G. Ries, C.L. Kosary, B.F. Hankey, B.A. Miller and B.K. Edwards (1998). *SEER Cancer Statistics Review, 1973-1995*, National Cancer Institute. Bethesda, MD.
- [Rogge 1994] J.D. Rogge, M.F. Elmore, S.J. Mahoney, E.D. Brown, F.P. Troiano, D.R. Wagner, D.J. Black and D.C. Pound (1994). Low-cost, office-based, screening colonoscopy. *Am J Gastroenterol* **89**(10): 1775-80.
- [Rozen 1997] P. Rozen, J. Knaani and Z. Samuel (1997). Performance characteristics and comparison of two immunochemical and two guaiac fecal occult blood screening tests for colorectal neoplasia. *Dig Dis Sci* **42**(10): 2064-71.
- [Saito 1989] Y. Saito, P. Slezak and C. Rubio (1989). The diagnostic value of combining flexible sigmoidoscopy and double-contrast enema as a one-stage procedure. *Gastrointest Radiol* **14**(4): 357-9.
- [Samowitz 2001] W.S. Samowitz, K. Curtin, H.H. Lin, M.A. Robertson, D. Schaffer, M. Nichols, K. Grunthal, M.F. Leppert and M.L. Slattery (2001). The colon cancer burden of genetically defined hereditary nonpolyposis colon cancer. *Gastroenterology* **121**(4): 830-8.
- [Sandler 2003] R.S. Sandler, S. Halabi, J.A. Baron, S. Budinger, E. Paskett, R. Keresztes, N. Petrelli, J.M. Pipas, D.D. Karp, C.L. Loprinzi, G. Steinbach and R. Schilsky (2003). A randomized trial of aspirin to prevent colorectal adenomas in patients with previous colorectal cancer. *N Engl J Med* **348**(10): 883-90.

- [Schatzkin 2000] A. Schatzkin, E. Lanza, D. Corle, P. Lance, F. Iber, B. Caan, M. Shike, J. Weissfeld, R. Burt, M.R. Cooper, J.W. Kikendall and J. Cahill (2000). Lack of effect of a low-fat, high-fiber diet on the recurrence of colorectal adenomas. Polyp Prevention Trial Study Group. *N Engl J Med* **342**(16): 1149-55.
- [Scholefield 2002] J.H. Scholefield, S. Moss, F. Sufi, C.M. Mangham and J.D. Hardcastle (2002). Effect of faecal occult blood screening on mortality from colorectal cancer: results from a randomised controlled trial. *Gut* **50**(6): 840-4.
- [Selby 1988] J.V. Selby, G.D. Friedman and M.F. Collen (1988). Sigmoidoscopy and mortality from colorectal cancer: the Kaiser Permanente Multiphasic Evaluation Study. *J Clin Epidemiol* **41**(5): 427-34.
- [Selby 1992] J.V. Selby, G.D. Friedman, C.P. Quesenberry, Jr. and N.S. Weiss (1992). A case-control study of screening sigmoidoscopy and mortality from colorectal cancer]. *N Engl J Med* **326**(10): 653-7.
- [Selby 1995] J.V. Selby (1995). Clinical trials of screening sigmoidoscopy. *Cancer of the colon, rectum, and anus*. A. M. Cohen and S. J. Winawer. New York, McGraw-Hill Inc.: 291-302.
- [Senore 1996] C. Senore, N. Segnan, F.P. Rossini, R. Ferraris, M. Cavallero, F. Coppola, M. Pennazio and W.S. Atkin (1996). Screening for colorectal cancer by once only sigmoidoscopy: a feasibility study in Turin, Italy. *J Med Screen* **3**(2): 72-8.
- [Sieg 1998] A. Sieg, A. Hertel, M.R. John, K. Luthgens and H. Schmidt-Gayk (1998). Screening for colorectal neoplasms with a new immunological human faecal haemoglobin and albumin test. *Eur J Cancer Prev* **7**(4): 279-85.
- [Sigurdsson 1995] K. Sigurdsson (1995). Quality assurance in cervical cancer screening: the Icelandic experience 1964-1993. *Eur J Cancer* **31A**(5): 728-34.
- [Smith 2002] R.A. Smith, V. Cokkinides, E. von, B. Levin, C. Cohen, C.D. Runowicz, S. Sener, D. Saslow and H.J. Eyre (2002). American Cancer Society guidelines for the early detection of cancer. *CA Cancer J Clin* **52**(1): 8-22.
- [Snel 1988] P. Snel and A.N. de Wolf (1988). [Consensus follow-up study after polypectomy] Consensus follow-up-onderzoek na polipectomie. *Ned Tijdschr Geneesk* **132**(11): 489-91.
- [Sonnenberg 2000] A. Sonnenberg, F. Delco and J.M. Inadomi (2000). Cost-effectiveness of colonoscopy in screening for colorectal cancer. *Ann Intern Med* **133**(8): 573-84.
- [Spencer 1984] R.J. Spencer, L.J.d. Melton, R.L. Ready and D.M. Ilstrup (1984). Treatment of small colorectal polyps: a population-based study of the risk of subsequent carcinoma. *Mayo Clin Proc* **59**(5): 305-10.
- [Steinbach 2000] G. Steinbach, P.M. Lynch, R.K. Phillips, M.H. Wallace, E. Hawk, G.B. Gordon, N. Wakabayashi, B. Saunders, Y. Shen, T. Fujimura, L.K. Su and B. Levin (2000). The effect of celecoxib, a cyclooxygenase-2 inhibitor, in familial adenomatous polyposis. *N Engl J Med* **342**(26): 1946-52.

- [Steine 1993] S. Steine, A. Stordahl, O.C. Lunde, K. Loken and E. Laerum (1993). Double-contrast barium enema versus colonoscopy in the diagnosis of neoplastic disorders: aspects of decision-making in general practice. *Fam Pract* **10**(3): 288-91.
- [Stichting PALGA 1999] Stichting PALGA (1999). *PALGA-Thesaurus, editie 1999*. Culemborg, Technimedia.
- [Strom 1999] E. Strom and J.L. Larsen (1999). Colon cancer at barium enema examination and colonoscopy: a study from the county of Hordaland, Norway. *Radiology* **211**(1): 211-4.
- [Stryker 1987] S.J. Stryker, B.G. Wolff, C.E. Culp, S.D. Libbe, D.M. Ilstrup and R.L. MacCarty (1987). Natural history of untreated colonic polyps. *Gastroenterology* **93**(5): 1009-13.
- [The European Group for Colorectal Cancer Screening 1999] The European Group for Colorectal Cancer Screening (1999). Recommendation to include colorectal cancer screening in public health policy. *J Med Screen* **6**(2): 80-1.
- [Thiis-Evensen 1999] E. Thiis-Evensen, G.S. Hoff, J. Sauar, F. Langmark, B.M. Majak and M.H. Vatn (1999). Population-based surveillance by colonoscopy: effect on the incidence of colorectal cancer. Telemark Polyp Study I. *Scand J Gastroenterol* **34**(4): 414-20.
- [Thiis-Evensen 2001] E. Thiis-Evensen, G.S. Hoff, J. Sauar, B.M. Majak and M.H. Vatn (2001). The effect of attending a flexible sigmoidoscopic screening program on the prevalence of colorectal adenomas at 13-year follow-up. *Am J Gastroenterol* **96**(6): 1901-7.
- [Towler 1998] B. Towler, L. Irwig, P. Glasziou, J. Kewenter, D. Weller and C. Silagy (1998). A systematic review of the effects of screening for colorectal cancer using the faecal occult blood test, hemocult. *BMJ* **317**(7158): 559-65.
- [Traverso 2002] G. Traverso, A. Shuber, B. Levin, C. Johnson, L. Olsson, D.J. Schoetz, Jr., S.R. Hamilton, K. Boynton, K.W. Kinzler and B. Vogelstein (2002). Detection of APC mutations in fecal DNA from patients with colorectal tumors. *N Engl J Med* **346**(5): 311-20.
- [U.S. Preventive Service Task Force 2002] U.S. Preventive Service Task Force (2002). Screening for Colorectal Cancer: Recommendation and Rationale. *Ann Intern Med* **137**(2): 129-31.
- [UK Flexible Sigmoidoscopy Screening Trial Investigators 2002] UK Flexible Sigmoidoscopy Screening Trial Investigators (2002). Single flexible sigmoidoscopy screening to prevent colorectal cancer: baseline findings of a UK multicentre randomised trial. *Lancet* **359**(9314): 1291-1300.
- [van Ballegooijen 1992] M. van Ballegooijen, J.D.F. Habbema, G.J. van Oortmarssen, M.A. Koopmanschap, J.T. Lubbe and H.M. van Agt (1992). Preventive Pap-smears: balancing costs, risks and benefits. *Br J Cancer* **65**(6): 930-3.
- [van Ballegooijen 1993] M. van Ballegooijen, R. Boer, G.J. van Oortmarssen, M.A. Koopmanschap, J.T.N. Lubbe and J.D.F. Habbema (1993). *Cervical cancer screening: Age-ranges and intervals. An updated cost-effectiveness analysis*, Erasmus University Rotterdam.
- [van Ballegooijen 1997] M. van Ballegooijen, M.E. van den Akker-van Marle, P.G. Warmerdam, C.J.L.M. Meijer, J.M.M. Walboomers and J.D.F. Habbema (1997). Present evidence on

- the value of HPV testing for cervical cancer screening: a model-based exploration of the (cost-)effectiveness. *Br J Cancer* **76**(5): 651-7.
- [van den Akker-van Marle 1999] E. van den Akker-van Marle, H.J. de Koning, R. Boer and P.J. van der Maas (1999). Reduction in breast cancer mortality due to the introduction of mass screening in the Netherlands: comparison with the United Kingdom. *J Med Screen* **6**(1): 30-4.
- [van den Akker-van Marle 2002] M.E. van den Akker-van Marle, M. van Ballegooijen, G.J. van Oortmarssen, R. Boer and J.D.F. Habbema (2002). Cost-effectiveness of cervical cancer screening: comparison of screening policies. *J Natl Cancer Inst* **94**(3): 193-204.
- [van der Maas 1989] P.J. van der Maas, H.J. de Koning, B.M. van Ineveld, G.J. van Oortmarssen, J.D.F. Habbema, J.T.N. Lubbe, A.T. Geerts, H.J.A. Collette, A.L.M. Verbeek, J.H.C.L. Hendriks and J.J. Rombach (1989). The cost-effectiveness of breast cancer screening. *Int J Cancer* **43**(6): 1055-60.
- [van Oortmarssen 1990a] G.J. van Oortmarssen, J.D.F. Habbema, J.T.N. Lubbe and P.J. van der Maas (1990a). A model-based analysis of the HIP project for breast cancer screening. *Int J Cancer* **46**(2): 207-13.
- [van Oortmarssen 1990b] G.J. van Oortmarssen, J.D.F. Habbema, P.J. van der Maas, H.J. de Koning, H.J.A. Collette, A.L.M. Verbeek, A.T. Geerts and J.T.N. Lubbe (1990b). A model for breast cancer screening. *Cancer* **66**(7): 1601-12.
- [van Oortmarssen 1991] G.J. van Oortmarssen and J.D.F. Habbema (1991). Epidemiological evidence for age-dependent regression of pre-invasive cervical cancer. *Br J Cancer* **64**(3): 559-65.
- [van Oortmarssen 1992] G.J. van Oortmarssen, J.D.F. Habbema and M. van Ballegooijen (1992). Predicting mortality from cervical cancer after negative smear test results. *BMJ* **305**(6851): 449-51.
- [van Oortmarssen 1995a] G.J. van Oortmarssen, R. Boer, J.D.F. Habbema and J.T.N. Lubbe (1995a). Modelling issues in cancer screening. *Stat Methods Med Res* **4**(1): 33-54.
- [van Oortmarssen 1995b] G.J. van Oortmarssen and J.D.F. Habbema (1995b). Duration of preclinical cervical cancer and reduction in incidence of invasive cancer following negative pap smears. *Int J Epidemiol* **24**(2): 300-7.
- [van Veen 2001] W.A. van Veen (2001). Landelijk bevolkingsonderzoek naar darmkanker nadere bestudering waard; een advies van de Gezondheidsraad. *Ned Tijdschr Geneesk* **145**(34): 1655-7.
- [Vasen 1991] H.F. Vasen, J.P. Mecklin, P.M. Khan and H.T. Lynch (1991). The International Collaborative Group on Hereditary Non-Polyposis Colorectal Cancer (ICG-HNPCC). *Dis Colon Rectum* **34**(5): 424-5.
- [Vasen 1999a] H.F. Vasen, F.M. Nagengast, G. Griffioen, J.H. Kleibeuker, F.H. Menko and B.G. Taal (1999a). [Periodic colonoscopic examinations of persons with a positive family history for colorectal cancer. Work Group 'Hereditary non-polyposis- colon-rectum cancers'] Periodiek colonoscopisch onderzoek bij personen met een belaste familieanamnese voor colorectaal carcinoom. *Ned Tijdschr Geneesk* **143**(23): 1211-4.

- [Vasen 1999b] H.F. Vasen, P. Watson, J.P. Mecklin and H.T. Lynch (1999b). New clinical criteria for hereditary nonpolyposis colorectal cancer (HNPCC, Lynch syndrome) proposed by the International Collaborative Group on HNPCC. *Gastroenterology* **116**(6): 1453-6.
- [Vasen 2001] H.F. Vasen, A. Stormorken, F.H. Menko, F.M. Nagengast, J.H. Kleibeuker, G. Griffioen, B.G. Taal, P. Moller and J.T. Wijnen (2001). Msh2 mutation carriers are at higher risk of cancer than mlh1 mutation carriers: a study of hereditary nonpolyposis colorectal cancer families. *J Clin Oncol* **19**(20): 4074-80.
- [Vijan 2001] S. Vijan, E.W. Hwang, T.P. Hofer and R.A. Hayward (2001). Which colon cancer screening test? A comparison of costs, effectiveness, and compliance. *Am J Med* **111**(8): 593-601.
- [Visser 1996] O. Visser, J.W.W. Coebergh and L.J. Schouten, Eds. (1996). *Incidence of cancer in the Netherlands 1993*. Utrecht, Vereniging van Integrale Kankercentra.
- [Visser 1997] O. Visser, J.W.W. Coebergh, L.J. Schouten and J.A.A.M. van Dijk, Eds. (1997). *Incidence of cancer in the Netherlands 1994*. Utrecht, Vereniging van Integrale Kankercentra.
- [Visser 1998] O. Visser, J.W.W. Coebergh, L.J. Schouten and J.A.A.M. van Dijk, Eds. (1998). *Incidence of cancer in the Netherlands 1995*. Utrecht, Vereniging van Integrale Kankercentra.
- [Visser 2001] O. Visser, J.W.W. Coebergh, L.J. Schouten and J.A.A.M. van Dijk, Eds. (2001). *Incidence of cancer in the Netherlands 1997*. Utrecht, Vereniging van Integrale Kankercentra.
- [Vogelstein 1988] B. Vogelstein, E.R. Fearon, S.R. Hamilton, S.E. Kern, A.C. Preisinger, M. Leppert, Y. Nakamura, R. White, A.M. Smits and J.L. Bos (1988). Genetic alterations during colorectal-tumor development. *N Engl J Med* **319**(9): 525-32.
- [Wagner 1996] J.L. Wagner, S. Tunis, M. Brown, A. Ching and R. Almeida (1996). Cost-effectiveness of Colorectal Cancer Screening in Average-Risk Adults. *Prevention and Early Detection of Colorectal Cancer*. G. P. Young, P. Rozen and B. Levin. London, W.B. Saunders Ltd: 321-56.
- [Walter 1983] S.D. Walter and N.E. Day (1983). Estimation of the duration of a pre-clinical disease state using screening data. *Am J Epidemiol* **118**(6): 865-86.
- [Weinstein 1996] M.C. Weinstein, J.E. Siegel, M.R. Gold, M.S. Kamlet and L.B. Russell (1996). Recommendations of the Panel on Cost-effectiveness in Health and Medicine. *JAMA* **276**(15): 1253-8.
- [Weiss 1996] N.S. Weiss and D. Lazovich (1996). Case-control studies of screening efficacy: the use of persons newly diagnosed with cancer who later sustain an unfavorable outcome. *Am J Epidemiol* **143**(4): 319-22.
- [Whynes 1998] D.K. Whynes, A.R. Neilson, A.R. Walker and J.D. Hardcastle (1998). Faecal occult blood screening for colorectal cancer: is it cost-effective? *Health Econ* **7**(1): 21-9.
- [Williams 1982b] A.R. Williams, B.A.W. Balasooriya and D.W. Day (1982b). Polyps and cancer of the large bowel: a necropsy study in Liverpool. *Gut* **23**(10): 835-42.

- [Williams 1974] C.B. Williams, R.H. Hunt, H. Loose, R.H. Riddel, Y. Sakai and E.T. Swarbrick (1974). Colonoscopy in the management of colon polyps. *Br J Surg* **61**: 673-82.
- [Williams 1982a] J.A. Williams, R. Hunter, M. Smith, M.E. Coles, T.W. Hubert and D.W. Thomas (1982a). Evaluation of an immunological test for occult bleeding from colorectal neoplasia. *Aust N Z J Surg* **52**(6): 617-21.
- [Wilson 1968] J.M.G. Wilson and G. Jungner (1968). *Principles and Practice of Screening for Disease*. Geneva, WHO.
- [Wilson 2001] L.S. Wilson and J. Lightwood (2001). Model of estimated rates of colorectal cancer from polyp growth by year of surveillance. *J Med Screen* **8**(4): 187-96.
- [Winawer 1992] S.J. Winawer, A.G. Zauber, M.J. O'Brien, L.S. Gottlieb, S.S. Sternberg, E.T. Stewart, J.H. Bond, M. Schapiro, J.F. Panish, J.D. Wayne et al. (1992). The National Polyp Study. Design, methods, and characteristics of patients with newly diagnosed polyps. The National Polyp Study Workgroup. *Cancer* **70**(5 Suppl): 1236-45.
- [Winawer 1993a] S.J. Winawer, A.G. Zauber, M.N. Ho, M.J. O'Brien, L.S. Gottlieb, S.S. Sternberg, J.D. Wayne, M. Schapiro, J.H. Bond, J.F. Panish et al. (1993a). Prevention of colorectal cancer by colonoscopic polypectomy. The National Polyp Study Workgroup. *N Engl J Med* **329**(27): 1977-81.
- [Winawer 1993b] S.J. Winawer, A.G. Zauber, M.J. O'Brien, M.N. Ho, L. Gottlieb, S.S. Sternberg, J.D. Wayne, J. Bond, M. Schapiro, E.T. Stewart, J. Panish, F. Ackroyd, R.C. Kurtz, M. Shike and T.N.P.S. Workgroup (1993b). Randomized comparison of surveillance intervals after colonoscopic removal of newly diagnosed adenomatous polyps. The National Polyp Study Workgroup. *N Engl J Med* **328**(13): 901-6.
- [Winawer 1997] S.J. Winawer, R.H. Fletcher, L. Miller, F. Godlee, M.H. Stolar, C.D. Mulrow, S.H. Woolf, S.N. Glick, T.G. Ganiats, J.H. Bond, L. Rosen, J.G. Zapka, S.J. Olsen, F.M. Giardiello, J.E. Sisk, R.v. Antwerp, C. Brown-Davis, D.A. Marcinak and R.J. Mayer (1997). Colorectal cancer screening: clinical guidelines and rationale. *Gastroenterology* **112**(2): 594-642.
- [Winawer 2000] S.J. Winawer, E.T. Stewart, A.G. Zauber, J.H. Bond, H. Ansel, J.D. Wayne, D. Hall, J.A. Hamlin, M. Schapiro, M.J. O'Brien, S.S. Sternberg and L.S. Gottlieb (2000). A comparison of colonoscopy and double-contrast barium enema for surveillance after polypectomy. National Polyp Study Work Group. *N Engl J Med* **342**(24): 1766-72.
- [Winawer 2003] S.J. Winawer, R. Fletcher, D. Rex, J. Bond, R. Burt, J. Ferrucci, T. Ganiats, T. Levin, S. Woolf, D. Johnson, L. Kirk, S. Litin and C. Simmang (2003). Colorectal cancer screening and surveillance: clinical guidelines and rationale-Update based on new evidence. *Gastroenterology* **124**(2): 544-60.
- [World Health Organization 1990] World Health Organization (1990). *International Classification of Diseases for Oncology*. Geneva, WHO.
- [Yee 2001] J. Yee, G.A. Akerkar, R.K. Hung, A.M. Steinauer-Gebauer, S.D. Wall and K.R. McQuaid (2001). Colorectal neoplasia: performance characteristics of CT colonography for detection in 300 patients. *Radiology* **219**(3): 685-92.
- [Zappa 2001] M. Zappa, G. Castiglione, E. Paci, G. Grazzini, T. Rubeca, P. Turco, E. Crocetti and S. Ciatto (2001). Measuring interval cancers in population-based screening using

different assays of fecal occult blood testing: the District of Florence experience. *Int J Cancer* **92**(1): 151-4.

[Zauber 2000] A.G. Zauber, S.J. Winawer, F. Loeve, R. Boer and J.D.F. Habbema (2000). Effect of initial polypectomy versus surveillance polypectomy on colorectal cancer incidence reduction: Micro-simulation modeling of National Polyp Study data. *Gastroenterology Part 1 Suppl. 2* **118**(4): A187.