- 1. Patients with locally advanced pancreatic cancer should be treated differently than patients with metastasized pancreatic cancer. (This thesis)
- 2. Follow-up computed tomography scans of the chest have no clinical value in patients with locally advanced pancreatic cancer. (This thesis)
- 3. Staging laparoscopy should be included in the diagnostic work-up of patients with locally advanced pancreatic cancer. (This thesis)
- 4. Stereotactic body radiotherapy after FOLFIRINOX improves local control in patients with locally advanced pancreatic cancer. (This thesis)
- 5. There is an obvious need for better distant disease control in patients with locally advanced pancreatic cancer. (This thesis)
- 6. The emphasis must be on performing well-designed phase II studies with uniform sets of basic entry and evaluation criteria with survival as a primary endpoint. (Adapted from Philip et al., JCO, 2009)
- 7. Systemic therapy forms the backbone of treatment strategy for the majority of patients with pancreatic cancer. (Adapted from Perhofer et al, Gastrointest Tumors, 2014)
- 8. Width of life is more important than length of life. (Ibn Sina, Avicenna)
- 9. If we knew what it was we were doing, it would not be called research, would it? (Albert Einstein)
- No matter how many instances of white swans we may have observed, this does not justify the conclusion that all swans are white. (Karl Popper, The Logic of Scientific Discovery, 1934)
- 11. It's like an orchestra. But it's a silent song. I like heavy metal. (Jürgen Klopp)