

STELLINGEN

behorende bij het proefschrift

Chronic Mesenteric Ischemia in the Picture new diagnostic techniques and treatment modalities

1. The updated score chart for chronic mesenteric ischemia is useful in clinical decision-making to discriminate the risk of chronic mesenteric ischemia. *This thesis.*
2. Visible light spectroscopy measures the mixed venous oxygen saturation rather than the mucosal capillary hemoglobin oxygen saturation. *This thesis.*
3. Measurements of oxygen-dependent delayed fluorescence of ALA-induced PpIX in the gastro-intestinal tract during upper endoscopy are technically feasible and safe. *This thesis.*
4. Revascularization of single atherosclerotic mesenteric artery stenosis results in persistent symptom relief in the majority of patients when gastro-intestinal symptoms and confirmed mucosal ischemia are present. *This thesis.*
5. Trans-radial access is the preferred approach for mesenteric arterial procedures. *This thesis.*
6. Studying rare diseases requires prolonged, multicenter collaborations. *Stoller, Chest, 2018.*
7. Combination of multiple test results and a consensus procedure among experts (panel diagnosis) is a method to construct a reference standard when there is no gold standard. *Rutjes et al., Health Technology Assessment, 2007.*
8. Medical schools should be prioritizing nutrition and lifestyle education. *Womersley and Ripullone, British Medical Journal, 2017.*
9. Zowel verwijsbrieven als specialistenbrieven zijn onvoldoende toegespitst op de behoeftes van de ontvanger. *Stegmann et al., Nederlands Tijdschrift voor Geneeskunde, 2019.*
10. Greater recognition, positive team climate and support from colleagues are associated with a significantly greater job satisfaction. *Domagala et al., International Journal of Environmental Research and Public Health, 2018.*
11. If you want to go fast, go alone. If you want to go far, go together — African proverb.