

1. Kandel, E.R., Schwartz, J.H. & Jessell, T.M. Principles of neural science. xli, 1414 p. (2000).
2. Nagerl, U.V., Willig, K.I., Hein, B., Hell, S.W. & Bonhoeffer, T. Live-cell imaging of dendritic spines by STED microscopy. *Proc Natl Acad Sci U S A* **105**, 18982-18987 (2008).
3. Miesenbock, G. & Kevrekidis, I.G. Optical imaging and control of genetically designated neurons in functioning circuits. *Annu Rev Neurosci* **28**, 533-563 (2005).
4. Feinberg, E.H., *et al.* GFP Reconstitution Across Synaptic Partners (GRASP) defines cell contacts and synapses in living nervous systems. *Neuron* **57**, 353-363 (2008).
5. Sudhof, T.C. & Rothman, J.E. Membrane fusion: grappling with SNARE and SM proteins. *Science* **323**, 474-477 (2009).
6. Hirokawa, N. & Takemura, R. Molecular motors and mechanisms of directional transport in neurons. *Nat Rev Neurosci* **6**, 201-214 (2005).
7. Sheng, M. & Hoogenraad, C.C. The postsynaptic architecture of excitatory synapses: a more quantitative view. *Annu Rev Biochem* **76**, 823-847 (2007).
8. Newpher, T.M. & Ehlers, M.D. Glutamate receptor dynamics in dendritic microdomains. *Neuron* **58**, 472-497 (2008).
9. Bramham, C.R. Local protein synthesis, actin dynamics, and LTP consolidation. *Curr Opin Neurobiol* **18**, 524-531 (2008).
10. Lin, A.C. & Holt, C.E. Function and regulation of local axonal translation. *Curr Opin Neurobiol* **18**, 60-68 (2008).
11. Banker, G.A. & Cowan, W.M. Rat hippocampal neurons in dispersed cell culture. *Brain Res* **126**, 397-342 (1977).
12. Banker, G. & Goslin, K. Developments in neuronal cell culture. *Nature* **336**, 185-186 (1988).
13. Dotti, C.G., Sullivan, C.A. & Banker, G.A. The establishment of polarity by hippocampal neurons in culture. *J Neurosci* **8**, 1454-1468 (1988).
14. Washbourne, P. & McAllister, A.K. Techniques for gene transfer into neurons. *Curr Opin Neurobiol* **12**, 566-573 (2002).
15. Brummelkamp, T.R. & Bernards, R. New tools for functional mammalian cancer genetics. *Nat Rev Cancer* **3**, 781-789 (2003).
16. Chalfie, M., Tu, Y., Euskirchen, G., Ward, W.W. & Prasher, D.C. Green fluorescent protein as a marker for gene expression. *Science* **263**, 802-805 (1994).
17. Shimomura, O., Johnson, F.H. & Saiga, Y. Extraction, purification and properties of aequorin, a bioluminescent protein from the luminous hydromedusa, *Aequorea*. *J Cell Comp Physiol* **59**, 223-239 (1962).
18. Tsien, R.Y. The green fluorescent protein. *Annu Rev Biochem* **67**, 509-544 (1998).
19. Giepmans, B.N., Adams, S.R., Ellisman, M.H. & Tsien, R.Y. The fluorescent toolbox for assessing protein location and function. *Science* **312**, 217-224 (2006).
20. Shaner, N.C., *et al.* Improved monomeric red, orange and yellow fluorescent proteins derived from *Discosoma* sp. red fluorescent protein. *Nat Biotechnol* **22**, 1567-1572 (2004).
21. Goldberg, J.L. How does an axon grow? *Genes Dev* **17**, 941-958 (2003).
22. Chilton, J.K. Molecular mechanisms of axon guidance. *Dev Biol* **292**, 13-24 (2006).
23. Pasterkamp, R.J. & Verhaagen, J. Semaphorins in axon regeneration: developmental guidance molecules gone wrong? *Philos Trans R Soc Lond B Biol Sci* **361**, 1499-1511 (2006).
24. Dent, E.W. & Gertler, F.B. Cytoskeletal dynamics and transport in growth cone motility and axon guidance. *Neuron* **40**, 209-227 (2003).
25. Bray, D. & Chapman, K. Analysis of microspike movements on the neuronal growth cone. *J Neurosci* **5**, 3204-3213 (1985).
26. Goldberg, D.J. & Burmeister, D.W. Stages in axon formation: observations of growth of *Aplysia* axons in culture using video-enhanced contrast-differential interference contrast microscopy. *J Cell Biol* **103**, 1921-1931 (1986).
27. Lin, C.H. & Forscher, P. Growth cone advance is inversely proportional to retrograde F-actin flow. *Neuron* **14**, 763-771 (1995).

References

28. Kalil, K. & Dent, E.W. Touch and go: guidance cues signal to the growth cone cytoskeleton. *Curr Opin Neurobiol* **15**, 521-526 (2005).
29. Ensslen-Craig, S.E. & Brady-Kalnay, S.M. Receptor protein tyrosine phosphatases regulate neural development and axon guidance. *Dev Biol* **275**, 12-22 (2004).
30. Spruston, N. Pyramidal neurons: dendritic structure and synaptic integration. *Nat Rev Neurosci* **9**, 206-221 (2008).
31. McAllister, A.K. Cellular and molecular mechanisms of dendrite growth. *Cereb Cortex* **10**, 963-973 (2000).
32. Sudhof, T.C. & Malenka, R.C. Understanding synapses: past, present, and future. *Neuron* **60**, 469-476 (2008).
33. McAllister, A.K., Lo, D.C. & Katz, L.C. Neurotrophins regulate dendritic growth in developing visual cortex. *Neuron* **15**, 791-803 (1995).
34. Polleux, F., Morrow, T. & Ghosh, A. Semaphorin 3A is a chemoattractant for cortical apical dendrites. *Nature* **404**, 567-573 (2000).
35. Xu, B., *et al.* Cortical degeneration in the absence of neurotrophin signaling: dendritic retraction and neuronal loss after removal of the receptor TrkB. *Neuron* **26**, 233-245 (2000).
36. Jan, Y.N. & Jan, L.Y. The control of dendrite development. *Neuron* **40**, 229-242 (2003).
37. Urbanska, M., Blazejczyk, M. & Jaworski, J. Molecular basis of dendritic arborization. *Acta Neurobiol Exp (Wars)* **68**, 264-288 (2008).
38. Hering, H. & Sheng, M. Dendritic spines: structure, dynamics and regulation. *Nat Rev Neurosci* **2**, 880-888 (2001).
39. Fiala, J.C., Feinberg, M., Popov, V. & Harris, K.M. Synaptogenesis via dendritic filopodia in developing hippocampal area CA1. *J Neurosci* **18**, 8900-8911 (1998).
40. Ziv, N.E. & Smith, S.J. Evidence for a role of dendritic filopodia in synaptogenesis and spine formation. *Neuron* **17**, 91-102 (1996).
41. Bourne, J.N. & Harris, K.M. Balancing structure and function at hippocampal dendritic spines. *Annu Rev Neurosci* **31**, 47-67 (2008).
42. Marrs, G.S., Green, S.H. & Dailey, M.E. Rapid formation and remodeling of postsynaptic densities in developing dendrites. *Nat Neurosci* **4**, 1006-1013 (2001).
43. Okabe, S., Miwa, A. & Okado, H. Spine formation and correlated assembly of presynaptic and postsynaptic molecules. *J Neurosci* **21**, 6105-6114 (2001).
44. Trachtenberg, J.T., *et al.* Long-term in vivo imaging of experience-dependent synaptic plasticity in adult cortex. *Nature* **420**, 788-794 (2002).
45. Cheng, D., *et al.* Relative and absolute quantification of postsynaptic density proteome isolated from rat forebrain and cerebellum. *Mol Cell Proteomics* **5**, 1158-1170 (2006).
46. McAllister, A.K. Dynamic aspects of CNS synapse formation. *Annu Rev Neurosci* **30**, 425-450 (2007).
47. Scheiffele, P. Cell-cell signaling during synapse formation in the CNS. *Annu Rev Neurosci* **26**, 485-508 (2003).
48. Murthy, V.N. & De Camilli, P. Cell biology of the presynaptic terminal. *Annu Rev Neurosci* **26**, 701-728 (2003).
49. Yamagata, M., Sanes, J.R. & Weiner, J.A. Synaptic adhesion molecules. *Curr Opin Cell Biol* **15**, 621-632 (2003).
50. Linhoff, M.W., *et al.* An unbiased expression screen for synaptogenic proteins identifies the LRRTM protein family as synaptic organizers. *Neuron* **61**, 734-749 (2009).
51. Woo, J., *et al.* Trans-synaptic adhesion between NGL-3 and LAR regulates the formation of excitatory synapses. *Nat Neurosci* **12**, 428-437 (2009).
52. Ziv, N.E. & Garner, C.C. Cellular and molecular mechanisms of presynaptic assembly. *Nat Rev Neurosci* **5**, 385-399 (2004).
53. Schoch, S. & Gundelfinger, E.D. Molecular organization of the presynaptic active zone. *Cell Tissue Res* **326**, 379-391 (2006).

54. Zhen, M. & Jin, Y. Presynaptic terminal differentiation: transport and assembly. *Curr Opin Neurobiol* **14**, 280-287 (2004).
55. Wang, Z.W. Regulation of synaptic transmission by presynaptic CaMKII and BK channels. *Mol Neurobiol* **38**, 153-166 (2008).
56. Wayman, G.A., Lee, Y.S., Tokumitsu, H., Silva, A. & Soderling, T.R. Calmodulin-kinases: modulators of neuronal development and plasticity. *Neuron* **59**, 914-931 (2008).
57. Hsueh, Y.P. The role of the MAGUK protein CASK in neural development and synaptic function. *Curr Med Chem* **13**, 1915-1927 (2006).
58. Spangler, S.A. & Hoogenraad, C.C. Liprin-alpha proteins: scaffold molecules for synapse maturation. *Biochem Soc Trans* **35**, 1278-1282 (2007).
59. Han, K. & Kim, E. Synaptic adhesion molecules and PSD-95. *Prog Neurobiol* **84**, 263-283 (2008).
60. Ehrenguber, M.U., Kato, A., Inokuchi, K. & Hennou, S. Homer/Vesl proteins and their roles in CNS neurons. *Mol Neurobiol* **29**, 213-227 (2004).
61. Scannevin, R.H. & Huganir, R.L. Postsynaptic organization and regulation of excitatory synapses. *Nat Rev Neurosci* **1**, 133-141 (2000).
62. Sudhof, T.C. The synaptic vesicle cycle. *Annu Rev Neurosci* **27**, 509-547 (2004).
63. Verhage, M. & Sorensen, J.B. Vesicle docking in regulated exocytosis. *Traffic* **9**, 1414-1424 (2008).
64. Murthy, V.N. & Stevens, C.F. Reversal of synaptic vesicle docking at central synapses. *Nat Neurosci* **2**, 503-507 (1999).
65. Sudhof, T.C. The synaptic vesicle cycle revisited. *Neuron* **28**, 317-320 (2000).
66. Brecht, D.S. & Nicoll, R.A. AMPA receptor trafficking at excitatory synapses. *Neuron* **40**, 361-379 (2003).
67. Bingol, B. & Schuman, E.M. Synaptic protein degradation by the ubiquitin proteasome system. *Curr Opin Neurobiol* **15**, 536-541 (2005).
68. Ding, M. & Shen, K. The role of the ubiquitin proteasome system in synapse remodeling and neurodegenerative diseases. *Bioessays* **30**, 1075-1083 (2008).
69. Tsuril, S., *et al.* Exchange and redistribution dynamics of the cytoskeleton of the active zone molecule bassoon. *J Neurosci* **29**, 351-358 (2009).
70. Ehlers, M.D. Activity level controls postsynaptic composition and signaling via the ubiquitin-proteasome system. *Nat Neurosci* **6**, 231-242 (2003).
71. Bingol, B. & Schuman, E.M. Activity-dependent dynamics and sequestration of proteasomes in dendritic spines. *Nature* **441**, 1144-1148 (2006).
72. Kavalali, E.T. Multiple vesicle recycling pathways in central synapses and their impact on neurotransmission. *J Physiol* **585**, 669-679 (2007).
73. Neher, E. & Sakaba, T. Multiple roles of calcium ions in the regulation of neurotransmitter release. *Neuron* **59**, 861-872 (2008).
74. Collingridge, G.L., Isaac, J.T. & Wang, Y.T. Receptor trafficking and synaptic plasticity. *Nat Rev Neurosci* **5**, 952-962 (2004).
75. De Roo, M., Klausner, P., Garcia, P.M., Poglia, L. & Muller, D. Spine dynamics and synapse remodeling during LTP and memory processes. *Prog Brain Res* **169**, 199-207 (2008).
76. Cui, Z., *et al.* Inducible and reversible NR1 knockout reveals crucial role of the NMDA receptor in preserving remote memories in the brain. *Neuron* **41**, 781-793 (2004).
77. Tang, Y.P., *et al.* Genetic enhancement of learning and memory in mice. *Nature* **401**, 63-69 (1999).
78. Serra-Pages, C., *et al.* The LAR transmembrane protein tyrosine phosphatase and a coiled-coil LAR-interacting protein co-localize at focal adhesions. *EMBO J* **14**, 2827-2838 (1995).
79. Serra-Pages, C., Medley, Q.G., Tang, M., Hart, A. & Streuli, M. Liprins, a family of LAR transmembrane protein-tyrosine phosphatase-interacting proteins. *J Biol Chem* **273**, 15611-15620 (1998).

References

80. Zurner, M. & Schoch, S. The mouse and human Liprin-alpha family of scaffolding proteins: Genomic organization, expression profiling and regulation by alternative splicing. *Genomics* (2008).
81. Pulido, R., Serra-Pages, C., Tang, M. & Streuli, M. The LAR/PTP delta/PTP sigma subfamily of transmembrane protein-tyrosine-phosphatases: multiple human LAR, PTP delta, and PTP sigma isoforms are expressed in a tissue-specific manner and associate with the LAR-interacting protein LIP.1. *Proc Natl Acad Sci U S A* **92**, 11686-11690 (1995).
82. Baron, M.K., *et al.* An architectural framework that may lie at the core of the postsynaptic density. *Science* **311**, 531-535 (2006).
83. Serra-Pages, C., Streuli, M. & Medley, Q.G. Liprin phosphorylation regulates binding to LAR: evidence for liprin autophosphorylation. *Biochemistry* **44**, 15715-15724 (2005).
84. Green, J.B., Gardner, C.D., Wharton, R.P. & Aggarwal, A.K. RNA recognition via the SAM domain of Smaug. *Mol Cell* **11**, 1537-1548 (2003).
85. Barrera, F.N., Poveda, J.A., Gonzalez-Ros, J.M. & Neira, J.L. Binding of the C-terminal sterile alpha motif (SAM) domain of human p73 to lipid membranes. *J Biol Chem* **278**, 46878-46885 (2003).
86. Zhen, M. & Jin, Y. The liprin protein SYD-2 regulates the differentiation of presynaptic termini in *C. elegans*. *Nature* **401**, 371-375 (1999).
87. Patel, M.R., *et al.* Hierarchical assembly of presynaptic components in defined *C. elegans* synapses. *Nat Neurosci* **9**, 1488-1498 (2006).
88. Dai, Y., *et al.* SYD-2 Liprin-alpha organizes presynaptic active zone formation through ELKS. *Nat Neurosci* **9**, 1479-1487 (2006).
89. Kaufmann, N., DeProto, J., Ranjan, R., Wan, H. & Van Vactor, D. Drosophila liprin-alpha and the receptor phosphatase Dlar control synapse morphogenesis. *Neuron* **34**, 27-38 (2002).
90. Kaufmann, N., Wills, Z.P. & Van Vactor, D. Drosophila Rac1 controls motor axon guidance. *Development* **125**, 453-461 (1998).
91. Choe, K.M., Prakash, S., Bright, A. & Clandinin, T.R. Liprin-alpha is required for photoreceptor target selection in *Drosophila*. *Proc Natl Acad Sci U S A* **103**, 11601-11606 (2006).
92. Hofmeyer, K., Maurel-Zaffran, C., Sink, H. & Treisman, J.E. Liprin-alpha has LAR-independent functions in R7 photoreceptor axon targeting. *Proc Natl Acad Sci U S A* **103**, 11595-11600 (2006).
93. Stepanek, L., Stoker, A.W., Stoeckli, E. & Bixby, J.L. Receptor tyrosine phosphatases guide vertebrate motor axons during development. *J Neurosci* **25**, 3813-3823 (2005).
94. Wyszynski, M., *et al.* Interaction between GRIP and liprin-alpha/SYD2 is required for AMPA receptor targeting. *Neuron* **34**, 39-52 (2002).
95. Dong, H., *et al.* GRIP: a synaptic PDZ domain-containing protein that interacts with AMPA receptors. *Nature* **386**, 279-284 (1997).
96. Dunah, A.W., *et al.* LAR receptor protein tyrosine phosphatases in the development and maintenance of excitatory synapses. *Nat Neurosci* **8**, 458-467 (2005).
97. Ko, J., Na, M., Kim, S., Lee, J.R. & Kim, E. Interaction of the ERC family of RIM-binding proteins with the liprin-alpha family of multidomain proteins. *The Journal of biological chemistry* **278**, 42377-42385 (2003).
98. Ohtsuka, T., *et al.* Cast: a novel protein of the cytomatrix at the active zone of synapses that forms a ternary complex with RIM1 and munc13-1. *J Cell Biol* **158**, 577-590 (2002).
99. Schoch, S., *et al.* RIM1alpha forms a protein scaffold for regulating neurotransmitter release at the active zone. *Nature* **415**, 321-326 (2002).
100. Wang, Y., Okamoto, M., Schmitz, F., Hofmann, K. & Sudhof, T.C. Rim is a putative Rab3 effector in regulating synaptic-vesicle fusion. *Nature* **388**, 593-598 (1997).
101. Wang, Y., Sugita, S. & Sudhof, T.C. The RIM/NIM family of neuronal C2 domain proteins. Interactions with Rab3 and a new class of Src homology 3 domain proteins. *J Biol Chem* **275**, 20033-20044 (2000).
102. Betz, A., *et al.* Functional interaction of the active zone proteins Munc13-1 and RIM1 in syn-

- aptic vesicle priming. *Neuron* **30**, 183-196 (2001).
103. Augustin, I., Rosenmund, C., Sudhof, T.C. & Brose, N. Munc13-1 is essential for fusion competence of glutamatergic synaptic vesicles. *Nature* **400**, 457-461 (1999).
 104. Olsen, O., *et al.* Neurotransmitter release regulated by a MALS-liprin-alpha presynaptic complex. *J Cell Biol* **170**, 1127-1134 (2005).
 105. Lein, E.S., *et al.* Genome-wide atlas of gene expression in the adult mouse brain. *Nature* **445**, 168-176 (2007).
 106. Zurner, M. & Schoch, S. The mouse and human Liprin-alpha family of scaffolding proteins: genomic organization, expression profiling and regulation by alternative splicing. *Genomics* **93**, 243-253 (2009).
 107. Ko, J., *et al.* Interaction between liprin-alpha and GIT1 is required for AMPA receptor targeting. *J Neurosci* **23**, 1667-1677 (2003).
 108. Hoogenraad, C.C., *et al.* Liprin-alpha1 degradation by calcium/calmodulin-dependent protein kinase II regulates LAR receptor tyrosine phosphatase distribution and dendrite development. *Dev Cell* **12**, 587-602 (2007).
 109. Shin, H., *et al.* Association of the kinesin motor KIF1A with the multimodular protein liprin-alpha. *J Biol Chem* **278**, 11393-11401 (2003).
 110. Chagnon, M.J., Uetani, N. & Tremblay, M.L. Functional significance of the LAR receptor protein tyrosine phosphatase family in development and diseases. *Biochem Cell Biol* **82**, 664-675 (2004).
 111. Johnson, K.G. & Van Vactor, D. Receptor protein tyrosine phosphatases in nervous system development. *Physiol Rev* **83**, 1-24 (2003).
 112. Van Lieshout, E.M., Van der Heijden, I., Hendriks, W.J. & Van der Zee, C.E. A decrease in size and number of basal forebrain cholinergic neurons is paralleled by diminished hippocampal cholinergic innervation in mice lacking leukocyte common antigen-related protein tyrosine phosphatase activity. *Neuroscience* **102**, 833-841 (2001).
 113. Yeo, T.T., *et al.* Deficient LAR expression decreases basal forebrain cholinergic neuronal size and hippocampal cholinergic innervation. *J Neurosci Res* **47**, 348-360 (1997).
 114. Jaworski, J., *et al.* Dynamic microtubules regulate dendritic spine morphology and synaptic plasticity. *Neuron* **61**, 85-100 (2009).
 115. Mingorance-Le Meur, A. & O'Connor, T.P. Neurite consolidation is an active process requiring constant repression of protrusive activity. *EMBO J* **28**, 248-260 (2009).
 116. Paul, S. & Lombroso, P.J. Receptor and nonreceptor protein tyrosine phosphatases in the nervous system. *Cell Mol Life Sci* **60**, 2465-2482 (2003).
 117. Erturk, A., Hellal, F., Enes, J. & Bradke, F. Disorganized microtubules underlie the formation of retraction bulbs and the failure of axonal regeneration. *J Neurosci* **27**, 9169-9180 (2007).
 118. Tehrani, S., Tomasevic, N., Weed, S., Sakowicz, R. & Cooper, J.A. Src phosphorylation of cortactin enhances actin assembly. *Proc Natl Acad Sci U S A* **104**, 11933-11938 (2007).
 119. Kennedy, M.B., Beale, H.C., Carlisle, H.J. & Washburn, L.R. Integration of biochemical signalling in spines. *Nat Rev Neurosci* **6**, 423-434 (2005).
 120. Sheng, M. & Kim, M.J. Postsynaptic signaling and plasticity mechanisms. *Science* **298**, 776-780 (2002).
 121. Wong, R.O. & Ghosh, A. Activity-dependent regulation of dendritic growth and patterning. *Nat Rev Neurosci* **3**, 803-812 (2002).
 122. Lisman, J., Schulman, H. & Cline, H. The molecular basis of CaMKII function in synaptic and behavioural memory. *Nat Rev Neurosci* **3**, 175-190 (2002).
 123. Thiagarajan, T.C., Piedras-Renteria, E.S. & Tsien, R.W. alpha- and betaCaMKII. Inverse regulation by neuronal activity and opposing effects on synaptic strength. *Neuron* **36**, 1103-1114 (2002).
 124. Fink, C.C., *et al.* Selective regulation of neurite extension and synapse formation by the beta but not the alpha isoform of CaMKII. *Neuron* **39**, 283-297 (2003).
 125. Colbran, R.J. & Brown, A.M. Calcium/calmodulin-dependent protein kinase II and synaptic

References

- plasticity. *Curr Opin Neurobiol* **14**, 318-327 (2004).
126. Griffith, L.C. Regulation of calcium/calmodulin-dependent protein kinase II activation by intramolecular and intermolecular interactions. *J Neurosci* **24**, 8394-8398 (2004).
127. Wu, G.Y. & Cline, H.T. Stabilization of dendritic arbor structure in vivo by CaMKII. *Science* **279**, 222-226 (1998).
128. Gaudilliere, B., Konishi, Y., de la Iglesia, N., Yao, G. & Bonni, A. A CaMKII-NeuroD signaling pathway specifies dendritic morphogenesis. *Neuron* **41**, 229-241 (2004).
129. Miller, K.E., *et al.* Direct observation demonstrates that Liprin-alpha is required for trafficking of synaptic vesicles. *Curr Biol* **15**, 684-689 (2005).
130. van Rosseel, P., Elliott, D.A., Robinson, I.M., Prokop, A. & Brand, A.H. Independent regulation of synaptic size and activity by the anaphase-promoting complex. *Cell* **119**, 707-718 (2004).
131. Konishi, Y., Stegmüller, J., Matsuda, T., Bonni, S. & Bonni, A. Cdh1-APC controls axonal growth and patterning in the mammalian brain. *Science* **303**, 1026-1030 (2004).
132. Pak, D.T. & Sheng, M. Targeted protein degradation and synapse remodeling by an inducible protein kinase. *Science* **302**, 1368-1373 (2003).
133. Rechsteiner, M. & Rogers, S.W. PEST sequences and regulation by proteolysis. *Trends Biochem Sci* **21**, 267-271 (1996).
134. Hoogenraad, C.C., Milstein, A.D., Ethell, I.M., Henkemeyer, M. & Sheng, M. GRIP1 controls dendrite morphogenesis by regulating EphB receptor trafficking. *Nat Neurosci* **8**, 906-915 (2005).
135. Murphey, R.K. & Godenschwege, T.A. New roles for ubiquitin in the assembly and function of neuronal circuits. *Neuron* **36**, 5-8 (2002).
136. Hegde, A.N. & DiAntonio, A. Ubiquitin and the synapse. *Nat Rev Neurosci* **3**, 854-861 (2002).
137. Kuo, C.T., Jan, L.Y. & Jan, Y.N. Dendrite-specific remodeling of Drosophila sensory neurons requires matrix metalloproteases, ubiquitin-proteasome, and ecdysone signaling. *Proc Natl Acad Sci U S A* **102**, 15230-15235 (2005).
138. Garcia-Alai, M.M., *et al.* Molecular Basis for Phosphorylation-Dependent, PEST-Mediated Protein Turnover. *Structure* **14**, 309-319 (2006).
139. Liu, X. & Jones, E.G. Alpha isoform of calcium-calmodulin dependent protein kinase II (CAM II kinase-alpha) restricted to excitatory synapses in the CA1 region of rat hippocampus. *Neuroreport* **8**, 1475-1479 (1997).
140. Cline, H.T. Dendritic arbor development and synaptogenesis. *Curr Opin Neurobiol* **11**, 118-126 (2001).
141. Tang, F., *et al.* Regulated degradation of a class V myosin receptor directs movement of the yeast vacuole. *Nature* **422**, 87-92 (2003).
142. Atwood, H.L. & Karunanithi, S. Diversification of synaptic strength: presynaptic elements. *Nat Rev Neurosci* **3**, 497-516 (2002).
143. Rosenmund, C., Rettig, J. & Brose, N. Molecular mechanisms of active zone function. *Curr Opin Neurobiol* **13**, 509-519 (2003).
144. Jin, Y. & Garner, C.C. Molecular mechanisms of presynaptic differentiation. *Annu Rev Cell Dev Biol* **24**, 237-262 (2008).
145. Siksou, L., *et al.* Three-dimensional architecture of presynaptic terminal cytomatrix. *J Neurosci* **27**, 6868-6877 (2007).
146. Zhai, R.G. & Bellen, H.J. The architecture of the active zone in the presynaptic nerve terminal. *Physiology (Bethesda)* **19**, 262-270 (2004).
147. Altrock, W.D., *et al.* Functional inactivation of a fraction of excitatory synapses in mice deficient for the active zone protein bassoon. *Neuron* **37**, 787-800 (2003).
148. Leal-Ortiz, S., *et al.* Piccolo modulation of Synapsin1a dynamics regulates synaptic vesicle exocytosis. *J Cell Biol* **181**, 831-846 (2008).
149. Atasoy, D., *et al.* Deletion of CASK in mice is lethal and impairs synaptic function. *Proc Natl Acad Sci U S A* **104**, 2525-2530 (2007).
150. Ho, A., *et al.* Genetic analysis of Mint/X11 proteins: essential presynaptic functions of a neu-

- ronal adaptor protein family. *J Neurosci* **26**, 13089-13101 (2006).
151. Samuels, B.A., *et al.* Cdk5 promotes synaptogenesis by regulating the subcellular distribution of the MAGUK family member CASK. *Neuron* **56**, 823-837 (2007).
 152. Fernandez-Alfonso, T. & Ryan, T.A. The kinetics of synaptic vesicle pool depletion at CNS synaptic terminals. *Neuron* **41**, 943-953 (2004).
 153. Pyle, J.L., Kavalali, E.T., Piedras-Renteria, E.S. & Tsien, R.W. Rapid reuse of readily releasable pool vesicles at hippocampal synapses. *Neuron* **28**, 221-231 (2000).
 154. Rosenmund, C. & Stevens, C.F. Definition of the readily releasable pool of vesicles at hippocampal synapses. *Neuron* **16**, 1197-1207 (1996).
 155. Takao-Rikitsu, E., *et al.* Physical and functional interaction of the active zone proteins, CAST, RIM1, and Bassoon, in neurotransmitter release. *J Cell Biol* **164**, 301-311 (2004).
 156. Lansbergen, G., *et al.* CLASPs attach microtubule plus ends to the cell cortex through a complex with LL5beta. *Dev Cell* **11**, 21-32 (2006).
 157. Inoue, E., *et al.* ELKS, a protein structurally related to the active zone protein CAST, is involved in Ca²⁺-dependent exocytosis from PC12 cells. *Genes Cells* **11**, 659-672 (2006).
 158. Shapira, M., *et al.* Unitary assembly of presynaptic active zones from Piccolo-Bassoon transport vesicles. *Neuron* **38**, 237-252 (2003).
 159. Olsen, O., Moore, K.A., Nicoll, R.A. & Brecht, D.S. Synaptic transmission regulated by a presynaptic MALS/Liprin-alpha protein complex. *Curr Opin Cell Biol* **18**, 223-227 (2006).
 160. Mukherjee, K., *et al.* CASK Functions as a Mg²⁺-independent neurexin kinase. *Cell* **133**, 328-339 (2008).
 161. Calakos, N., Schoch, S., Sudhof, T.C. & Malenka, R.C. Multiple roles for the active zone protein RIM1alpha in late stages of neurotransmitter release. *Neuron* **42**, 889-896 (2004).
 162. Castillo, P.E., Schoch, S., Schmitz, F., Sudhof, T.C. & Malenka, R.C. RIM1alpha is required for presynaptic long-term potentiation. *Nature* **415**, 327-330 (2002).
 163. Margeta, M.A., Shen, K. & Grill, B. Building a synapse: lessons on synaptic specificity and presynaptic assembly from the nematode *C. elegans*. *Curr Opin Neurobiol* **18**, 69-76 (2008).
 164. Ahmari, S.E. & Smith, S.J. Knowing a nascent synapse when you see it. *Neuron* **34**, 333-336 (2002).
 165. Lise, M.F. & El-Husseini, A. The neuroligin and neurexin families: from structure to function at the synapse. *Cell Mol Life Sci* **63**, 1833-1849 (2006).
 166. Yamada, S. & Nelson, W.J. Synapses: sites of cell recognition, adhesion, and functional specification. *Annu Rev Biochem* **76**, 267-294 (2007).
 167. Hsueh, Y.P. & Sheng, M. Regulated expression and subcellular localization of syndecan heparan sulfate proteoglycans and the syndecan-binding protein CASK/LIN-2 during rat brain development. *J Neurosci* **19**, 7415-7425 (1999).
 168. Hoogenraad, C.C., *et al.* Mammalian Golgi-associated Bicaudal-D2 functions in the dynein-dynactin pathway by interacting with these complexes. *EMBO J* **20**, 4041-4054 (2001).
 169. Kim, E., Niethammer, M., Rothschild, A., Jan, Y.N. & Sheng, M. Clustering of Shaker-type K⁺ channels by interaction with a family of membrane-associated guanylate kinases. *Nature* **378**, 85-88 (1995).
 170. Brummelkamp, T.R., Bernards, R. & Agami, R. A system for stable expression of short interfering RNAs in mammalian cells. *Science* **296**, 550-553 (2002).
 171. Dresbach, T., *et al.* Assembly of active zone precursor vesicles: obligatory trafficking of pre-synaptic cytomatrix proteins Bassoon and Piccolo via a trans-Golgi compartment. *J Biol Chem* **281**, 6038-6047 (2006).
 172. Lee, S.H., Valtchanoff, J.G., Kharazia, V.N., Weinberg, R. & Sheng, M. Biochemical and morphological characterization of an intracellular membrane compartment containing AMPA receptors. *Neuropharmacology* **41**, 680-692 (2001).
 173. Carlin, R.K., Grab, D.J., Cohen, R.S. & Siekevitz, P. Isolation and characterization of postsynaptic densities from various brain regions: enrichment of different types of postsynaptic densities. *J*

References

- Cell Biol* **86**, 831-845 (1980).
174. Cho, K.O., Hunt, C.A. & Kennedy, M.B. The rat brain postsynaptic density fraction contains a homolog of the *Drosophila* discs-large tumor suppressor protein. *Neuron* **9**, 929-942 (1992).
175. Bamji, S.X., *et al.* Role of beta-catenin in synaptic vesicle localization and presynaptic assembly. *Neuron* **40**, 719-731 (2003).
176. Grigoriev, I., *et al.* Rab6 regulates transport and targeting of exocytotic carriers. *Dev Cell* **13**, 305-314 (2007).
177. Murthy, V.N., Sejnowski, T.J. & Stevens, C.F. Heterogeneous release properties of visualized individual hippocampal synapses. *Neuron* **18**, 599-612 (1997).
178. Peng, J., *et al.* Semiquantitative proteomic analysis of rat forebrain postsynaptic density fractions by mass spectrometry. *J Biol Chem* **279**, 21003-21011 (2004).
179. Hansel, C., *et al.* alphaCaMKII Is essential for cerebellar LTD and motor learning. *Neuron* **51**, 835-843 (2006).
180. van Woerden, G.M., *et al.* betaCaMKII controls the direction of plasticity at parallel fiber-Purkinje cell synapses. *Nat Neurosci* (2009).
181. Bekkers, J.M. & Stevens, C.F. Excitatory and inhibitory autaptic currents in isolated hippocampal neurons maintained in cell culture. *Proc Natl Acad Sci U S A* **88**, 7834-7838 (1991).
182. Wierda, K.D., Toonen, R.F., de Wit, H., Brussaard, A.B. & Verhage, M. Interdependence of PKC-dependent and PKC-independent pathways for presynaptic plasticity. *Neuron* **54**, 275-290 (2007).