



World Database of Happiness

Correlational Findings

© on data collected: Ruut Veenhoven, Erasmus University Rotterdam

Findings on Happiness & BIRTH HISTORY (own birth)

Correlate Code: B 2

Classification of Findings		Number of Studies on this Subject
<i>Correlate Code</i>	<i>Correlate Name</i>	
B 2	BIRTH HISTORY (own birth)	0
B 2.1	Conditions of conception	0
B 2.1.1	Physical condition of parents	2
B 2.1.2	Birth planning by parents	0
B 2.2	Prenatal conditions	1
B 2.2.1	Condition of mother during pregnancy	3
B 2.1.1.1	- physical condition of mother during pregnancy	1
B 2.1.1.2	- medical treatment of mother during pregnancy	0
B 2.1.1.3	- working of mother during pregnancy	0
B 2.2.2	Fetal condition	0
B 2.2.3	Condition of placenta	0
B 2.3	Birth proces	1
B 2.4	Condition at birth	0
B 2.4.1	Physical defects	0
B 2.4.2	Reflexes after birth	0
B 2.5	Birth sequala	1
B 2.5.1	Mothers post-partum condition	0
B 2.5.2	Own post-partum condition	1
B 2.5.2.1	- physical condition in 1st year of life	0
B 2.5.2.2	- medical treatment in 1st year of life	0
B 2.5.2.3	- social condition in 1st year of life	0
B 2.6	Development in 1st year of life	0

- Appendix 1: Happiness queries used
- Appendix 2: Statistics used
- Appendix 3: About the World Database of Happiness
- Appendix 4: Further Findings in the World Database of Happiness
- Appendix 5: Related Topics

Cite as: Veenhoven, R.: Findings on Happiness & BIRTH HISTORY (own birth)
 World Database of Happiness. Internet: www.eur.nl/fsw/research/happiness
 Erasmus University Rotterdam, 2003, Netherlands

Study	VENTE 1997	<i>Page in Report:</i>	94
<i>Reported in:</i>	Ventegodt, S. Livskvalitet og omstændigheder tidligt i livet(The quality of Life and Factors in Forskningscenter for Livskvalitet , Forskningscentrets Forlag, København, Denmark, ISBN 8790190130		
<i>Population:</i>	31-33 aged, born at the university hospital, Denmark, 1993		
<i>Sample:</i>	Non-probability chunk sample		
<i>Non-Response:</i>	36%		
<i>N:</i>	4626		

Measured Correlate

<i>Class:</i>	Physical condition of parents Code: B 2.1.1
<i>Measurement:</i>	Mother's height in cm as reported in medical file 1: less than 150 2: 150-154 3: 155-159 4: 160-169 5: more than 169
<i>Measured Values:</i>	N: all:4318, %:1:2, 2:7, 3:20, 4:58, 5:14
<i>Error Estimates:</i>	
<i>Remarks:</i>	

Observed Relation with Happiness

<i>Happiness Query</i>	<i>Statistics</i>	<i>Remarks</i>
A-AOL/m/sq/v/5/a	r=-.02 ns	1: Mt=7. 80 2: Mt=7. 83 3: Mt=7. 73 4: Mt=7. 74 5: Mt=7. 58 All Mt=7. 73
O-HL/c/sq/v/5/h	r=-.01 ns	1: Mt=6. 85 2: Mt=7. 16 3: Mt=6. 99 4: Mt=7. 01 5: Mt=6. 96 All Mt=7. 01
O-SLu/c/sq/v/5/e	r=-.02 p<.02	1: Mt=7. 73 2: Mt=7. 51 3: Mt=7. 43 4: Mt=7. 41 5: Mt=7. 20 All Mt=7. 40

Study	VENTE 1997	<i>Page in Report:</i>	92
<i>Reported in:</i>	Ventegodt, S. Livskvalitet og omstændigheder tidligt i livet(The quality of Life and Factors in Forskningscenter for Livskvalitet , Forskningscentrets Forlag, København, Denmark, ISBN 8790190130		
<i>Population:</i>	31-33 aged, born at the university hospital, Denmark, 1993		
<i>Sample:</i>	Non-probability chunk sample		
<i>Non-Response:</i>	36%		
<i>N:</i>	4626		

Measured Correlate

Class: Physical condition of parents Code: B 2.1.1

Measurement: Mother's age in years at birth as reported in medical file
 1: under 15
 2: 15-19
 3: 20-24
 4: 25-29
 5: 30-39
 6: over 39

Measured Values: N: all:4355 %: 1:0,1 2:21, 3:30, 4:23, 5:23, 6:3

Error Estimates:

Remarks:

Observed Relation with Happiness

<i>Happiness Query</i>	<i>Statistics</i>	<i>Remarks</i>
A-AOL/m/sq/v/5/a	r=-.03 ns	1: Mt=7.50 2: Mt=7.81 3: Mt=7.78 4: Mt=7.61 5: Mt=7.71 6: Mt=7.54 All Mt=7.73
O-HL/c/sq/v/5/h	r=-.02 ns	1: Mt=6.25 2: Mt=7.08 3: Mt=7.05 4: Mt=7.00 5: Mt=6.91 6: Mt=7.10 All Mt=7.01

O-SLu/c/sq/v/5/e	r=-.02	ns	1: Mt=6.88
			2: Mt=7.50
			3: Mt=7.41
			4: Mt=7.31
			5: Mt=7.41
			6: Mt=7.21
			All Mt=7.40

Study	VENTE 1997	<i>Page in Report:</i>	80
<i>Reported in:</i>	Ventegodt, S. Livskvalitet og omstændigheder tidligt i livet(The quality of Life and Factors in Forskningscenter for Livskvalitet , Forskningscentrets Forlag, København, Denmark, ISBN 8790190130		
<i>Population:</i>	31-33 aged, born at the university hospital, Denmark, 1993		
<i>Sample:</i>	Non-probability chunk sample		
<i>Non-Response:</i>	36%		
<i>N:</i>	4626		

Measured Correlate

<i>Class:</i>	Prenatal conditions Code: B 2.2
<i>Measurement:</i>	pregnancy and birth: overview 1: very poor 2: poor 3: neither/nor 4: good 5: very good
<i>Measured Values:</i>	N all:4355, %:1:2,4, 2:12,0 3:26,6 4:34,6 5:24,4
<i>Error Estimates:</i>	
<i>Remarks:</i>	

Observed Relation with Happiness

<i>Happiness Query</i>	<i>Statistics</i>	<i>Remarks</i>
A-AOL/m/sq/v/5/a	r=+.00 ns	1: Mt=7.60 2: Mt=7.80 3: Mt=7.66 4: Mt=7.75 5: Mt=7.73 All Mt=7.73
O-HL/c/sq/v/5/h	r=+.00 ns	1: Mt=6.79 2: Mt=7.00 3: Mt=7.03 4: Mt=7.06 5: Mt=6.96 All Mt=7.01
O-SLu/c/sq/v/5/e	r=-.00 ns	1: Mt=7.33 2: Mt=7.46 3: Mt=7.39 4: Mt=7.39 5: Mt=7.40 All Mt=7.40

Study	VENTE 1997	<i>Page in Report:</i>	98
<i>Reported in:</i>	Ventegodt, S. Livskvalitet og omstændigheder tidligt i livet(The quality of Life and Factors in Forskningscenter for Livskvalitet , Forskningscentrets Forlag, København, Denmark, ISBN 8790190130		
<i>Population:</i>	31-33 aged, born at the university hospital, Denmark, 1993		
<i>Sample:</i>	Non-probability chunk sample		
<i>Non-Response:</i>	36%		
<i>N:</i>	4626		

Measured Correlate

<i>Class:</i>	Condition of mother during pregnancy Code: B 2.2.1
<i>Measurement:</i>	Mother's blood type as reported in medical file a: 0 positive b: 0 negative c: A positive d: A negative e: B positive f: B negative g: AB positive h: AB negative i: AB(C?)with immunization j: Other with immunization
<i>Measured Values:</i>	N: all:4182, %:a:31, b:8, c:35, d:9, e:8, f:2, g:3, h:1, i:2, j:0,5
<i>Error Estimates:</i>	
<i>Remarks:</i>	

Observed Relation with Happiness

<i>Happiness Query</i>	<i>Statistics</i>	<i>Remarks</i>
A-AOL/m/sq/v/5/a		a: Mt=7.75 b: Mt=7.78 c: Mt=7.71 d: Mt=7.55 e: Mt=7.70 f: Mt=7.78 g: Mt=7.81 h: Mt=7.50 i: Mt=8.13 j: Mt=8.00 All Mt=7.73

O-HL/c/sq/v/5/h

- a: Mt=7.04
- b: Mt=7.06
- c: Mt=6.98
- d: Mt=6.83
- e: Mt=7.03
- f: Mt=7.13
- g: Mt=7.19
- h: Mt=7.16
- i: Mt=7.44
- j: Mt=7.50
- All Mt=7.01

O-SLu/c/sq/v/5/e

- a: Mt=7.41
- b: Mt=7.45
- c: Mt=7.39
- d: Mt=7.31
- e: Mt=7.36
- f: Mt=7.69
- g: Mt=7.51
- h: Mt=7.11
- i: Mt=7.75
- j: Mt=7.63
- All Mt=7.41

Study	VENTE 1997	<i>Page in Report:</i>	96
<i>Reported in:</i>	Ventegodt, S. Livskvalitet og omstændigheder tidligt i livet(The quality of Life and Factors in Forskningscenter for Livskvalitet , Forskningscentrets Forlag, København, Denmark, ISBN 8790190130		
<i>Population:</i>	31-33 aged, born at the university hospital, Denmark, 1993		
<i>Sample:</i>	Non-probability chunk sample		
<i>Non-Response:</i>	36%		
<i>N:</i>	4626		

Measured Correlate

<i>Class:</i>	Condition of mother during pregnancy Code: B 2.2.1
<i>Measurement:</i>	weight in kg as reported in medical file 1: less than average 2: average 3: more than average
<i>Measured Values:</i>	N: all:3908, %: 1:16, 2:72, 3:12
<i>Error Estimates:</i>	
<i>Remarks:</i>	

Observed Relation with Happiness

<i>Happiness Query</i>	<i>Statistics</i>	<i>Remarks</i>
A-AOL/m/sq/v/5/a	r=-.01 ns	1: Mt=7.68 2: Mt=7.75 3: Mt=7.60 All Mt=7.71
O-HL/c/sq/v/5/h	r=-.01 ns	1: Mt=7.01 2: Mt=7.03 3: Mt=6.90 All Mt=7.01
O-SLu/c/sq/v/5/e	r=+.00 ns	1: Mt=7.31 2: Mt=7.44 3: Mt=7.31 All Mt=7.40

Study	VENTE 1997	<i>Page in Report:</i>	78
<i>Reported in:</i>	Ventegodt, S. Livskvalitet og omstændigheder tidligt i livet(The quality of Life and Factors in Forskningscenter for Livskvalitet , Forskningscentrets Forlag, København, Denmark, ISBN 8790190130		
<i>Population:</i>	31-33 aged, born at the university hospital, Denmark, 1993		
<i>Sample:</i>	Non-probability chunk sample		
<i>Non-Response:</i>	36%		
<i>N:</i>	4626		

Measured Correlate

<i>Class:</i>	Condition of mother during pregnancy Code: B 2.2.1
<i>Measurement:</i>	Maternal factors: 1: very poor 2: poor 3: neither/nor 4: good 5: very good
<i>Measured Values:</i>	N: all:4355, %: 1:4,8, 2:16,4, 3:22,8, 4:27,8, 5:28,1
<i>Error Estimates:</i>	
<i>Remarks:</i>	

Observed Relation with Happiness

<i>Happiness Query</i>	<i>Statistics</i>	<i>Remarks</i>
A-AOL/m/sq/v/5/a	r=+.00 ns	1: Mt=7.64 2: Mt=7.76 3: Mt=7.65 4: Mt=7.79 5: Mt=7.71 All Mt=7,73
O-HL/c/sq/v/5/h	r=+.02 ns	1: Mt=6.85 2: Mt=7.01 3: Mt=6.95 4: Mt=7.08 5: Mt=7.03 All Mt=7.01
O-SLu/c/sq/v/5/e	r=+.02 ns	1: Mt=7.36 2: Mt=7.33 3: Mt=7.33 4: Mt=7.50 5: Mt=7.40 All Mt=7.40

Study	VENTE 1997	<i>Page in Report:</i>	102
<i>Reported in:</i>	Ventegodt, S. Livskvalitet og omstændigheder tidligt i livet(The quality of Life and Factors in Forskningscenter for Livskvalitet , Forskningscentrets Forlag, København, Denmark, ISBN 8790190130		
<i>Population:</i>	31-33 aged, born at the university hospital, Denmark, 1993		
<i>Sample:</i>	Non-probability chunk sample		
<i>Non-Response:</i>	36%		
<i>N:</i>	4626		

Measured Correlate

Class: - physical condition of mother during pregnancy Code: B 2.1.1.1

Measurement: medical file of mother
 1: unknown
 2a: respiratory system
 2b: cardiovascular system
 2c: gastro-intestinal system
 2d: uro-genital system
 2e: central nervous system
 2f: skeletal-muscular system
 2g: endocrine glands
 2h: other

Measured Values: N: all:4333, %:1:95, 2a:0,1, 2b:0,5, 2c:0,1, 2d:0,3, 2e:1, 2f:1,1, 2g:1,0, 2h:0,4

Error Estimates:

Remarks:

Observed Relation with Happiness

<i>Happiness Query</i>	<i>Statistics</i>	<i>Remarks</i>
A-AOL/m/sq/v/5/a		1: Mt=7.73 2a: Mt=5.84 2b: Mt=7.83 2c: Mt=8.13 2d: Mt=7.89 2e: Mt=7.68 2f: Mt=8.04 2g: Mt=7.68 2h: Mt=8.13 All Mt=7.73

O-HL/c/sq/v/5/h	1: Mt=7.00
	2a: Mt=5.84
	2b: Mt=7.39
	2c: Mt=6.25
	2d: Mt=6.73
	2e: Mt=7.21
	2f: Mt=7.55
	2g: Mt=6.99
	2h: Mt=7.81
	All Mt=7.01
O-SLu/c/sq/v/5/e	1: Mt=7.39
	2a: Mt=5.84
	2b: Mt=8.15
	2c: Mt=8.13
	2d: Mt=6.54
	2e: Mt=7.50
	2f: Mt=7.66
	2g: Mt=7.44
	2h: Mt=7.98
	All Mt=7.40

Study	VENTE 1997	<i>Page in Report:</i>	80
<i>Reported in:</i>	Ventegodt, S. Livskvalitet og omstændigheder tidligt i livet(The quality of Life and Factors in Forskningscenter for Livskvalitet , Forskningscentrets Forlag, København, Denmark, ISBN 8790190130		
<i>Population:</i>	31-33 aged, born at the university hospital, Denmark, 1993		
<i>Sample:</i>	Non-probability chunk sample		
<i>Non-Response:</i>	36%		
<i>N:</i>	4626		

Measured Correlate

<i>Class:</i>	Birth proces Code: B 2.3
<i>Measurement:</i>	pregnancy and birth: overview 1: very poor 2: poor 3: neither/nor 4: good 5: very good
<i>Measured Values:</i>	N all:4355, %:1:2,4, 2:12,0 3:26,6 4:34,6 5:24,4
<i>Error Estimates:</i>	
<i>Remarks:</i>	

Observed Relation with Happiness

<i>Happiness Query</i>	<i>Statistics</i>	<i>Remarks</i>
A-AOL/m/sq/v/5/a	r=+.00 ns	1: Mt=7.60 2: Mt=7.80 3: Mt=7.66 4: Mt=7.75 5: Mt=7.73 All Mt=7.73
O-HL/c/sq/v/5/h	r=+.00 ns	1: Mt=6.79 2: Mt=7.00 3: Mt=7.03 4: Mt=7.06 5: Mt=6.96 All Mt=7.01
O-SLu/c/sq/v/5/e	r=-.00 ns	1: Mt=7.33 2: Mt=7.46 3: Mt=7.39 4: Mt=7.39 5: Mt=7.40 All Mt=7.40

Study	VENTE 1997	<i>Page in Report:</i>	82
<i>Reported in:</i>	Ventegodt, S. Livskvalitet og omstændigheder tidligt i livet(The quality of Life and Factors in Forskningscenter for Livskvalitet , Forskningscentrets Forlag, København, Denmark, ISBN 8790190130		
<i>Population:</i>	31-33 aged, born at the university hospital, Denmark, 1993		
<i>Sample:</i>	Non-probability chunk sample		
<i>Non-Response:</i>	36%		
<i>N:</i>	4626		

Measured Correlate

<i>Class:</i>	Birth sequala Code: B 2.5
<i>Measurement:</i>	first year of life: overview 1: very poor 2: poor 3: neither/nor 4: good 5: very good
<i>Measured Values:</i>	N: all: 4355, %:1:1,7, 2:7,9, 3:35,2, 4:47,2 5:8,1
<i>Error Estimates:</i>	
<i>Remarks:</i>	

Observed Relation with Happiness

<i>Happiness Query</i>	<i>Statistics</i>	<i>Remarks</i>
A-AOL/m/sq/v/5/a	r=+.01 ns	1: Mt=7.75 2: Mt=7.53 3: Mt=7.76 4: Mt=7.71 5: Mt=7.80 All Mt=7.73
O-HL/c/sq/v/5/h	r=+.01 ns	1: Mt=6.48 2: Mt=7.06 3: Mt=7.00 4: Mt=7.04 5: Mt=7.00 All Mt=7.01
O-SLu/c/sq/v/5/e	r=+.01 ns	1: Mt=7.15 2: Mt=7.41 3: Mt=7.39 4: Mt=7.41 5: Mt=7.43 All Mt=7.40

Study	VENTE 1997	<i>Page in Report:</i>	84,86
<i>Reported in:</i>	Ventegodt, S. Livskvalitet og omstændigheder tidligt i livet(The quality of Life and Factors in Forskningscenter for Livskvalitet , Forskningscentrets Forlag, København, Denmark, ISBN 8790190130		
<i>Population:</i>	31-33 aged, born at the university hospital, Denmark, 1993		
<i>Sample:</i>	Non-probability chunk sample		
<i>Non-Response:</i>	36%		
<i>N:</i>	4626		

Measured Correlate

<i>Class:</i>	Own post-partum condition Code: B 2.5.2
<i>Measurement:</i>	the beginning of life: overview (mean of 3 domains) 1a: very poor 2a: poor 3a: neither/nor 4a: good 5a: very good the beginning of life: overview(extremized) 1b: very poor 2b: poor 3b: neither/nor 4b: good 5b: very good
<i>Measured Values:</i>	N: all a:4355, %:1a:3, 2a:15, 3a:35, 4a: 36, 5a:12 N: all b:4355, %:1b:-, 2b:0,4, 3b:80, 4b:19, 5b:1
<i>Error Estimates:</i>	
<i>Remarks:</i>	

Observed Relation with Happiness

<i>Happiness Query</i>	<i>Statistics</i>	<i>Remarks</i>
A-AOL/m/sq/v/5/a	r=+.00 ns	1a: Mt=7.74 2a: Mt=7.73 3a: Mt=7.70 4a: Mt=7.75 5a: Mt=7.74 All Mt=7.73
	r=+.01 ns	1b: Mt=- 2b: Mt=7.81 3b: Mt=7.71 4b: Mt=7.81 5b: Mt=7.39 All Mt=7.73

O-HL/c/sq/v/5/h	r=+.01	ns	1a: Mt=6.91 2a: Mt=7.01 3a: Mt=6.96 4a: Mt=7.08 5a: Mt=6.96 All Mt=7.01
	r=+.01	ns	1b: Mt=- 2b: Mt=7.35 3b: Mt=6.99 4b: Mt=7.14 5b: Mt=6.16 All Mt=7.01
O-SLu/c/sq/v/5/e	r=+.01	ns	1a: Mt=7.35 2a: Mt=7.38 3a: Mt=7.39 4a: Mt=7.43 5a: Mt=7.40 All Mt=7.40
	r=+.01	ns	1b: Mt=- 2b: Mt=7.35 3b: Mt=7.39 4b: Mt=7.49 5b: Mt=7.05 All Mt=7.40

Appendix 1 Queries on Happiness used in reported Studies
Happiness Query Code Full Text

A-AOL/m/sq/v/5/a

Single direct question:
 'How are you feeling now....?'
 5 very good
 4 good
 3 neither good nor poor
 2 poor
 1 very poor

Original text in Danish:
 'Hvordan har du det for tiden?'
 5 meget godt
 4 godt
 3 hverken godt eller dårligt
 2 dårligt
 1 meget dårligt

O-HL/c/sq/v/5/h

Selfreport on single question

'How happy are you now?'
 5 very happy
 4 happy
 3 neither happy nor unhappy
 2 unhappy
 1 very unhappy

Original text in Danish:
 'Hvor lykkelig er du for tiden?'
 5 meget lykkelig
 4 lykkelig
 3 hverken eller
 2 ullykkelig
 1 meget ullykkelig

O-SLu/c/sq/v/5/e

Selfreport on single question:

'How satisfied are you with your life now?'
 5 very satisfied
 2 satisfied
 3 neither satisfied nor dissatisfied
 2 dissatisfied
 1 very dissatisfied

Original text in Danish:
 'Hvor tilfreds er du med dit liv for tiden?'
 5 meget tilfreds
 4 tilfreds
 3 hverken tilfreds eller utilfreds
 2 utilfreds
 1 meget utilfreds

On the web you will find an overview of valid queries on happiness and an explanation of the classification used. Go to: www.eur.nl/fsw/research/happiness/hap_quer/hqi_fp.htm. This is the introductory text to the Catalog of Happiness Queries.


Appendix 2 *Statistics used in reported studies*

<i>Symbol</i>	<i>Explanation</i>
r	<p>PRODUCT-MOMENT CORRELATION COEFFICIENT (Also "Pearson's correlation coefficient" or simply 'correlation coefficient')</p> <p>Type: test statistic.</p> <p>Measurement level: Correlate: metric, Happiness: metric</p> <p>Range: [-1; +1]</p> <p>Meaning:</p> <p>r = 0 « no correlation ,</p> <p>r = 1 « perfect correlation, where high correlate values correspond with high happiness values, and</p> <p>r = -1 « perfect correlation, where high correlate values correspond with low happiness values.</p>

On the web you will find a text explaining the statistics used in more detail. Go to: www.eur.nl/fsw/research/happiness/hap_cor/cor_fp.htm. This is the introductory text to the Catalog of Correlational Findings. An overview of all statistics is in chapter 4.

Appendix 3: About the World Database of Happiness

The World Database of Happiness is an ongoing register of scientific research on subjective appreciation of life. It brings together findings that are scattered throughout many studies and provides a basis for synthetic analysis. The research literature is processed as follows:



-
- 1 **BIBLIOGRAPHY OF HAPPINESS** Presents all contemporary scientific publications. Detailed subject-classification. Current contents: 3422 titles, mainly in English.
 - 2 **DIRECTORY OF INVESTIGATORS** Names and addresses of most authors on the subject. Enumerates years of publication. Current contents: 5818 names and 3073 addresses. Part of Bibliography.
 - 3 **CATALOG OF HAPPINESS QUERIES (testbank)** Presents all indicators that tap happiness as defined here. Current content: 522 measures, mostly single questions. Queries are classified by focus, time reference, mode of observation, rating and wording.
 - 4 **CATALOG OF HAPPINESS IN NATIONS** Presents distributional research findings, in particular responses to questions on happiness in national survey studies. Allows comparison across time and nations. Current content: 1889 surveys in 112 nations, 1946-2000.
 - 5 **CATALOG OF HAPPINESS IN PUBLICS** Distributional findings on happiness in special publics within nations, such as aged people. Current contents: 705 studies. Part of Catalog of Correlational Findings.
 - 6 **CATALOG OF CORRELATIONAL FINDINGS** Presents abstracts of correlational research findings. Detailed subject-classification. Allows comparison through time and across nations. Current contents: 7476 findings from 705 studies in 140 nations, 1911-2000.
-

Appendix 4 Further Findings in the World Database of Happiness

<i>Main Category's</i>	<i>Category Name</i>	<i>Number of Studies in this Category</i>
A 1	ACTIVITY LEVEL (how much one does)	53
A 2	ACTIVITY PATTERN (what one does)	7
A 3	AFFECTIVE LIFE	31
A 4	AGE	279
A 5	AGGRESSION	11
A 6	ANOMY	30
A 7	APPEARANCE (good looks)	8
A 8	ATTITUDES	4
A 9	AUTHORITARIANISM	4
B 3	BODY	66
C 1	CHILDREN 1:	4
C 10	CREATIVENESS	6
C 11	CULTURE (Arts and Sciences)	6
C 2	CHILDREN: WANT FOR (Parental aspirations)	6
C 3	CHILDREN: HAVING (parental status)	145
C 4	CHILDREN's CHARACTERISTICS	19
C 5	CHILDREN: RELATION WITH	8
C 6	CHILDREN: REARING (parental behavior)	11
C 7	COMMUNAL LIVING	1
C 8	CONCERNS	15
C 9	COPING	27
D 1	DAILY JOYS & HASSLES	4
E 1	EDUCATION	243
E 2	EMPLOYMENT	180
E 3	ETHNICITY	63
E 4	EXPRESSIVE BEHAVIOR	10
F 1	FAMILY OF ORIGIN (earlier family for adults, current for young)	195
F 2	FAMILY OF PROCREATION	42
F 3	FAMILY OF RELATIVES	145
F 4	FARMING	30
F 5	FREEDOM	24
F 6	FRIENDSHIP	123
G 1	GENDER	252
G 2	GRIEF	1
H 10	HOPE	3
H 11	HOUSEHOLD: COMPOSITION	90
H 12	HOUSEHOLD: WORK	10
H 13	HOUSING	75
H 2	HANDICAP	13

H 3	HAPPINESS: ATTITUDES	39
H 5	HAPPINESS CAREER	144
H 6	HAPPINESS: CURRENT LEVEL	260
H 8	HEALTH-BEHAVIOR	15
H 9	HELPING	4
I 1	INCOME	415
I 2	INSTITUTIONAL LIVING	28
I 3	INTELLIGENCE	63
I 4	INTERESTS	5
I 5	INTERVIEW	49
I 6	INTIMACY	70
L 1	LANGUAGE	1
L 10	LOCAL ENVIRONMENT	270
L 11	LOTTERY	7
L 12	LOVE-LIFE	26
L 2	LEADERSHIP	8
L 3	LEISURE	128
L 4	LIFE APPRAISALS: OTHER THAN HAPPINESS4	290
L 5	LIFE-CHANGE	26
L 6	LIFE-EVENTS	63
L 7	LIFE-GOALS	52
L 8	LIFE HISTORY	1
L 9	LIFE STYLE	4
M 1	MARRIAGE: MARITAL STATUS CAREER	32
M 10	MIGRATION: MIGRANT WORK	3
M 11	MILITARY LIFE	5
M 12	MODERNITY	5
M 13	MOOD	181
M 2	MARRIAGE: CURRENT MARITAL STATUS	315
M 3	MARRIAGE: RELATIONSHIP	99
M 4	MARRIAGE: PARTNER	34
M 5	MEANING	18
M 6	MEDICAL TREATMENT	49
M 7	MENTAL HEALTH	99
M 8	MIGRATION: OTHER COUNTRY	9
M 9	MIGRATION: MOVING WITHIN COUNTRY (residential mobility)	17
N 1	NATIONALITY	5
N 2	NATION: TIME & PLACE	20
N 3	NATIONAL CHARACTER (modal personality)	2
N 4	NATION'S CONDITION	52
N 6	ATTITUDES TO THE NATION	111
N 7	LIVABILITY OF THE NATION	5
N 8	NUTRITION	18
O 1	OCCUPATION	133

O 2	ORGAN TRANSPLANTATION	11
P 1	PERSONALITY: HISTORY	44
P 10	POSSESSIONS	26
P 12	PROBLEMS	20
P 13	PSYCHO-SOMATIC COMPLAINTS	53
P 2	PERSONALITY: CHANGE	7
P 3	PERSONALITY: CURRENT ORGANIZATION	7
P 4	PERSONALITY: CURRENT TRAITS	392
P 5	PERSONALITY: LATER	23
P 6	PHYSICAL HEALTH	286
P 7	PLANNING	7
P 8	POLITICS	197
P 9	POPULARITY	22
R 1	RELIGION	198
R 2	RESOURCES	8
R 3	RETIREMENT	46
R 4	ROLES	13
S 1	SCHOOL	92
S 10	SOCIAL SUPPORT: RECEIVED	26
S 11	SOCIAL SUPPORT: Provided	3
S 12	SPORTS	32
S 13	STIMULANTS	33
S 14	SUICIDE	4
S 15	SUMMED EFFECTS ON HAPPINESS	71
S 2	SELF-IMAGE	193
S 3	SEX-LIFE	54
S 4	SLEEP	10
S 5	SOCIAL MOBILITY	16
S 6	SOCIAL PARTICIPATION: PERSONAL CONTACTS	50
S 7	SOCIAL PARTICIPATION: VOLUNTARY ASSOCIATIONS	111
S 8	SOCIAL PARTICIPATION: TOTAL (personal + associations)	25
S 9	SOCIAL STATUS (Socio-Economic Status)	140
T 1	TIME	27
T 2	THERAPY	9
T 3	TOLERANCE	37
V 1	VALUE CAREER	8
V 2	VALUES: CURRENT PREFERENCES (own)	49
V 3	VALUES: CLIMATE (current values in environment)	4
V 4	VALUES: SIMILARITY (current fit with others)	5
V 5	VICTIM	11
W 1	WAR	5
W 2	WORK CAREER	1
W 3	WORK CONDITIONS	34
W 4	WORK-ATTITUDES	313

W 5	WORK-PERFORMANCE (current)	6
W 6	WORRIES	27
X	UNCLASSIFIED	22

Appendix 5 Related Topics

This Topic

Classification Page 1

Related Topics

In Subject List on Appendix 4

B 2	BIRTH HISTORY (own birth)	F 1	FAMILY OF ORIGIN (earlier family for adults, current for young)
		B 3	BODY
B 2.1	Conditions of conception		
B 2.1.1	Physical condition of parents	F 1.6.1	Parents characteristics
B 2.1.1.1	- physical condition of mother during pregnancy		
B 2.1.1.2	- medical treatment of mother during pregnancy	M 6.1.1	Earlier medical treatment
B 2.1.1.3	- working of mother during pregnancy	F 1.10	Working mother
B 2.1.2	Birth planning by parents	B 1	BIRTH CONTROL
B 2.2	Prenatal conditions		
B 2.2.1	Condition of mother during pregnancy		
B 2.2.2	Fetal condition	B 3.1.1	Earlier body characteristics
B 2.2.3	Condition of placenta		
B 2.3	Birth proces		
B 2.4	Condition at birth	P 6.1.1	Earlier physical health
B 2.4.1	Physical defects	B 3.1.1	Earlier body characteristics
		H 2.1.1	Earlier handicap
B 2.4.2	Reflexes after birth	A 1.1.1	Earlier activity level
B 2.5	Birth sequala		
B 2.5.1	Mothers post-partum condition		
B 2.5.2	Own post-partum condition		
B 2.5.2.1	- physical condition in 1st year of life	B 3.1.1	Earlier body characteristics
		P 6.1.1	Earlier physical health
B 2.5.2.2	- medical treatment in 1st year of life	M 6.1.1	Earlier medical treatment
B 2.5.2.3	- social condition in 1st year of life	F 1.1.1	Earlier family situation
B 2.6	Development in 1st year of life	B 3.1	Physical development

End of Report